



# G. HJUKSTROM LTD.

WHOLESALE AUTOMOTIVE, INDUSTRIAL,  
HARDWARE, SAFETY, SECURITY &  
SPORTING PRODUCTS



## 2024

## CATALOGUE

### G. HJUKSTROM LTD.



SALES@HJUKSTROM.COM



(604)882-8211



19114, 95A AVENUE, SURREY, BC



WWW.HJUKSTROM.COM

### G.H. FACTORY SALES



SALES@GHFACTORYSALES.COM



(902)468-1277



2, 71 ILSLEY AVENUE, DARTMOUTH, NS



WWW.GHFACTORYSALES.COM



**AUTOMOTIVE ..... 1 - 38**

**HAND TOOLS ..... 41 - 91**

**STRIKING TOOLS ..... 93 - 113**

**BUILDERS & SECURITY ..... 115 - 132**

**MATERIAL HANDLING ..... 135 - 166**

**MISCELLANEOUS ..... 169 - 188**

**SAFETY SUPPLIES ..... 191 - 199**




**SPORTING GOODS ..... 201 - 214**



**▶ AUTO LAMPS FOR AUTOMOBILES, SNOWMOBILES & MOTORCYCLES**



ITEM NO.	VOLTAGE	RATING	BASE TYPE
53	12V	1CP	BA9S
67	12V	4CP	BA15S
90	12V	6CP	BA15D
623	24V	6CP	BA15S
624	24V	6CP	BA15D
1142	12V	21CP	BA15D
1156	12V	32CP	BA15S
1156NA	12V	32CP(Amber)	BA15S
1157A	12V	32W/4CP(Amber)	BAY15D
1251	24V	3CP	BA15S
1252	24V	3CP	BA15D
1816	13V	33A	BA9S
1891	12V	2CP	BA9S
1895	12V	2CP	BA9S
3057	12V	32/2CP	Plastic W
3157NA	12V	32/3CP(Amber)	Plastic W
3357	12V	40/3CP	S25 Wedge
4057	12V	32/2CP	S25 Wedge
4114	12V	32/3CP	
**A5225	12V	25/25W	P15D
7440	12V	21W	T20 Wedge
7443	12V	21/5W	T20 Wedge




\*\*A5225 - Suitable for Yamaha and Honda ATV's.

**▶ HALOGEN LAMPS FOR AUTOMOBILES, SNOWMOBILE'S MOTORCYCLES & TRACTORS**



- High efficiency.
- Stable colour temperature.
- Longer life.
- Heat resistant.
- Resistance to vibration and shock.
- Meets the conditions according to internationally agreed standards (I.E.C.).

ITEM NO.	VOLTAGE	WATTAGE	BASE TYPE
*H-1-100	12V	100W	PK22S
*H-4-10055	12V	100/55W	
*H-4-10080	12V	100/80W	
*H-11-055	12V	55 W	PGJ 19-2
*9004	12V	65/45W	
*9004-2	12V	100/80W (High Wattage)	
*9005-2	12V	100W (High Wattage)	
*9005XS	12V	65W	P20D Straight
*9006-2	12V	80W (High Wattage)	
*9006XS	12V	55W	P20D Straight
*9007-2	12V	100/80W (High Wattage)	
*H-7-100	12V	100W	PX260



**\*TO BE DISCONTINUED, WHILE SUPPLIES LAST**

**▶ UTILITY WORK LIGHT - LED**

- Water resistant aluminum body.
- Powder-coat paint.
- Recessed lens.
- Polarity safe.
- Suitable for farm equipment, work trucks, boats and forklifts.
- Individually boxed in colourful box.
- Supplied with stainless steel mounting hardware.

ITEM NO.	SHAPE	DIMENSIONS W x H x D	VOLTAGE RANGE	BODY COLOUR	BEAM TYPE	NO. OF LEDS	LUMEN RATING	COLOUR TEMP	WATTS	LENS MATERIAL
1248-BL-8	Rect	6 x 3.75 x 1.75	9-110VDC	Black	Flood	8	1200	5000K	17W	Glass
*1348-RD-BLK	Round	4.5 x 1.5	10-30VDC	Black	Spot	6	800	6000K	18W	PMMA
1448-SQ-BLK	Square	4.5 x 4.5 x 1.5	10-30VDC	Black	Flood	5	650	6000K	15W	PMMA
1448-RD-BLK	Round	4.6 x 2.75	10-30VDC	Black	Flood	6	800	6000K	18W	PMMA
*1548-SQ-BLK	Square	4.5 x 4.5 x 2.75	9-48VDC	Black	Spot	7	2800	3500K	35W	PC
*1548-RD-BLK	Round	4.6 x 2.75	9-48VDC	Black	Spot	7	2800	3500K	35W	PC
*1648-SQ-BLK	Square	4.5 x 4.5 x 2.75	9-48VDC	Black	Flood	7	2800	3500K	35W	PC
*1648-RD-BLK	Round	4.6 x 2.75	9-48VDC	Black	Flood	7	2800	3500K	35W	PC
*1748-SQ-BLK	Square	4.5 x 4.5 x 2.75	9-48VDC	Black	Spot	7	2800	6000K	35W	PC
*1748-RD-BLK	Round	4.6 x 2.75	9-48VDC	Black	Spot	7	2800	6000K	35W	PC
*1948-O-BLK	Oval	4.75 x 3 x 3	9-48VDC	Black	Flood	2	800	5000K	20W	PC
*2048-O-BLK	Oval	4.75 x 3 x 3	9-48VDC	Black	Spot	2	800	Blue	6W	PC

**\*TO BE DISCONTINUED**

Note: 3500K colour temp=warm white, 6000K colour temp=daylight white. To calculate amp draw, divide wattage by voltage used (35W/12V = 2.91 amps).



1248-BL-8



1348-RD-BLK


 1948-O-BLK  
2048-O-BLK

 1548-SQ-BLK  
1648-SQ-BLK  
1748-SQ-BLK

 1548-RD-BLK  
1648-RD-BLK  
1748-RD-BLK


1448-RD-BLK



1448-SQ-BLK

**▶ FLASHLIGHT - LED ALUMINUM BODY**



- Made from aircraft grade aluminum.
- CREE LED used as light source.
- Push on/off switch.
- Has flasher mode when switch pushed halfway.
- Bright 190 lumen output.
- Highly efficient, 3 C cells will provide light for up to 10 hours.
- Clamshell carded.



**ITEM NO. DESCRIPTION**

\*LF1174 3 X C Cell Aluminum LED Flashlight

**\*TO BE DISCONTINUED**

**▶ LANTERN - CAMPING**



- 3 Long LED's which light at 50% or 100% also (total 300 lumens).
- Has 6 flashing red emergency LED's when required.
- Requires 3 AA batteries (not included).
- Stainless steel hanger hook.
- 6-1/2" overall height.
- Boxed.



**ITEM NO. DESCRIPTION**

XG-8002 Camping Lantern

**▶ TRACTOR (IMPLEMENT) LIGHT HALOGEN - ROUND**

- Rubber body.
- Replaceable 12V-H3-55W bulb.
- Universal adjustable plated mounting bracket.
- Beam spread: horizontal 75°, vertical 70°.



**ITEM NO. DESCRIPTION**

\*NEO-990 5" Rubber Tractor Light

**\*TO BE DISCONTINUED**

**▶ TRACTOR LIGHT - HALOGEN**

- Size 7-1/4" x 4".
- Black ABS case with handle.
- Swivel rubber mount for flexible installation.
- Suitable for marine, off-road and machinery use.
- Supplied with 12V-H3-55W bulb.
- Individually boxed.
- New flood and spot combination light pattern.



8724

ITEM NO.	SIZE
----------	------

*8724	Halogen Tractor Light
*LENS-8724	Replacement Lens For Above

**\*TO BE DISCONTINUED**

**▶ TURN, STOP & TAIL LIGHTS - WITH REFLECTIVE OUTER RING**

ITEM NO.	SIZE	LENS COL.	BULB SIZE & QTY.	LENS MATERIAL
**MH-5800R	4" dia. x 2-1/16"	Red	12.8V 32/3 cp	Polycarbonate Sealed
**MH-5800A (2" wire)	4" dia. x 2-1/16"	Amber	12.8V 32/3 cp	Polycarbonate Sealed

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-5800R

**▶ STOP & TURN SIGNAL LIGHTS - LED**

- Sealed lens, polycarbonate body.
- 3 Wire plug-in.

ITEM NO.	SIZE	COLOUR	NO. OF LED'S
**MH-5553A	4" Round	Amber	10

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-5553A

**▶ CLEARANCE & MARKER LIGHTS - LED**

ITEM NO.	SIZE L X W X D	LENS COLOUR	NO. OF LEDS	LENS MATERIAL
*MH-1277A	2" dia.	Amber	9	Polycarbonate, Sealed
*MH-1277R	2" dia.	Red	9	Polycarbonate, Sealed

**\*TO BE DISCONTINUED**



MH-1277A



MH-1277R



**► CLEARANCE & MARKER LIGHTS**

ITEMNO.	SIZE L X W X D	LENS COLOUR	BULB SIZE & QTY.	LENS MATERIAL
**MH-1258R	2-1/2" x 1 1/4" x 3/4"	Red	194 x 1	Polycarbonate, Sealed
**MH-1260A	3-3/4" x 1 3/16" x 3/4"	Amber	194 x 2	Polycarbonate, Sealed
**MH-1288A	2-1/2" Dia. Reflective	Amber	194 x 1	Polycarbonate, Sealed

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-1258R



MH-1260A



MH-1288A

**► MARKER LIGHT - LED BAR LIGHT 12V DC**

- Stainless steel bar with 3 LED Lights (each light contains 6 LED's).
- Sealed lens, water resistant.
- Screw mounted.
- Wires, screws and nuts supplied.
- Supplied on a card and UPC coded.

ITEM NO.	SIZE_L X W X D	LENS COLOUR	NO. OF_LEDS	LENS MATERIAL
*TE2-0536A	16-3/4" x 1-3/16" x 1-1/4"	Amber	6 per Light	Polycarbonate

**\*TO BE DISCONTINUED**



**► CLEARANCE & MARKER LIGHT - LED**

- Sealed lens.
- Waterproof.
- Screw mounted (screws & nuts supplied).
- Carded.

ITEM NO.	SIZE_L X W X D	LENS COLOUR	NO. OF_LEDS	LENS MATERIAL
*TE2-0534A	3-1/4" X 1-1/4" X 7/8"	Amber	6	Polycarbonate, Sealed

**\*TO BE DISCONTINUED**



**▶ TURN, STOP & TAIL LIGHTS**

ITEM NO.	SIZE L x W x D	LENS COLOUR	BULB SIZE AND QTY.	BODY MATERIAL
*MH-23102	4-1/2" x 2-3/8", 2" wire double face	Amber /Red	1 x 1157	Black zinc diecast body, 1/2" stud mount
*MH-52002C	4-1/2" x 2-3/8", 2" wire single face	Clear	1 x 1157	Black zinc diecast body, 1/2" stud mount

**\*TO BE DISCONTINUED**


**▶ ACCESSORIES FOR MARKER, TURN, STOP & TAIL LIGHTS**

ITEM NO.	DESCRIPTION
**MH-12761	2" Dia. Rubber Grommet

**\*TO BE DISCONTINUED**  
**\*LIMITED QUANTITIES - NO BACK**


**▶ WEATHERPROOF/SPLASHPROOF TRAILER LIGHT KIT**

- 12V DC – With replaceable bulbs (#1157).
- IP65 Standard for use in wet conditions.
- Kit contains: a pair of taillights + 25' trailer harness with connectors + 48" long truck connector + License plate bracket + mounting hardware.
- Combined functions as stop/tail/turn/backup light.

ITEM NO.	DESCRIPTION
TE2-1610	Trailer Light Kit


**▶ TRAILER LIGHTING KIT**


- Suitable for all types of trailers.
- OEM replacement style.
- Kit includes 2 combination Class A stop, tail, turn signal & rectangular marker lights with license plate bracket and license plate light, 2 side marker rectangular amber lights, 20' split Y harness with 4 colour coded wires.
- All lights are also reflective.
- Uses standard #1157 bulb.
- Clamshell packaged.
- Spare bulbs available.


ITEM NO.	DESCRIPTION
MH-5750	Trailer Light Kit



**▶ TOWING LIGHTS LED - MAGNETIC BASE**



- 15 Bright LED's per light.
- Ideal to provide tail, brake and signal lights on vehicles in tow.
- Strong magnetic base holds lights in place.
- Black painted metal housing ensures long life.
- 68" wire between lights.
- 29-1/2' long power supply wire.
- 4-1/2" light diameter.



**ITEM NO. DESCRIPTION**

TE2-518D LED Magnetic Tow Lights

**▶ EMERGENCY LIGHT - ROUND STROBE (LARGE)**

- Amber lens, 100,000 candle power.
- Strong magnetic base.
- Coiled lighter plug cord, expandable to 10', 12V DC.
- Impact resistant ABS base.
- Suitable for temperatures -30°C to 60°C (-22°F to 140°F).
- Flash rate 70-110/min., operating life 300 hours.
- Solid-state circuitry.
- Dimensions: 4-3/4" diameter x 4" H.



**ITEM NO. DESCRIPTION**

TE2-514 Amber Strobe Light - Boxed

LENS-514A Amber Replacement Lens

**▶ FLASHING SAFETY LIGHTS - LED DISPLAY**



- Long lasting battery life.
- Brighter than standard bulbs.
- Clamshell packed.
- Requires 4 AA batteries.

ITEM NO.	DESCRIPTION	DIMENSIONS	LENS COLOUR	NO. OF LEDS	BATTERY TYPE	NO. OF FUNCTIONS
SH105	Rectangular with Clip & HD Magnet	2 x 2-3/4"	Red	5	2 x AA	6
SH501	Rectangular with Stand & HD Magnet	3-3/4" x 6-1/2"	Red	18	4 x AA	2
SH501A	Rectangular with Stand & HD Magnet	3-3/4" x 6-1/2"	Amber	18	4 x AA	2



SH501 & SH501A



SH105

### ▶ STROBE LIGHT - XENON FORKLIFT TYPE

- Suitable for 12V-80V DC.
- 5-1/4" High with screw down fixing.
- Flash rate 60-80/minute.
- Replaceable strobe.
- Conforms to CSA C22.2 and ANSI/UL requirements.
- Extra bulb included in attachment pack.
- Lens and replacement bulbs available.

ITEM NO.	DESCRIPTION
TE2-0527A	Strobe Light
BULB-0527A	Replacement Bulb for TE2-0527A
LENS-0527A	Amber Replacement Lens



### ▶ BATTERY LOAD TESTER

- Used to test batteries (6 or 12 volts), charging systems and starter motors.
- Completely portable.
- Tests completed in 30 seconds.
- Heavy duty colour coded copper plated clamps.
- Ventilated, black painted steel case.
- Suitable for 500-1000 cold cranking amps.
- Individually boxed.

ITEM NO.	DESCRIPTION
BT-260	Battery Tester



### ▶ BATTERY MAINTAINER 12 VOLT 0.75 AMP

- Provides 0.75 AMP charging, ideal for seasonal vehicles.
- Auto shut-off.
- Short circuit protected.
- Input 120 VAC, output 0.75 AMP.
- Suitable for lead acid, wet maintenance free and gel batteries.
- Supplied with alligator clips, ring terminal and quick connect fittings.
- cETL listed.

ITEM NO.	DESCRIPTION
TE4-0237	Battery Maintainer



### ▶ SMART BATTERY CHARGER - 6V/12V 4A

- For use with 12V lithium and 6V or 12V lead acid (including GEL & AGM) batteries.
- Includes ring terminals and removable terminal clamps.
- Fully protected against short-circuit, reverse polarity, overcharging & overheating.
- Fully automatic - shuts off when battery is full.
- Input: 105-125V 60Hz AC, output: 6V or 12V DC (4A Max).

ITEM NO.	DESCRIPTION
TE4-0249	Battery Charger 4A Smart



**▶ BATTERY CHARGER - 1.5 AMP OUTPUT**

- Suitable for 12V lead acid batteries.
- Protection against overcharge, short circuit.
- Automatic shut-off.
- LED indicators.
- Water and shock resistant case.
- Attractively clamshell packaged.



ITEM NO.	DESCRIPTION
TE4-0218A	1.5 Amp Charger (Maintainer)

**▶ BATTERY CHARGER - AUTOMATIC SHUT OFF - 6V/12V**

- Automatic shut-off on 12V only.
- Polarity check light.
- Green indicator light to indicate complete charge.
- 6-1/2' power cord and 6 1/2' battery leads.
- 2 amp rating for smaller batteries - (motorcycles, ATV's & lawn mowers) and trickle charge.
- 10 amp rating for normal charging.
- 55 amp rating for starting power (after several minutes of charging).
- cUL approved.



ITEM NO.	DESCRIPTION
JC-S106	Battery Charger Auto-Shut Off

**▶ L-SHAPED MOUNTING BRACKET**

- Used for mounting car side female 7-Way connectors under bumpers or frame.
- Black powder coat finish.
- Packaged in poly bag with hanger card.



ITEM NO.	DESCRIPTION
SH-W9394	Mounting Bracket For 7-Way Connector

**▶ TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

ITEM NO.	DESCRIPTION
SH-7082	7-Way Connector, Impact Resistant Plastic. Housing. "Rubber Seal" on Door (Car End). (Replaces #SH-C7092).



**▶ TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

**ITEM NO. DESCRIPTION**

SH-7081 7-Way Connector, Impact Resistant Plastic Housing, Male End (Trailer End).


**ITEM NO. DESCRIPTION**

\*SH-C4013 4-Way Connector Set (Male/Female). Secure Locking Spring-Loaded Cover Which Locks In Male Plug. 1-3/8" OD Female Barrel 1-1/8" OD Male Barrel Chrome Plated.

**\*TO BE DISCONTINUED**


**ITEM NO. DESCRIPTION**

\*SH-A7264 6-Way Round To 4 Way Flat Adaptor. ABS Construction.

**\*TO BE DISCONTINUED**


**ITEM NO. DESCRIPTION**

\*SH-C7039 7-Way Round Pin Type, Die Cast Zinc Body, Trailer End Receiver With Spring Cable Guard. 1-1/2" Male Barrel Coated To Resist Corrosion.

**\*TO BE DISCONTINUED**


**ITEM NO. DESCRIPTION**

\*SH-C7032 7-Way Connector, "Heavy Duty". Round Pin Type Die Cast Zinc Body (Car End).

**\*TO BE DISCONTINUED**




**▶ TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

**ITEM NO. DESCRIPTION**

\*SH-D5103 5-Way Flat To 5-Way Flat Trailer Connector 18 Gauge Wire 12" Long.

**\*TO BE DISCONTINUED**



**ITEM NO. DESCRIPTION**

SH-A7274 7 Wire Round Center Pole Trailer End Converts 7 Wire to 4 Wire Flat.



**ITEM NO. DESCRIPTION**

SH-A7275 7 Wire Round Center Pole Trailer End Converts To 5 Wire Flat End.



**ITEM NO. DESCRIPTION**

SH-S2102-10G 2-Way Flat Connector Loop With 12" 10 Gauge Wires.

SH-S2102-14G 2-Way Flat Connector Loop With 12" 14 Gauge Wires.




SH-S2102-10G  
SH-S2102-14G

**ITEM NO. DESCRIPTION**

SH-44140 4-Way rubber coated flat type connector with 12", 18 gauge wire leads.

SH-44141 4-Way rubber coated flat type connector with 48", 18 gauge wire leads.



SH-44140  
SH-44141

### ▶ TOP POST BATTERY TERMINALS

- Heavy duty lead bodies.

ITEM NO.	DESCRIPTION
----------	-------------

BT5A-1	Standard
BT5A-2	Standard
BT5A-10	Standard



### ▶ BATTERY TERMINAL BRUSH

- Sturdy nickel-plated metal body.
- Includes brush for post and tapered brush for clamp cleaning.

ITEM NO.	DESCRIPTION
----------	-------------

BTB-1	Battery Terminal Brush
-------	------------------------



### ▶ CLAMPS FOR BATTERY BOOSTER CABLES



- Chrome plated.
- Vinyl coated handles.
- Available in red and black colours.

ITEM NO.	DESCRIPTION
----------	-------------

32-D2BL	Black Booster Cable Parrot Jaw Clamp 500A
32-D2RD	Red Booster Cable Parrot Jaw Clamp 500A
32-800BL	Black Booster Cable Clamp 800A
32-800RD	Red Booster Cable Clamp 800A



32-800BL 32-800RD



32-D2RD  
32-D2BL

### ▶ SPRING CLAMPS

- Chrome plated.
- Vinyl coated handles.
- Available in red and black colours.
- 7/16" jaw width

ITEM NO.	DESCRIPTION
----------	-------------

TT8-005BK	Black Cable Clamp
TT8-005RD	Red Cable Clamp





**▶ BOOSTER CABLE**



- Thermoplastic rubber.
- At -45°C remains tangle-free.
- Cable coatings are highly resistant to oils and chemicals.
- 100% copper strands.

ITEM NO.	DESCRIPTION	AMP RATING	WIRE SIZE	NO. OF WIRES	CABLE LENGTH
32-065A-3	Battery Booster Cable, Sleeve Packed.	150	10	65	10'
32-172D	Battery Booster Cable W/Parrot-Jaw Clamps, Boxed.	500	6	172	12'
32-259D	Battery Booster Cable W/Parrot-Jaw Clamps, Boxed.	500	4	259	16'
32-545D	Battery Booster Cable, Boxed.	800	2	413	25'



32-065A-3



32-172D  
32-259D



32-545D

**▶ FUSES - PLUG-IN TYPE**

- Supplied in multiple compartment plastic box.
- Standard size and mini.
- Suitable for up to 32V.

ITEM NO.	DESCRIPTION
TE5-0442	120 Piece Standard Size Plug-In Fuses, 20 Each-5A, 10A, 15A, 20A, 25A, 30A
TE5-0454	100 Piece Mini Size Plug-In Fuses, 20 Each-5A, 10A, 15 each-15A, 20A, 25A, 30A



TE5-0454



TE5-0442

## ▶ HEAT-SHRINK TUBING KIT

- Operating temperature -55°C to 125°C.
- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang-up hook.

ITEM NO.	DESCRIPTION
TE5-0500	185 Piece x 2 1/2" Heat Shrink Tubing Kit - Black Kit Consists Of: 65 - 1/16" (2mm) - 2-1/2" 45 - 1/8" (3mm) - 2-1/2" 25 - 3/16" (5mm) - 2-1/2" 20 - 1/4" (6mm) - 2-1/2" 15 - 3/18" (9mm) - 2-1/2" 15 - 1/2" (13mm) - 2-1/2"
TE5-0501	120 Piece x 2 1/2" Heat-Shrink Tubing Kit - Colour Coded Kit Consists Of: 40 - 22/18 Gauge 2-1/2" - Red 40 - 16/14 Gauge 2-1/2" - Blue 40 - 12/10 Gauge 2-1/2" - Yellow



TE5-0501



TE5-0500

## ▶ QUICK-SPLICE KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang-up hook.

ITEM NO.	DESCRIPTION
*TE5-0506	70 Piece Quick-Splice Kit Kit Consists Of: 15 - 22/18 Gauge - Red Connector 20 - 16/14 Gauge - Blue Connector 5 - 12/10 Gauge - Yellow Connector 15 - 16/14 Gauge - Quick Disconnects 15 - 16/14 Gauge - T-Taps

**\*TO BE DISCONTINUED**



## ▶ CABLE CLAMP KIT

- Ideal for mounting wires, cables and hoses.
- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang up hook.

ITEM NO.	DESCRIPTION
*TE5-0507	90 Piece Cable Clamp Kit Kit Consists Of: 2 - 1/4" Dia. Rubber Coated SS Cable Clamps 2 - 5/16" Dia. Rubber Coated SS Cable Clamps 2 - 3/8" Dia. Rubber Coated SS Cable Clamps 2 - 7/16" Dia. Rubber Coated SS Cable Clamps 22 - 1/8" Dia. Nylon Clamps - (12 Black, 10 White) 30 - 3/16" Dia. Nylon Clamps - (15 Black, 15 White) 30 - 1/4" Dia. Nylon Clamps - (15 Black, 15 White)

**\*TO BE DISCONTINUED**



**▶ ICE SCRAPERS & SNOW BRUSHES**

ITEM NO.	DESCRIPTION
XP-4571R	24" Heavy Duty 4" Ice Scraper & Brush.
XP-6530	Snow Brush W/Ice Scraper 25" X 5/8" X 7/8" Wood Handle. 2 Rows Of PVC Bristle With Ice Scraper On End.
XP-4528R	6' Aluminum Handle, Extendable 30" to 45" Scraper W/Adjustable Angle Brush And Squeegee.



XP-4571R



XP-6530



XP-4528R

**▶ SNOW BRUSHE & SCRAPER**

- Designed to remove snow from cars & trucks.
- Large 15" x 5-1/2" foam pad has 3 levels to minimize any scraping.
- Head locks into 7 positions to give required angle.
- Handle locks from 30" to 49" (extendable) with a total of 8 positions.

ITEM NO.	DESCRIPTION
XP-462002	Snow Brush & Scraper



**► SQUEEGEES - AUTOMOTIVE**

- 10" nylon net-covered foam head.
- Rubber wiping blade on reverse side of head.
- Threaded handles allow for easy storage.

ITEM NO.	DESCRIPTION
CT-613	10" ABS Squeegee With Telescopic Aluminum Handle Extends From 27" To 48". Has Rubber Grip With Hang-Up Hole. Replacement for #3940.
XP-390602 (Replaces #3940)	10" Squeegee With 20" Plastic Handle.


**► WHEEL LUG NUTS**

- Chrome plated to resist corrosion.
- Standard hex nut sizes 13/16" or 3/4".
- Tapered edge.
- Each nut clearly identified with size.
- Right-hand thread.
- Boxed 50 per box.

ITEM NO.	WRENCH SIZE	WHEEL STUD SIZE
LM001-14150	13/16"	14mm x 1.5
LM023-12125	3/4"	12mm x 1.25
LM023-12150	3/4"	12mm x 1.5
LM023-7-16	3/4"	7/16"
LM023-1-2	3/4"	1/2"



**▶ 4-WAY WHEEL WRENCH**

- 20" overall width.
- 11/16", 3/4", 13/16" and 7/8" wheel nut sizes.
- Sizes embossed on each end.
- Chrome plated to resist rusting.

ITEM NO.	DESCRIPTION
3-1101	4-Way Wheel Wrench



**▶ TUBELESS TIRE VALVE STEMS**

- Plastic valve cap supplied.
- Sold 100/bag only.

ITEM NO.	OVERALL LENGTH	BASE SIZE
TR413	42.5 (1-1/16")	11.5mm
TR415	42.5 (1-1/16")	15.9mm
TR418	61.5 (2-7/16")	12mm x 1.5



**▶ MECHANIC'S CREEPER**

- Durable powder-coat paint.
- Heavy rectangular tube frame.
- 6 x 2-1/2" hard plastic wheels with ball bearing swivel base.
- Full 11" x 36" padded body support with built-in pillow.

ITEM NO.	DESCRIPTION
TR6451	6 Wheel Mechanic's Creeper
TR-WHEEL	Replacement Casters



## ▶ MECHANIC'S STOOL

- 14" x 8-1/2" padded seat.
- All steel construction.
- 15" overall height.
- 4 swivel casters.
- Handy 11-1/2" x 12-1/2" partitioned parts tray under seat.

ITEM NO.	DESCRIPTION
----------	-------------

TR6100	Mechanic's Stool
TR6100-01	Replacement Swivel Casters



## ▶ HOSE CLAMPS - STAINLESS BAND

- Band and housing made of 430 stainless steel.
- Tightening screw made of zinc-plated steel.
- Packed 10 pieces per box.
- Sold in boxes of 10 only.

NO. ITEM	SAE SIZE	BAND WIDTH		DIAMETER RANGE	
		INCH	MM	INCH	MM
HC-002	#2	5/16"	9mm	1/4" - 1/2"	6mm - 12mm
HC-004	#4	5/16"	9mm	5/16" - 5/8"	8mm - 16mm
HC-005	#5	5/16"	9mm	7/16" - 3/4"	11mm - 20mm
HC-006	#6	5/16"	9mm	1/2" - 3/4"	12mm - 23mm
HC-008	#8	5/16"	9mm	1/2" - 1"	13mm - 25mm
HC-010	#10	1/2"	12.7mm	9/16" - 1-1/16"	14mm - 27mm
HC-012	#12	1/2"	12.7mm	11/16" - 1-1/4"	17mm - 32mm
HC-016	#16	1/2"	12.7mm	11/16" - 1-1/2"	17mm - 38mm
HC-020	#20	1/2"	12.7mm	13/16" - 1-3/4"	21mm - 44mm
HC-024	#24	1/2"	12.7mm	1" - 2"	25mm - 51mm
HC-028	#28	1/2"	12.7mm	1-1/4" - 2-1/4"	32mm - 57mm
HC-032	#32	1/2"	12.7mm	1-1/2" - 2-1/2"	38mm - 63mm
HC-036	#36	1/2"	12.7mm	1-3/4" - 2-3/4"	44mm - 70mm
HC-044	#44	1/2"	12.7mm	2-1/4" - 3-1/4"	57mm - 82mm
HC-052	#52	1/2"	12.7mm	2-3/4" - 3-3/4"	70mm - 95mm
HC-064	#64	1/2"	12.7mm	3-1/2" - 4-1/4"	89mm - 114mm
HC-072	#72	1/2"	12.7mm	4" - 5"	102mm - 127mm
HC-088	#88	1/2"	12.7mm	5" - 6"	127mm - 152mm
HC-104	#104	1/2"	12.7mm	6" - 7"	152mm - 178mm



**▶ HOSE CLAMPS - ALL STAINLESS**

- Band and housing made of 304 stainless steel.
- Tightening screw made of 304 stainless steel.
- Packed 10 pieces per box.
- Sold in boxes of 10 only.

NO. ITEM	SAE SIZE	BAND WIDTH		DIAMETER RANGE	
		INCH	MM	INCH	MM
304-002	#2	5/16"	9mm	1/4" - 1/2"	6mm - 12mm
304-004	#4	5/16"	9mm	5/16" - 5/8"	8mm - 16mm
304-005	#5	5/16"	9mm	7/16" - 3/4"	11mm - 20mm
304-006	#6	5/16"	9mm	1/2" - 3/4"	12mm - 23mm
304-008	#8	5/16"	9mm	1/2" - 1"	13mm - 25mm
304-010	#10	1/2"	12.7mm	9/16" - 1-1/16"	14mm - 27mm
304-012	#12	1/2"	12.7mm	11/16" - 1-1/4"	17mm - 32mm
304-016	#16	1/2"	12.7mm	11/16" - 1-1/2"	17mm - 38mm
304-020	#20	1/2"	12.7mm	13/16" - 1-3/4"	21mm - 44mm
304-024	#24	1/2"	12.7mm	1" - 2"	25mm - 51mm
304-028	#28	1/2"	12.7mm	1-1/4" - 2-1/4"	32mm - 57mm
304-032	#32	1/2"	12.7mm	1-1/2" - 2-1/2"	38mm - 63mm
304-036	#36	1/2"	12.7mm	1-3/4" - 2-3/4"	44mm - 70mm
304-044	#44	1/2"	12.7mm	2-1/4" - 3-1/4"	57mm - 82mm
304-052	#52	1/2"	12.7mm	2-3/4" - 3-3/4"	70mm - 95mm
304-064	#64	1/2"	12.7mm	3-1/2" - 4-1/4"	89mm - 114mm
304-072	#72	1/2"	12.7mm	4" - 5"	102mm - 127mm
304-088	#88	1/2"	12.7mm	5" - 6"	127mm - 152mm
304-104	#104	1/2"	12.7mm	6" - 7"	152mm - 178mm



**▶ FIX-IT KIT FOR SERVICING HI-LIFT JACKS**

- Kit contains:
  - 2 CP-1 climbing pins.
  - 2 CP-2 cross pins.
  - 2 CP-3 climbing pin springs.
  - 1 SP-13 safety shear-pin.
  - 1 LT-1 lubrication tube.
  - 1 installation instructions.

ITEM NO.	DESCRIPTION
*HL-484-99-FK2	FIX-IT KIT

\* Other parts for HI-LIFT are available on request.




▶ **HI-LIFT JACKS, PREMIUM CAST & STEEL JACK MEETS ANSI REQUIREMENTS MADE IN U.S.A.**

- Low pick-up of 4-1/2".
- Base plate of 28 square inches.
- Safety shear-pin shears at 7000 lbs.
- Manufactured of high stress steel and Class A Grade 1 castings.

ITEM NO.	DESCRIPTION	LIFT
HL-484	48" Premium Jack	37"

\*PRICE INCLUDES TOP CLAMP CLEVIS



▶ **WINCH - 2,000 lb. Capacity**

- 12 Volt DC permanent magnet motor .85 HP.
- 50 feet of 5/32" aircraft cable with safety latch hook.
- 54 inch remote control cable in/out buttons.
- 68 inch power leads.
- Cable tension plate to ensure level winding, free spooling and power in and out.
- Supplied with hand saver bar.
- Bolts and mounting plate included.
- Overall dimensions: L11-1/2" x W 4" x H 4".
- Roller fairlead included.

ITEM NO.	LINE PULL	LINE SPEED	WEIGHT	AMP DRAW
DJS-2000	0-2000 lbs.	10.5-4.2 f/min	11-1/2 lbs.	8-118



▶ **WINCH - 3,500 lb. Capacity**

- 12 Volt DC permanent magnet motor 1.3 HP.
- 50 feet of 7/32" aircraft cable with safety latch hook included.
- 10' leads on remote rocker switch (in/out).
- Overall dimensions: L 12-1/2" x W 4-3/4" x H 5-1/2".
- Supplied with hand-saver bar.
- Roller fairlead included.

ITEM NO.	LINE PULL	LINE SPEED	WEIGHT	AMP DRAW
DJW-3500	0-3500 lbs	26-5 f/min	28 lbs.	20-230



▶ **ACCESSORIES FOR HI-LIFT**


ITEM NO.	DESCRIPTION
HL-484-99-LOC	"LOC" Rack For Locking Hi-Lift To Vehicle





**▶ BOAT WINCHES - GENERAL PURPOSE**


- Rust-resistant zinc finish.
- Internally lubricated drum bushing and pinion gear shaft bearing for long life and ease of operation.
- Reinforced frame gives extra strength.
- Stainless steel ratchet spring.
- Smooth-turning roller grip handle.



ITEM NO.	DESCRIPTION
GH-1000	1,000 lb. Capacity
GH-2000	2,000 lb Capacity

**▶ BOAT WINCH - STRAP TYPE**

- Rust-resistant zinc finish.
- Supplied with 2" strap and hook with safety latch.
- 25' long strap.
- Single speed.



ITEM NO.	DESCRIPTION
T18	Boat Winch with Strap, 1800 lbs. Capacity
T18-01	Handle for T18
T18-02	Spring for T18
T18-03	Pawl for T18
T18-04	Strap/Hook Replacement for T18

**▶ TRAILER HITCH BALL BUSHINGS**

- Used to reduce diameter of hole in draw bar.



ITEM NO.	DESCRIPTION
220601	Hitch Ball Adaptor To Reduce Hole Size From 1" to 3/4"
220602	Hitch Ball Adaptor To Reduce Hole Size From 1-1/4" to 1"

**▶ BALL MOUNT - TRIPLE BALL**

- Solid steel 2" bar with 1-7/8", 2", 2-5/16" welded trailer balls.
- Accommodates 1-7/8" (2,000 lbs.), 2" (6,000 lbs.), 2-5/16" (10,000 lbs.) couplers.
- Black painted bar with chrome plated trailer balls.
- Uses 5/8" pin.



ITEM NO.	DESCRIPTION	WEIGHT
28-TRIBALL	Triple Ball Mount w/Chromed Balls	20 lbs.

**▶ TRAILER HITCH BALLS - CLAMSHELL PACKED**

- UPC labeled.

ITEM NO.	BALL AND THREAD SIZE	BOLT LENGTH	LOAD RATING
28-1B	1-7/8" x 3/4"	2"	2,000 lbs.
28-2B	1-7/8" x 1"	2"	2,000 lbs.
28-3B	2" x 3/4"	2"	3,500 lbs.
28-4B	2" x 1"	2"	6,000 lbs.
28-5B	2-5/16" x 1"	2"	6,000 lbs.


**▶ TRAILER HITCH BALLS**


- Solid steel, chrome plated.

ITEM NO.	BALL & THREAD SIZE	LOAD RATING
<i>External Thread:</i>		
28-1	1-7/8" x 3/4"	2,000 lbs.
28-2	1-7/8" x 1"	2,000 lbs.
28-3	2" x 3/4"	3,500 lbs.
28-4	2" x 1"	6,000 lbs.
28-4A	2 x 1-1/4"	8,000 lbs.
28-5	2-5/16" x 1"	6,000 lbs.
28-6	2-5/16" x 1-1/4"	12,000 lbs.
<i>External Thread with 2-1/2" Long Bolt:</i>		
28-1L	1-7/8" x 3/4"	2,000 lbs.
28-3L	2" x 3/4"	3,500 lbs.
28-4L	2" x 1" 3" Long Bolt	5,000 lbs.
<i>Internal Thread:</i>		
28-7	1-7/8" x 3/4"	2,000 lbs.
28-8	2" x 3/4"	3,500 lbs.


**▶ HITCH BALL MOUNTS / DRAW BARS**


- Black powdercoat finish.
- 5/8" lock pin required.

ITEM NO.	BOX SIZE	BALL SHANK DIA.	A LENGTH	B DROP	C RISE	CAPACITY/TW
BMC-3002	2" x 2"	1"	10-1/2"	2"	3/4"	5000/500 lbs.
BMC-3003	2" x 2"	1"	13"	3-1/4"	2-1/4"	5000/500 lbs.
BMC-3004	2" x 2"	1"	11-1/2"	6"	4-3/4"	5000/500 lbs.




**▶ TRAILER JACKS**


ITEM NO.	MOUNTING BRACKET TYPE	RATED CAPACITY	LIFT	HANDLE
FJ-01-020	Tubular Swivel <b>Retracted Dimension (A) 11-3/4"</b> <b>Retracted Dimension (B) 16-3/4"</b>	2,000 lbs.	10"	Top Wind
FJ-05-070	Tubular Swivel <i>Supplied with grease fitting to grease gear.</i> <b>Retracted Dimension (A) 12"</b> <b>Retracted Dimension (B) 16-1/2"</b>	5,000 lbs.	10"	Side Wind 2
FJ-05-570	Tubular Swivel <i>Supplied with grease fitting to grease gear.</i> <b>Retracted Dimension (A) 15"</b> <b>Retracted Dimension (B) 20"</b>	5,000 lbs.	15"	Side Wind 2
FJ-02-520	Retaining Ring Swivel <b>Retracted Dimension (A) 14-1/2"</b> <b>Retracted Dimensions (B) 20-1/4"</b>	2,000 lbs.	15"	Top Wind 4
TJ-06-01L	Double Lock Pin Swivel Jack Bolt-On Mount <i>Supplied with grease fitting to grease gear.</i> <b>Retracted Dimension (A) 13-1/2"</b> <b>Retracted Dimension (B) 21"</b> <b>Wheel Height Dimension (C) 6-3/4"</b>	1,000 Lbs.	10"	Side Wind 2



**FJ-01-020**




**FJ-02-520**




**FJ-05-070**  
**FJ-05-570**


ITEM NO.	MOUNTING BRACKET TYPE	RATED CAPACITY	LIFT	HANDLE
TJ-701130	Double Lock Pin Swivel Jack Bolt on Mount <i>Supplied with grease fitting to grease gear.</i> <b>Retracted Dimension (A) 13-1/2"</b> <b>Retracted Dimension (B) 22-1/2"</b> <b>Wheel Height Dimension (C) 6 3/4"</b>	1,500 lbs.	10"	Side Wind Double 6" Wheel
*TJ-09-520	A-Frame Jack Bolt-on Mount <b>Retracted Dimension (A) 7-3/4"</b> <b>Retracted Dimension (B) 20"</b> <i>* Wheel or Foot may be required.</i>	2,000 lbs.	15"	Top Wind
*TJ-701057	A-Frame Jack Bolt-on Mount <b>Retracted Dimension (A) 10"</b> <b>Retracted Dimension (B) 20"</b> <i>* Wheel or Foot may be required.</i>	5,000 lbs.	15"	Top Wind
*TJ-701058	A-Frame Jack Bolt-on Mount <i>Supplied with grease fitting to grease gear.</i> <b>Retracted Dimension (A) 7-1/2"</b> <b>Retracted Dimension (B) 22-1/2"</b> <i>* Wheel or Foot may be required.</i>	1,000 lbs.	15"	Side Wind
*TJ-701059	A-Frame Jack Bolt-on Mount <b>Dimension (A) 7-1/2"</b> <b>Dimension (B) 22-1/2"</b> <i>* Wheel or Foot may be required.</i>	2,000 lbs.	15"	Side Wind



**TJ-06-01L**



**TJ-701130**



**TJ-701058**  
**TJ-701059**


**TJ-701-023**  
**TJ-09-520**  
**TJ-701057**

**\*TO BE DISCONTINUED**

## ▶ CASTERS & FOOT PLATE

- For use with A-frame trailer jacks.


ITEM NO.	LIFT CAPACITY	ADDITIONAL LIFT
TJ-701070	1,000 lbs.	7"
ABS Caster with pin for TJ-701023, TJ-701058.		
TJ-701071	1,200 lbs.	7"
ABS Caster with pin for TJ-09-520, TJ-701057, TJ-701059.		
TJ-701072	2,000 lbs.	8-3/4"
Steel drop-leg for TJ-701056, TJ-701057, TJ-701059.		



## ▶ TRAILER COUPLERS - CHANNEL TYPE

- Zinc-coated body.
- Zinc-plated locking mechanism.
- Smooth trigger mechanism for fast release and easy hook-ups.
- May be padlocked.

ITEM NO.	BALL SIZE	CHANNEL SIZE	CLASS	LOAD RATING
TSZ-60A	1-7/8"	2"	II	2,000 lbs.
TSZ-60B	1-7/8"	2-1/2"	II	2,000 lbs.
TSZ-60C	1-7/8"	3"	II	2,000 lbs.
TSZ-60D	2"	2-1/2"	II	3,500 lbs.
TSZ-60E	2"	3"	II	3,500 lbs.
TSZ-60F	2"	2"	II	3,500 lbs.



## ▶ TRAILER COUPLER LOCK

- Poly-bagged.
- Locks coupler locking lever to deter theft.
- Weather-resistant cast body and chrome-plated locking pin.
- Supplied with 2 keys.

ITEM NO.	DESCRIPTION
TS-LOCK	Coupler Lock



**▶ TRAILER HITCH RECEIVER LOCKS**

- Poly-bagged.
- Self-locking (can be locked without key).
- Supplied with weather-resistant protective cap.
- Chrome plated pin for weather resistance.
- Supplied with 2 keys.



ITEM NO.	RECEIVERPIN DIA.	DESCRIPTION
5202-272LK	5/8"	2" x 2" Receiver, 3-1/2" Useable Length

**▶ RUBBER TIE DOWNS - SNAPPI HOOKER - MADE IN CANADA**

- Black.
- 100% High Quality EPDM Rubber.
- Straps stretch to 2-1/2 times original length.
- ISO 9001:2000 Quality Standards.
- Plated hooks to resist rust.
- Stamped with 50 lb. SWL as required by DOT.

ITEM NO.	SIZE
SH09	9"
SH15	15"
SH20	20"
SH30	30"



**▶ RUBBER TIE DOWNS - BLACK ADJUSTABLE SNAPPI HOOKERS - MADE IN CANADA**

- Injection-molded EPDM meaning no imperfections.
- 2-1/2 times safe stretch, non-cracking.
- Meets DOT requirements.
- Adjustable to allow several hook positions.

ITEM NO.	SIZE	NO OF ADJUST	DESCRIPTION
SH20ADJ	20"	3	Adjustable Tarp Strap
SH30ADJ	30"	4	Adjustable Tarp Strap



▶ **RUBBER TIE DOWNS - SNAPPI HOOKER COLD WEATHER MODEL - MADE IN CANADA**

- Easily-identifiable blue colour.
- Operational to -40°C
- Injection molded EPDM meaning no imperfections.
- 2-1/2 times safe stretch, non-cracking.
- Meets DOT safe working load limit (no others do).
- Made to ISO9001/AS9100 quality certification.
- Stamped with 50 lb. SWL as required by DOT.



**ITEM NO.    SIZE**

SH09CO	9"
SH15CO	15"
SH20CO	20"
SH30CO	30"

▶ **TIE DOWNS - SHOCK CORD**

- Fabric covered.
- Vinyl-dipped steel hooks.
- Non-marking.



**ITEM NO.    SIZE**

BC-12	12"
BC-18	18"
BC-24	24"
BC-30	30"
BC-36	36"

▶ **RUBBER TIE DOWNS**

- Heavy duty EPDM to withstand ultraviolet rays.
- Complete with "S" hooks.
- Marked with WLL 45 lbs.

**ITEM NO.    SIZE**


PS-10	10"
PS-15	15"
PS-21	21"
PS-31	31"
PS-41	41"



**▶ SHOCK CORD**

- Make your own custom length tie-downs.
- Fabric covered cord stretches to 175% of cut size.
- Load Limit: 16 lbs. (7.25 kg).

ITEM NO.	DESCRIPTION
BC8-75M	5/16" (8 mm) Cord on 246' (75 m) Spool
BCHOOK-3.2	Hooks for 5/16" Cord (Sold in Bags of 100 Only)



**▶ FLAT NYLON (EMERGENCY) TOW STRAP**

- Ideal for emergency pulling.
- Strong nylon webbing.
- Stretches to absorb shock.
- Two drop-forged hooks.

ITEM NO.	SIZE	SWL
NS-20	2' X 25'	8,500 lbs.



**▶ TIE DOWN - SPORT TYPE QUICK RELEASE**

- Heavy duty nylon web.
- Ideal for roof racks, motorcycles, etc.
- 2 PVC coated "S" hooks included.

ITEM NO.	DESCRIPTION	APPROX. STRENGTH
PSTD-11	1" x 5-1/2'	2,000 lbs.
PSTD-12	1" x 10'	2,000 lbs.



### ▶ TIE DOWN - RATCHET TYPE

- Heavy duty nylon web.
- Ideal for roof racks, motorcycles, boats.
- Quick secure cinching.


ITEM NO.	SIZE	APPROX STRENGTH
PSTD-14	1" x 12'	2,000 lbs. with "S" Hooks
PSTD-16	1" x 16'	2,000 lbs. with "J" Hooks
PSTD-20	1-1/2" x 20'	4,000 lbs. with "J" Hooks



### ▶ HEAVY DUTY CARGO LASHES

- Ratchet type.
- With heavy duty webbing, made with Terylene.
- 30' x 2".

ITEM NO.	TYPE	APPROX. STRENGTH
PCL-21JHD	"J" Hook	10,000 lbs.
PCL-21FHD	Flat Hook	10,000 lbs.



PCL-21FHD



PCL-21JHD

### ▶ CARGO NET - EXPANDABLE

- Size 72" x 96". Fits standard PU truck box.
- Complete with 28 non-marking ABS hooks.
- Strong fabric-covered rubber cords.

ITEM NO.	DESCRIPTION
CN-7296	72" X 96" Cargo Net





**▶ PLASTIC BONDER™**

- Quick-setting two-part urethane adhesive system.
- Ideal on thermoset carbon fibre composites, thermoplastics, coated metals, concrete and more.
- Sets in 15 minutes, cures in 30 minutes.
- Has tensile strength of 3770 PSI.
- Supplied in 25 ml (1 oz) syringe.
- Very useful in auto body repair.
- Carded.

ITEM NO.	DESCRIPTION
JB50133	Plastic Bonder™ . Dries Tan.
JB50139	Plastic Bonder™ . Dries Black.



JB50133

JB50139

**▶ PLASTICWELD™**

- Works on most major plastic types.
- Can be sawed, drilled, sanded and painted.
- Suitable for auto trim and bumpers.
- Works on fibreglass & vinyl siding.
- Bonds instantly, sets up in 20-25 minutes.
- Supplied in 52 ml (2 oz) stick.
- Carded.

ITEM NO.	DESCRIPTION
JB8237	PlasticWeld™



**▶ PLASTICWELD™**

- Quick-setting epoxy.
- Ideal for plastics, ABS, glass, PVC, vinyl, metal and most composites.
- Strength 3900 PSI.
- Supplied in 25 ml (1 oz) syringe.
- Carded.

ITEM NO.	DESCRIPTION
JB50132	PlasticWeld™. Dries Off White.



**▶ SUPERWELD™ GLUE**

- Great for auto repairs, rubber, plastic, vinyl, leather, cloth.
- Dries in seconds.
- Brush-on cap.
- Carded.

ITEM NO.	DESCRIPTION
JB33106	SuperWeld™ Glue 6 g (0.2 oz)
JB33120	SuperWeld™ 20 g (0.7 oz)



### ▶ SUPERWELD EXTREME 15G

- High strength, impact resistant super glue gel.
- Flexible bond for elastic applications.
- No-drip gel formula is ideal for vertical surfaces.
- Great for plastics, leather, rubber, glass, metal, wood & more.
- Instant adhesive, formulated for maximum control applications.



ITEM NO.	DESCRIPTION
JB33400	15g (.53 oz) Tube on Card

### ▶ J-B KWIK™

- Fast-setting 2-part epoxy adhesive.
- Sets in 6 minutes and cures dark grey in 4-6 hours.
- Great for household repairs, automotive applications, crafts and more.
- Once cured, can be shaped, filed, sanded, drilled and tapped.
- Withstands temperatures of up to 230°F.
- Carded.



ITEM NO.	DESCRIPTION
JB8276	Kwikweld (2 oz.) Tubes

### ▶ KWIKWELD™

- Can be shaped, tapped, filed, sanded and drilled after curing.
- Good for house, auto, plumbing, marine & crafts.
- Quick-setting steel-reinforced epoxy.
- Sets in 6 minutes, cures in 4-6 hours.
- Strength 3127 PSI.
- Carded.

ITEM NO.	DESCRIPTION
JB50176	KwikWeld™. Dries Dark Grey, 25 ml (1 oz) Syringe
JB8271	2 X 141.8 g (2 x 5 oz) tubes PRO size



JB8271



JB50176

### ▶ MINUTEWELD™

- Clear, instant-setting two-part epoxy sets in 1 minute and cures in 1 hour.
- No mess, no waste cap screws on one way to eliminate accidental mixing and ensure it won't dry out.
- Tensile strength of 2300 PSI for a strong, permanent bond.
- Multi purpose plastics, ceramic, glass etc.
- Supplied in 25 ml (1 oz) syringe.
- Carded.

ITEM NO.	DESCRIPTION
JB50101	MinuteWeld™ Dries Clear



**▶ JB WELD PRO™**

- Repairs, fills, bonds.
- Useable on iron, steel, copper, aluminum, brass, pewter, wood, porcelain, ceramic, plastic.
- Can be drilled, machined or ground.
- Not affected by gas, oil or water.
- Each package includes 1 x 5 oz. tube of steel and 1 x 5 oz. tube of hardener.



ITEM NO.	DESCRIPTION
JB8281	JB Weld Pro -Blister Packed

**▶ PERMALOCK™ - THREADLOCKER**

- Seals threads against leakage and prevents rust & corrosion.
- Choose between medium strength (removeable) or high strength (more permanent).
- Temperature resistant to 300° F.
- Carded.

ITEM NO.	DESCRIPTION
JB24206	Blue Medium Strength Thread Locker 6ml (0.02 oz)
JB24236	Blue Medium Strength Thread Locker 36 ml (1.3 oz)
JB27106	Red High Strength. Permanent Thread Locker 6 ml (0.02 oz)
JB27136	Red High Strength. Permanent Thread Locker 36 ml (1.3 oz)



JB27106      JB27136      JB24206      JB24236

**▶ CLEARWELD™**

- Crystal clear epoxy sets in 5 minutes and cures in 1 hour.
- Suitable for tile, plastics, ceramic, glass, wood & more.
- Tensile strength of 3900 PSI for a strong, permanent bond.
- Great for tile, most plastics, ceramic, glass, wood, metal and more.
- Carded.

ITEM NO.	DESCRIPTION
JB50112	25 ml (1 oz) syringe
JB50114	14 ml dual syringe
JB50240	2 x 118 ml (4 oz) bottles



JB50112      JB50114      JB50240

**▶ HIGHHEAT™**

- Suitable for high heat areas, exhaust manifolds, mufflers, tailpipes, engine blocks up to 500°F.
- Can be drilled, tapped, machined and ground.
- Supplied in a 57 ml (2 oz) tube.
- 1 hour set time.
- Carded.

ITEM NO.	DESCRIPTION
JB8297	HighHeat™ Mastic Epoxy. Dries Grey



## ▶ HIGHHEAT™ EPOXY SYRINGE

- Fast-setting 2-part epoxy in a syringe.
- Chemical and fuel resistant.
- Sets in 1 hour and cures in 24 hours.
- Heat resistant to 550°F (288° C).
- Carded.



ITEM NO.	DESCRIPTION
----------	-------------

JB50197	HighHeat™ Epoxy 25ml Syringe
---------	------------------------------

## ▶ TANKWELD EPOXY

- Repairs all metals.
- Approved by NFS.
- Cures in 1 hour.
- Supplied in 57g (2oz) stick.
- Carded.



ITEM NO.	DESCRIPTION
----------	-------------

JB8217	Tankweld Epoxy 57g
--------	--------------------

## ▶ EXTREMEHEAT™

- Metallic paste, contains no solvents or VOCs.
- Withstands 1000°F.
- Ideal for holes, cracks, exhaust manifolds, mufflers, outdoor grills.
- Supplied in a 85 g (3 oz) container.

ITEM NO.	DESCRIPTION
----------	-------------

JB37901	ExtremeHeat™ Bonds & Fills
---------	----------------------------



## ▶ COLD WELD COMPOUND™

- Repairs, fills, bonds.
- Great for household repairs, automotive, plumbing and marine.
- Can be drilled, machined or sanded.
- Not affected by gas, oil or water.
- 28 g (1 oz) Steel, 28 g (1 oz) hardener.
- Carded.

ITEM NO.	DESCRIPTION
----------	-------------

JB50165	Cold Weld Compound Syringe
---------	----------------------------

JB8265-S	Cold Weld Compound
----------	--------------------



JB50165

JB8265-S

**▶ WATERWELD™**

- Ideal for plumbing, fuel tanks, tubs, showers, drains, pools.
- Works on wet or dry surfaces.
- Sets in 25 minutes and cures in 1 hour.
- Useable on metals, wood, fiberglass, masonry, ceramics and many plastics.



ITEM NO.	DESCRIPTION
JB8277	56g (12 oz.) Tube - Carded

**▶ MARINEWELD™**

- 2-part epoxy cold weld system for bonding different or similar surfaces.
- Ideal for aluminum, metal, composites, fibreglass etc.
- Sets in 4-6 hours, cures in 15-24 hours.
- Carded.



ITEM NO.	DESCRIPTION
JB8272	MarineWeld™. 56 g (2 oz) Resin/Hardener, Strength 5020 PSI, dries dark grey
JB50172	MarineWeld™ Syringe, 25ml, Strength 2350 PSI, dries white

JB8272

JB50172

**▶ SILICONE GASKET MAKERS RTV**

- 100% Silicone.
- 1 Hour set time.
- 85 g (3 oz).
- Carded.

ITEM NO.	DESCRIPTION
JB31310	Clear RTV Waterproof
JB31314	Red Hi-Temp Ideal for Engine Parts
JB31316	Blue All Purpose
JB31319	Black For Windows Weather Strip
JB32327	Grey Ultimate, for High Torque (Import)
JB32329	Black Ultimate, Resists Oil & Petroleum



JB31310

JB31314

JB31316



JB31319

JB32327

JB32329

### ▶ **STEELSTICK™**

- Hand-mixable, steel-reinforced, non-rusting epoxy putty.
- Sets in 3-5 minutes and cures in 1 hour.
- Can be drilled, tapped, machined, ground, filed and painted.
- Works on metals, masonry, ceramic, wood and more.
- Tensile strength 4000 PSI and will withstand temperatures up to 350°F.



ITEM NO.	DESCRIPTION
JB8267-S	56 g (2 oz) - Carded

### ▶ **EXHAUST SYSTEM SEALANT**

- Heat-resistant paste used to seal gaps and connections within an exhaust system reassembly or repair.
- Sets up in 30 minutes.
- Non-shrinking, temperature resistant to 850° F.
- Used on mufflers, tailpipes, catalytic converters.



ITEM NO.	LENGTH
JB37903	85g Tube on Card

### ▶ **MUFFLER PATCH - TIGER PATCH KIT**

- Comes with aluminum tape for long-term patch repair on mufflers & tailpipes.
- Cures with heat in 20 minutes.
- Hardens strong as steel.
- Withstands temperatures to 600°F (315°C).
- Epoxy-coated fiberglass wrap.



ITEM NO.	LENGTH
JB39205	2" x 24" Aluminum Tape Plus 2" x 36" Epoxy Heat Patch

### ▶ **MUFFLERSEAL™ MUFFLER CEMENT**

- Metal-containing paste that prevents and seals leaks at seams and gaps of pipe and exhaust connection points.
- Paste dries to cement-like hardness that is heat-resistant to 850°F (454°C).
- Used on mufflers, pipe joints, exhaust systems.



ITEM NO.	LENGTH
JB37906	170g Tube

**FIBERWELD™ PERMANENT REPAIR CAST WRAP**

- High-strength one-time use fibreglass wrap impregnated with a specially formulated resin that adheres to a variety of surfaces.
- Hardens like steel in 15 minutes with a bond strength of 1500 PSI.
- Use for furniture, tool handles, equipment, pipes and more.

ITEM NO.	LENGTH
JB38236	2" x 36" Repair Cast with Gloves & 2" x 24" Securing Bandage



**EXHAUST WELD FIBREGLASS REPAIR WRAP**

- Impregnated with a specially formulated resin for high temperature resistant repairs.
- Works on entire exhaust system.
- Withstands temperatures up to 1100°F.
- Cures with or without heat to repair, seal & insulate the exhaust system.

ITEM NO.	LENGTH
JB38572	Repair Tape 2" x 72" , A Pair Of Gloves. Aluminum Tape.



**FIBERWELD™ PERMANENT REPAIR**

- High strength fibreglass wrap, impregnated with a specially formulated resin to repair pipes up to 1" in diameter.
- Activated by water, forms a strong, waterproof bond that hardens like steel in 15 minutes.
- Use on copper, cast iron, PVC, ABS, galvanized steel, rubber and more.

ITEM NO.	LENGTH
JB38248	2" x 48" Kit with Gloves



**FIBERFIX® RIGID PATCH™**

- Peel and stick application.
- Sandable and paintable after curing.
- includes 3 patch (1 each: 3"x3", 2"x8" and 5"x5").
- Use on gutters, garbage barrels, water tanks, boats, canoes, automotive body and more.
- Boxed with hanger.



ITEM NO.	DESCRIPTION
*JB39000	Kit With 3 Patches
<b>*TO BE DISCONTINUED</b>	

**AQUASEAL - REPAIR ADHESIVE FOR NEOPRENE**

- Urethane rubber compound for repair to all flexible neoprene products such as wet suits and rafts.
- Unaffected by heat or solvents.
- Holes up to 1" can be repaired without patches.



ITEM NO.	DESCRIPTION
AQUA-28	Aquaseal 28 ml Tube - Carded

**SEAL-ALL - REPAIR KIT IN A TUBE**

- Seals, bonds, insulates, waterproofs.
- Bonds wood, metal, glass, plastic, rubber and fabric.
- Unaffected by gasoline, oil or alcohol.
- Ideal for gas tank and plumbing repairs.
- Dries in minutes.

ITEM NO.	DESCRIPTION
SEAL-22	29.7 ml (1 fl. oz.) Tube - Carded
SEAL-60	60 ml (2 fl. oz.) Tube - Carded





## ▶ AUTOMOTIVE GOOP

- Used to repair leather, rubber or vinyl.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
160034	Automotive Goop



## ▶ PLUMBER'S GOOP

- Can be used in place of silicone on PVC, porcelain, gutters, etc.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
150034	Plumber's Goop



## ▶ AMAZING GOOP

- All-round adhesive, repairs ceramics and pottery.
- Carded 29.5 ml tube.

ITEM NO.	DESCRIPTION
140034	Amazing Goop



## ▶ MARINE GOOP

- Weatherproof and UV resistant.
- Used as a sealant or adhesive.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
170034	Marine Goop



## ▶ HOUSEHOLD GOOP

- Replaces all other types of glue.
- Mends, seals and protects; creates a tough flexible waterproof bond on rainwear, shoes and plumbing.
- It can repair worn insulation, cover rust spots, lock loose nuts-bolts and adheres to brick & cement.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
130034	Household Goop



## ▶ SHOE GOO

- Designed to repair shoes, can be used on leather, rubber, canvas and most composites.
- Carded 29.5 ml tube.

ITEM NO.	DESCRIPTION
110134	Shoe Goo



## ▶ CRAFT ADHESIVE

- Industrial strength craft adhesive.
- Photograph safe.
- Waterproof.
- Washer/Dryer safe.
- Dries clear.
- Paintable.
- 29.5 ml Tube.
- Available in countertop display of 24.
- Dries clear.

ITEM NO.	DESCRIPTION
230025	E6000 Craft Adhesive



## BENCH VISES



- Reliable, economical.
- Replaceable steel jaws.
- Suitable for most machine shops.


ITEM NO.	BASE TYPE	WIDTH OF JAW	OPENING	WEIGHT
V-0404	Stationary	4"	4"	21 lbs.
V-0505	Stationary	5"	5-1/2"	37 lbs.
V-0606	Stationary	6"	6"	65 lbs.
V-0808	Stationary	8"	9"	88 lbs.



## MULTI-PURPOSE BENCH VISE

- Removable jaws.
- Head revolves 360 degrees to allow use of regular jaws or pipe jaws.
- 3" x 3-1/2" anvil.


ITEM NO.	BASE TYPE	WIDE OF JAW	OPENING	WEIGHT
V2125	Swivel	5"	5"	65 lbs.



## DRILL PRESS VISES

- For general drill press drilling.
- Replaceable jaws.
- Cast iron body w/plated steel screw.
- Slotted base for easy mounting.

ITEM NO.	WIDTH OF JAW	OPENING	DEPTH	WEIGHT
DPV-6	6"	5-3/4"	1"	6.1 kg



## C-CLAMPS

- Inexpensive general purpose.
- Malleable iron construction.
- Zinc plated screw.
- Swivel button.

ITEM NO.	MAX. OPENING	WEIGHT EACH
141	1"	0.25 lb
142	2"	0.5 lb
143	3"	0.75 lb
144	4"	1.25 lbs
146	6"	2.0 lbs
148	8"	3.0 lbs



**▶ C-CLAMPS - HEAVY DUTY**

- Malleable Iron.
- Painted black, screw and handle are chrome plated.
- Replaces our CC series.

ITEM NO.	DESCRIPTION	THROAT DEPTH	WEIGHT EACH
AL302-2	2" Capacity C-Clamp	1"	0.5 lb
AL302-3	3" Capacity C-Clamp	1-11/16"	1 lb
AL302-4	4" Capacity C-Clamp	1-15/16"	1.75 lbs
AL302-6	6" Capacity C-Clamp	2-7/16"	2.25 lbs
AL302-8	8" Capacity C-Clamp	2-7/8"	2.75 lbs


**▶ BOLT CUTTER (OFFSET TYPE) - MADE IN JAPAN**


- Angular jaws made of heat treated carbon steel.
- 30 degree offset to allow flush cut and allow visual of item to cut.
- For use on soft-medium metals.
- Parts available

ITEM NO.	DESCRIPTION
AC-0060	24" Offset Bolt Cutter
ACE-0060	Replacement Jaws


**▶ BOLT CUTTERS - MADE IN JAPAN**


- All purpose high quality bolt cutters.
- Drop-forged jaws made from carbon tool steel.
- Jaws carefully heat treated for maximum strength and wear resistance.
- 12" - 18" clipper cut: 24" - 42" center-cut jaws.
- High strength tubular handles with rubber grips.
- Adjustable jaw.
- Replacement jaws available.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
BC-0735 (Previously HP-002)	14"	1/4" (6mm)	2.25 lbs.
BC-0745 (Previously HP-003)	18"	5/16" (8mm)	3.75 lbs.
BC-0760 (Previously HP-004)	24"	3/8" (10mm)	6.0 lbs.
BC-0775 (Previously HP-005)	30"	1/2" (13mm)	9.25 lbs.
BC-0790 (Previously HP-006)	36"	11/16" (14mm)	14.0 lbs.
BC-0710 (Previously HP-007)	42"	5/8" (16mm)	



## ▶ MCC BOLT CUTTER (RATCHET TYPE) - MADE IN JAPAN

- Drop-forged jaws.
- High strength tubular handles with rubber grip.
- Ratchet action allows using in restricted space.
- Cutting capacity 1/2" (19 HRC) 14/32" (36 HRC).



ITEM NO.	DESCRIPTION
RBC-3213	31" Ratchet Bolt Cutter
RBCE-3213	Replacement Jaws

## ▶ MINI BOLT CUTTERS - MADE IN JAPAN

- All purpose high quality bolt cutters.
- PVC-covered handles.
- Heat treated jaws.
- Spring return handle.


ITEM NO.	DESCRIPTION
MC-0020	Standard mini bolt cutter, capacity 4 mm soft steel (Previously HP-014)
MCS-0020	Short jaw designed to limit capacity, suitable for 4mm soft steel or 2 mm HRC
SUSMC-02	Suitable for up to 4mm soft steel, made of stainless steel to prevent corrosion
ME-0020	End cutter design, capacity 3.5mm soft steel, 2mm HRC 20
MN-0022	40° Angle cutter, capacity 3.5mm maximum diameter or HRC 20



MC-0020



MCS-0020



SUSMC-02



ME-0020



MN-0022

## ▶ MCC WIRE ROPE CUTTERS - MADE IN JAPAN

- Jaws designed specially for cutting wire rope.
- Bypass-style cutting jaws.
- Same quality features as "MCC" Bolt Cutters.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
WC-0260 (Previously HP-023)	24"	3/8"	5.0 lbs.
WC-0290 (Previously HP-025)	36"	5/8"	13.5 lbs.



**▶ STEEL STRAP CUTTER - MADE IN JAPAN**


- Specially designed to slip under and hold tight steel or plastic strapping and reduce spring action of cut strapping.

ITEM NO.	DESCRIPTION	CAPACITY
SC-0200 (Previously HP-030)	9" Strap Cutter	.035" (.9mm)
SC-0201 (Previously HP-031)	18" Strap Cutter	.047" (1.2mm)


**▶ MCC HYDRAULIC HOSE CUTTER & CABLE CUTTER - MADE IN JAPAN**


- Designed to cut aluminum or soft copper strands as well as reinforced hydraulic hose.
- By-pass blades create clean cuts and hook blade draws material into cutting area.
- Replacement jaws available.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
CC-0302	30"	1-3/16"	8.0 lbs.


**▶ MCC REBAR CUTTER & BENDER - MADE IN JAPAN**


- Quality tool specially designed for cutting and bending rebar and other soft steels.
- Maximum capacity 5/8" (13mm - 16mm).
- Replacement cutter jaws available.
- Suitable to cut Grade 40 and Grade 60.
- New heavier construction.
- No adjustments required for rebar sizes.

ITEM NO.	DESCRIPTION	WEIGHT EACH
SCB-16	Rebar Cutter Bender	38 lbs.
SCBE-16	Replacement Jaws	
CBE-0213	Replacement Jaws For CB-0213, (3/8" - 1/2")	




## ▶ MCC THREADED ROD CUTTER - MADE IN JAPAN

- Designed to cut threaded mild steel.
- Does not damage threads (no thread repair).
- Dies can be flipped over to allow double the usage.

ITEM NO.	DESCRIPTION	WEIGHT
*AB-3U	3/8" UNC Threaded Rod Cutter	8 lbs
*ABE-3U	3/8" Replacement Dies for AB-3U, AB-43U	
*AB-43U	3/8", 1/2" Threaded Rod Cutter	15 lbs
*ABE-4U	1/2" Replacement Dies	

**\*TO BE DISCONTINUED**

**(METRIC SIZES AVAILABLE)**



## ▶ BOLT CUTTERS

- Drop-forged high alloy steel jaws.
- Comfortable cushion-grip handles.
- Replaceable jaws.
- Adjustable jaws.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
C11-18	18"	5/16" (8mm)	3.3 lbs.
C11-24	24"	3/8" (10mm)	5.28 lbs.
C11-36	36"	5/8" (16mm)	11.60 lbs.



## ▶ PVC PIPE CUTTER - MADE IN JAPAN

- Suitable for PVC pipe, anti-shock PVC, PVC conduit & polyethylene gas pipe.
- Alloy body saves weight.
- V-groove shaped jaw holds pipe in place.
- Suitable for 1/4" - 1-5/8" PVC pipe.
- Replacement blades available.

ITEM NO.	DESCRIPTION
VC-0334	1-1/3" (34 mm) Cutting Capacity Ratcheting PVC Pipe Cutter
VCE-0334	Replacement Blade
VC-0342A	1-5/8" (42 mm) Cutting Capacity Ratcheting Pipe Cutter
VCE-0342	Replacement Blade
VC-0363	2-1/2" (63 mm) Cutting Capacity Ratcheting Pipe Cutter
VCE-0363	Replacement Blade




**▶ SPARE JAWS FOR MCC TOOLS - MADE IN JAPAN**


ITEM NO.	DESCRIPTION	WEIGHT EACH
BCE-0035 (Previously HE-124)	14" Bolt Cutter Jaws	1.0 lbs.
BCE-0045 (Previously HE-125)	18" Bolt Cutter Jaws	1.5 lbs.
BCE-0060 (Previously HE-126)	24" Bolt Cutter Jaws	2.25 lbs.
BCE-0075 (Previously HE-127)	30" Bolt Cutter Jaws	3.5 lbs.
BCE-0090 (Previously HE-128)	36" Bolt Cutter Jaws	5.0 lbs.
BCE-0010 (Previously HE-129)	42" Bolt Cutter Jaws	7.0 lbs.
WCE-0260 (Previously HE-138)	24" - 3/8" Wire Rope Cutter Jaws	2.0 lbs.
WCE-0290 (Previously HE-140)	36" - 5/8" Wire Rope Cutter Jaws	4.0 lbs.
CBE-0216 (Previously HE-149)	5/8" Cap. Rod Cutter/ Bender Jaws for Model CB-16, HP-131	6.5 lbs.
CCE-0302	30" Hose Cutter Replacement Jaws	3.0 lbs.



HOSE CUTTER



ROD CUTTER



BOLT CUTTER

**▶ SWAGER & CABLE CUTTER**

- For crimping soft metal (aluminum, copper) sleeves and stops.
- Heat-treated alloy joints.
- Crimping capacity 1/16" to 3/16" diameter.
- Length: 25-1/2".

ITEM NO.	DESCRIPTION
HWP-24	Swager and Cable Cutter





## ▶ HEAVY DUTY STEEL PIPE WRENCHES

- Forged carbon steel jaws, ductile steel housing.
- Precision milled teeth.

ITEM NO.	SIZE	DESCRIPTION
111-08	8"	Heavy Duty Pipe Wrench
111-12	12"	Heavy Duty Pipe Wrench
111-14	14"	Heavy Duty Pipe Wrench
111-18	18"	Heavy Duty Pipe Wrench
111-24	24"	Heavy Duty Pipe Wrench



## ▶ HEAVY DUTY ALUMINUM PIPE WRENCHES

- Lightweight and strong.

ITEM NO.	SIZE	DESCRIPTION
113-18	18"	Aluminum Handle Pipe Wrench
113-24	24"	Aluminum Handle Pipe Wrench



## ▶ ALUMINUM PIPE WRENCHES



- Monoblock handle in light aluminum alloy.
- Manufactured to U.S. Specifications GGG-W-651 E Type II Class C.

ITEM NO.	LENGTH	MAX PIPE SIZE
104-1000	10"	1-1/2"
104-1400	14"	2"
104-1800	18"	2-1/2"
104-2400	24"	3"
104-3600	36"	5"
104-4800	48"	6"



**▶ HEAVY DUTY STEEL PIPE WRENCHES**


- Monoblock cast iron handle.
- Lower jaw (heel jaw) forged and tempered, properly seated so as to prevent load on pin.
- Upper jaw (hook jaw) forged and dual heat-treated.
- Manufactured to U.S. Specifications GGG-W-651 E Type II Class A.

ITEM NO.	LENGTH	MAX PIPE SIZE
102-0800	8"	1"
102-1000	10"	1-1/2"
102-1200	12"	2"
102-1400	14"	2"
102-1800	18"	2-1/2"
102-2400	24"	3"
102-3600	36"	5"
102-4800	48"	6"


**▶ OFFSET ALUMINUM PIPE WRENCHES**

- Monoblock handle of heat-treated light aluminum alloy.
- Physical shape allows operation in narrow quarters where pipe is close to the wall and where small turning angle is available.
- Manufactured to US specifications GGG-W-651E Type II Class C.


ITEM NO.	LENGTH	MAX PIPE SIZE
105-1400	14"	2"
105-1800	18"	2-1/2"

\*Please note that SUPER-EGO 102, 104 and 105 Series jaws may be interchangeable with Ridgid (TM).


**▶ CONCRETE WIRE NIPPER**

- Drop-forged steel.
- PVC-coated handles.
- Heat-treated cutting edges.
- Long handles provide added leverage.

ITEM NO.	DESCRIPTION	LENGTH
507-0900	Concrete Wire Nipper	9"


**▶ STRAP WRENCH - NYLON STRAP**

- The ideal wrench for working on chrome-plated and plastic pipes.
- Commonly used in garages to remove oil filters, spindles, etc.


ITEM NO.	HANDLE LENGTH	MAX PIPE SIZE	STRAP LENGTH
108-12LO	12"	8"	35"





## ▶ BOX JOINT PLIERS

- Drop-forged from chrome vanadium steel.
- Double-hardened jaws.
- Jaws remain parallel at all times.
- Excellent ability for gripping pipe.
- Handle design prevents finger pinch.
- Can be operated with one hand.
- PVC-coated handles for comfort.
- Countertop display:



ITEM NO.	DESCRIPTION	CAPACITY
522-1000	10" Box Joint Pliers	1-1/4"

## ▶ UTILITY CHAIN WRENCH - REVERSIBLE

- Specially designed for easy operation in tight corners where other wrenches cannot be used.
- Totally forged, with dual heat treatment.
- Due to the special design of the teeth, allows the pipe to be tightened or released alternately without changing the position of the wrench.

ITEM NO.	HANDLE LENGTH	MAX PIPE SIZE	CHAIN
107-1200	12"	4"	17-1/2"



## ▶ TONGUE CHAIN WRENCHES

- Manufactured to U.S. Specifications GGG-W-651 E Type III Class A.

ITEM NO.	OVERALL HANDLE LENGTH INCLUDING JAW	PIPE SIZE CAPACITY	CHAIN LENGTH INCL. LINK
*103-3200	37"	4"	23"
*103-3300	44"	6"	32"
*103-3400	50-1/2"	8"	40-1/2"

\*FOB SURREY, BC ONLY



**TUBING CUTTERS - FOR COPPER, STAINLESS STEEL & PLASTIC**


- Industrial quality.

ITEM NO.	DESCRIPTION	MIN. CAP.	MAX CAP.
722	Mini	1/4"	7/8"
725	Standard	1/8"	1-1/8"
*726	Standard	1/2"	2"
*728	Mini-Max	1/8"	1-1/8"
735	Telescopic.	1/4"	1-3/8"
*750	Quick Action	1/4"	2-5/8"
*751	Quick Action.	2"	5"

Please note Item No. 725, 726, 735, 750 all include: 1 cutter for copper plus 1 cutter for plastic.

**\*FOB SURREY, BC ONLY**


**PIPE CUTTERS**


- To cut steel and cast iron pipes.

ITEM NO.	MINIMUM CAPACITY	MAXIMUM CAPACITY
701-0100	1/8"	1-1/4"
701-0200	1/8"	2"
710-0400	2"	4"


**PIPE VISES**

ITEM NO.	DESCRIPTION	CAPACITY
404-0600	Top Screw Chain Vise	1/4" - 6"
450-0200	Bench Yoke Vise	1/8" - 2"



**▶ ENCLOSED RATCHET THREADER KITS**

ITEM NO.	DESCRIPTION
600-2236	Enclosed Ratchet. 4 Threader Heads - 1/2", 3/4", 1", 1-1/4" N.P.T. Molded ABS Case.
600-2331	Enclosed Ratchet. 7 Threader Heads - 3/8", 1/2", 3/4", 1", 1-1/4", 1 1/2", 2" NPT with Adaptor Molded ABS Case.

\* Custom Kits Available From Open Stock.



**▶ SERIES 600 - ENCLOSED RATCHET THREADER - REPLACEMENT DIES & DROP HEADS WITH DIES**

**DROP HEAD WITH DIES**

ITEM NO.	SIZE
6002-N	1/4"
6003-N	3/8"
6004-N	1/2"
6005-N	3/4"
6006-N	1"
6007-N	1-1/4"
6008-N	1-1/2"
6009-N	2"

**REPLACEMENT DIES ONLY**

ITEM NO.	SIZE
6002-N40	1/4"
6003-N40	3/8"
6004-N40	1/2"
6005-N40	3/4"
6006-N40	1"
6007-N40	1-1/4"
6008-N40	1-1/2"
6009-N40	2"



**▶ RATCHET HANDLES & ADAPTORS - FOR SERIES 600 ENCLOSED RATCHET**



ITEM NO.	DESCRIPTION
600-0000	1/4" - 1-1/4" Ratchet
600-0100	1/4" - 2" Ratchet
600-0115	Reduction Adaptor Used With 600-0100 Ratchet Suitable For 1/4" - 1-1/4"



**▶ DEBURRING TOOL - MADE IN SPAIN**


- 3-1/4" overall length (includes 2-1/4" plastic handle).
- Full 360° rotation of deburring blade.
- Replacement blade available.



ITEM NO.	DESCRIPTION
750-0041	2 PC Deburring Set

**▶ HEEL JAWS & PINS**

ITEM NO.	FITS
102-0815	8"
102-1015	10"
102-1215	12" & 14"
102-1815	18"
102-2415	24"
102-3615	36"
104-4815	48"


**▶ HOOK JAWS (MOVING JAWS)**

ITEM NO.	FITS
102-0802	8"
102-1002	10"
102-1202	12"
102-1402	14"
102-1802	18"
102-2402	24"
102-3602	36"
104-4802	48"
105-1402	14" #105-1400
105-1802	18" #105-1800



\* Note: Series 102, 104, 112 Hook & Heel. Jaw & Nut are interchangeable with RIDGID™ Pipe Wrenches.


**▶ KNURL NUTS**


ITEM NO.	FITS	ITEM NO.	FITS
102-0804	8"	102-1804	18"
102-1004	10"	102-2404	24"
102-1204	12"	102-3604	36"
102-1404	14"	104-4804	48"



## ▶ SETS OF SPRINGS - FLAT & COIL

ITEM NO.	FITS	ITEM NO.	FITS
102-0813	8"	102-1813	18"
102-1013	10"	102-2413	24"
102-1213	12"	102-3613	36"
102-1413	14"	104-4813	48"
105-1405	14" Offset		
105-1805	18" Offset		



## ▶ CUTTER WHEELS FOR TUBING CUTTERS

ITEM NO.	FITS
735-0005	716, 722, 726, 728, 735 & 750 for Copper
735-0015	716, 722, 725, 726, 728 & 735 for Stainless
763-0122	726, 735, 750 for Plastic
*737-0005	751, 752 for Copper
*737-0122	750, 751, 752 for Plastic
<b>*FOB SURREY, BC ONLY</b>	



## ▶ REPLACEMENT CUTTER BLADE



ITEM NO.	DESCRIPTION
*568-0224	Fit For 568-0200
*568-6324	Fit For 568-6300
<b>*TO BE DISCONTINUED</b>	

## ▶ CUTTER WHEELS FOR PIPE CUTTERS FOR STEEL PIPE

ITEM NO.	FITS
701-0105	701 - 1-1/4"
710-0205	701 - 2"
710-0405	710 - 4"



## ▶ DEBURRING BLADE FOR COPPER

ITEM NO.	FITS
735-0014	735 Tube Cutter




**▶ CUTTER WHEEL PINS**


ITEM NO.	FITS	ITEM NO.	FITS
*701-0115	701-0100	*725-0006	725
*710-0215	701-0200	*735-0007	735, Old Style
*710-0415	710-0400	*735-0048	716, 722, 728, 735
*716-0014	716, 722, 726	*751-0007	750 (With Screw) Old Style
*751-0042	750 New Style		

\***FOB SURREY, BC ONLY**


**▶ ROLLERS FOR TUBING CUTTERS & PIPE CUTTERS**

ITEM NO.	FITS	ITEM NO.	FITS
*701-0106	701-0100 - 1-1/4"	*750-0005	750 Large
*710-0206	701-0200 - 2"	*750-0006	750 Small
*710-0406	710-0400 - 4"	*751-0006	751
*735-0006	735		

\***FOB SURREY, BC ONLY**


**▶ ROLLER PINS FOR TUBING CUTTERS & PIPE CUTTERS**

ITEM NO.	FITS
*701-0116	701-0100 - 1-1/4"
*710-0216	701-0200 - 2"
*710-0416	710-0400 - 4"
*725-0007	725
*735-0009	735
*750-0009	750
*751-0009	751

\***FOB SURREY, BC ONLY**


**▶ REPLACEMENT PARTS FOR CHAIN VISE**

ITEM NO.	DESCRIPTION
404-0620	Chain Only - Fits: 404-0600
404-0602	Jaws Only - Fits: 404-0600





## ▶ REPLACEMENT PARTS FOR CHAIN WRENCH & STRAP WRENCH

ITEM NO.	DESCRIPTION
*103-3213	Chain Only - Fits 103-3200
*103-3314	Chain Only - Fits 103-3300
*103-3414	Chain Only - Fits 103-3400
106-1211	Chain Only - Fits: 107-1200
108-02L4	8" Capacity Strap Only - Fits: 108-12L0

\*FOB SURREY, BC ONLY



## ▶ CHANNELLOCK - MADE IN U.S.A



- All tongue and groove pliers are undercut to prevent slippage.
- All cutter jaws are perfectly mated and heat treated to hold their edge.

## ▶ TONGUE & GROOVE PLIERS

ITEM NO.	LENGTH	DESCRIPTION
*CH-424	4 1/2"	3 Adjustments, 1/2" Cap

\*TO BE DISCONTINUED



## ▶ NUTBUSTER PLIERS

ITEM NO.	LENGTH	DESCRIPTION
*CH-414	14"	4 Adjustments, 2" Cap

\*TO BE DISCONTINUED



## ▶ END NIPPERS

ITEM NO.	LENGTH	DESCRIPTION
*CH-357	7"	End Cutter

\*TO BE DISCONTINUED



**▶ REPLACEMENT TIP KIT**
**ITEM NO. DESCRIPTION**

\*CH-927T Replacement Tip Kit For CH-927 Snap Ring Plier

**\*TO BE DISCONTINUED**


**▶ RESCUE TOOLS**

- Made in the USA.
- One hand usage, spring loaded handle.
- Designed to shut off gas valves, pry windows and doors, tighten & loosen up to 5" hose couplings.
- Laser heat-treated cutting edges to cut hard and soft wire.

**ITEM NO. DESCRIPTION**

\*CH-86 9" Rescue Tool Multi-plier

**\*TO BE DISCONTINUED**


**▶ FENCE PLIER**

- Made of drop-forged alloy steel.
- Polished head.
- PVC coated handles.
- Packed in plastic pouch.

**ITEM NO. DESCRIPTION**

FP-1000 10" Fence Pliers




## ▶ PARALLEL ACTION SIDE-CUTTING PLIERS - MADE IN ENGLAND

- Sealed handles, knurled jaws.
- Parallel jaws provide a positive grip on square or hexagonal components.
- Compound action side cutter allows high tensile wire to be cut with little effort.
- Commonly used to cut bale wire in pulp mills.

ITEM NO.	DESCRIPTION
----------	-------------

- |                             |   |
|-----------------------------|---|
| *4950-200                   | 8" Parallel Action Pliers With Cutter                   |
| *4960-200                   | 8" Parallel Action Pliers With Cutter and Plastic Grips |
| <b>*FOB SURREY, BC ONLY</b> |   |



## ▶ REVOLVING PUNCH PLIER - MADE IN ENGLAND

- Nickel-plated, knurled handles.
- 6 Punch sizes: 2.0, 2.5, 3.5, 3.9, 4.0, 4.5mm.
- Brass anvil.
- Used for leather, gaskets and other composite materials.
- Spring-loaded handles.
- Attractively carded.

ITEM NO.	DESCRIPTION
----------	-------------

- |          |                    |
|----------|--------------------|
| 2230-200 | 8" Revolving Punch |
|----------|--------------------|



## ▶ ADJUSTABLE WRENCHES

- Chrome plated & heat-treated.
- Polished head.
- Jaw hardness up to HRC 45° - 50°.

ITEM NO.	OVERALL LENGTH	MAX OPENING
<b>Chrome Vanadium Steel:</b>		
91-06	6"	3/4"
91-08	8"	15/16"
91-10	10"	1-3/16"
91-12	12"	1-7/16"
91-15	15"	1-3/4"
91-18	18"	2-1/8"
<b>Alloy Steel:</b>		
91-24	24"	2-3/8"



**▶ COMBINATION WRENCHES - OPEN STOCK - SAE & METRIC**


- Fully polished.
- Raised panel long handle design (Indicated asterisk).
- Chrome vanadium steel.
- Drop forged and hardened.
- Chrome plated.

ITEM NO.	SIZE METRIC
*CW-06MM	6mm
*CW-07MM	7mm
*CW-08MM	8mm
*CW-09MM	9mm
CWM10	10mm
*CW-11MM	11mm
*CW-12MM	12mm
CWM13	13mm
*CW-14MM	14mm
*CW-15MM	15mm
CWM17	17mm
CWM18	18mm
CW-19MM	19mm
CW-20MM	20mm
CWM22	22mm
CWM24	24mm
*CW-26MM	26mm
*CW-27MM	27mm
CWM30	30mm
*CW-32MM	32mm

ITEM NO.	SIZE SAE
*CW-1-4	1/4"
*CW-5-16	5/16"
*CW-3-8	3/8"
CWS07	7/16"
CWS08	1/2"
*CW-9-16	9/16"
*CW-5-8	5/8"
CWS11	11/16"
*CW-3-4	3/4"
*CW-13-16	13/16"
*CW-7-8	7/8"
*CW-15-16	15/16"
CWS16	1"
CWS17	1-1/16"
CWS18	1-1/8"
CWS20	1-1/4"



Note: Old versions



Note: Fully polished versions

## ▶ COMBINATION WRENCH SET - 14 PIECES



- Drop-forged.
- Fully polished.
- Heat treated.
- Professional mechanics' quality.
- Heavy duty nylon pouch.

ITEM NO.	DESCRIPTION
CWP14S (Replacement for CW-14S)	<b>Standard set containS:</b> 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4"
CWP14M (Replacement for CW-14M).	<b>Metric set contains:</b> 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 20mm, 22mm, 24mm



## ▶ JUMBO COMBINATION WRENCH SET - 6 & 10 PIECES



- Chrome vanadium steel.
- Chrome-plated.
- Long handle design.

ITEM NO.	SIZES
CW-6J (6 pc. set)	1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2" Supplied in plastic carry case
CW-10J (10 Pc. Set)	1-3/8", 1-5/16, 1-1/2", 1-7/16", 1-5/8", 1-11/16", 1-13/16", 1-3/4", 1-7/8", 2" Supplied in vinyl roll
CW-10JM (10 Pc. Set)	33mm, 34mm, 36mm, 38mm, 41mm, 42mm, 44mm, 46mm, 48mm, 50mm Supplied in vinyl roll



**▶ FLARE NUT WRENCH SET**


- Polished finish.
- Chrome vanadium steel.
- Drop forged.
- Supplied in handy plastic rack with handle.

**ITEM NO. DESCRIPTION**

\*FN-5S 5 Piece Flare Nut Wrench Set: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16"

**\*TO BE DISCONTINUED**


**▶ JUMBO WRENCHES - OPEN STOCK**

- Chrome vanadium steel.
- Chrome-plated.
- Raised panel style and long handle design.



ITEM NO.	SIZE METRIC	ITEM NO.	SIZE METRIC
CW-6J-1	1-3/8"	CW-6J-33MM	33mm
CW-6J-05	1-5/16"	CW-6J-34MM	34mm
CW-6J-2	1-1/2"	CW-6J-36MM	36mm
CW-6J-15	1-7/16"	CW-6J-38MM	38mm
CW-6J-3	1-5/8"	CW-6J-41MM	41mm
CW-6J-35	1-11/16"	CW-6J-42MM	42mm
CW-6J-4	1-3/4"	CW-6J-44MM	44mm
CW-6J-45	1-13/16"	CW-6J-46MM	46mm
CW-6J-5	1-7/8"	CW-6J-48MM	48mm
CW-6J-6	2"	CW-6J-50MM	50mm

**▶ 21 PC SAE SOCKET SET - 7/8" TO 2" SOCKETS - 3/4" DRIVE**

- Carbon steel sockets, ratchet, and extensions.
- 12 point sockets, 7/8" to 2".
- Set includes:
  - 16 sockets
  - 20" ratchet handle
  - 15" sliding "T" handle
  - 4" & 8" extension bars

**ITEM NO. DESCRIPTION**

CS-3421 3/4" Drive 21 Pc Socket Set



## ▶ PUNCH & CHISEL SET

- 12 pcs. in a vinyl roll.
- High carbon steel, hardened & tempered.

### ITEM NO. INCLUDES

PC-12	4 - Flat Chisels - 1/2", 5/8", 3/4", 7/8" 2 - Taper Punches - 1/4", 3/16" 1 - Long Taper Punch - 3/16" 2 - Pin Punches - 1/4", 5/32" 1 - Center Punch - 3/8" 1 - Cape Chisel - 3/16" 1 - Concrete Chisel - 9/16"
-------	--



## ▶ WAD PUNCH KIT - MADE IN ENGLAND



- Includes wad punch handle and 9 interchangeable punches.
- Punches are heat treated and ground to a fine cutting edge.
- Packed in a sturdy ABS organizer box.
- Replacement handle and punches available.

### ITEM NO. PUNCH SIZES

1001-05	Includes 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1" and Item# 1000-04 Handle
---------	--



## REPLACEMENT PUNCHES

### ITEM NO. PUNCH SIZES

1000-006	1/4"
1000-008	5/16"
1000-375	3/8"
1000-016	5/8"
1000-438	7/16"
1000-500	1/2"
1000-750	3/4"

## ▶ RATCHETING COMBINATION WRENCH SET - 7 PIECES



- 72 Tooth ratchet.
- Heat treated 31CrV3 tool steel.
- Heavy duty nylon pouch.
- Fully polished.

### ITEM NO. DESCRIPTION


RW7S	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
------	---



### ▶ NUMBER & LETTER STAMP SETS

- High carbon steel.
- Supplied in a plastic box.
- Dimension represents height of digit.

ITEM NO.	DESCRIPTION
NUM-1-8	1/8" Number Set, 9 Piece 1 - 0
LET-3-16	3/16" Letter Set, 27 Piece A-Z Plus &



### ▶ DRYWALL SCREW BIT

- For use with variable speed power drills.
- #2 Phillips bit fits most drywall screws.
- Sets screws at proper depth.

ITEM NO.	DESCRIPTION
*DSA-1	Drywall Screw Bit - Carded
<b>*TO BE DISCONTINUED</b>	



### ▶ SCREWDRIVERS - OPEN STOCK

- Chrome vanadium steel.
- Hex shaped bolster for wrench assisted turning power.
- Classic black ABS plastic handle.
- Bulk.



ITEM NO.	TIP	SIZE
**SD-S-001	Slot	3/8" x 8"
**SD-S-005	Slot	1/4" x 1 1/2" Stubby
**SD-S-007	Phillips	3/16" x 3"
**SD-S-008	Phillips	1/4" x 1 1/2" Stubby
**SD-S-S2	Robertson	#2 x 4" Red Handle
**SD-S-S3	Robertson	#3 x 4" Black Handle
**SD-S-T10	Torx™	T10 x 4"
**SD-S-T15	Torx™	T15 x 4"
**SD-S-T20	Torx™	T20 x 4"

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



## ▶ CAULKING GUN

- Smooth rod action.
- Extra long trigger leverage.
- Accepts all standard cartridges.

ITEM NO.	DESCRIPTION
----------	-------------

*Requires trigger release to stop caulk flow:*

- |        |   |
|--------|---|
| SM-900 | Half-Open Type Cap. 1/10 Gallon (9" Cartridge.) "Smooth Rod Type" |
| SM-690 | Half-Open Type Cap. 1/10 Gallon (9" Cartridge.) "Ratchet Type"    |




## ▶ CAULKING GUN

- Revolving barrel 1/4 gallon half-open type caulking gun.
- Ladder hook type plunger handle.
- Heavy duty cast handle and mechanism.

ITEM NO.	DESCRIPTION
----------	-------------

- |           |  |
|-----------|--|
| WT-215JBR | Revolving 1/4 Gallon Half-Open Smooth Rod Caulking Gun |
|-----------|--|



## ▶ CAULKING GUN

- 1/4 gallon half-open type caulking gun.
- Spout cutter included.
- No-pinch finger guard.
- Open end cartridge holder can be used with wide nozzle.
- Puncture tool included.

ITEM NO.	DESCRIPTION
----------	-------------

- |                   |  |
|-------------------|--|
| *WT-230JBH (#315) | 1/4 Gallon Half-open Type Caulking Gun |
|-------------------|--|
- \***FOB SURREY, BC ONLY**



## ▶ CAULKING GUN

ITEM NO.	DESCRIPTION
----------	-------------

*Automatic pressure release stops caulk flow immediately:*

- |                                   |  |
|-----------------------------------|--|
| SK-200                            | Frame Type (Dripless) Cap. 1/10 Gallon (9" Cartridge)    |
| SK-800HD (Replacement for SK-800) | Frame Type (Dripless) Cap. HD 1/4 Gallon (13" Cartridge) |



**▶ CAULKING GUN**

- 1/10 gallon (9" cartridge) skeleton type frame.
- Hex rod for positive grip.
- Cast handle.
- Riveted construction.
- Trigger release to relieve pressure.



ITEM NO.	DESCRIPTION
----------	-------------

CG-800	1/10 Gallon Skeleton Type Caulking Gun
--------	--

**▶ CAULKING GUN**

- Revolving parallel frame 1/10 gallon (9" cartridge).
- Heavy duty cast handle and smooth rod for smooth operation.
- Thumb release to release pressure.
- Open end cartridge holder can be used with wide nozzle.




ITEM NO.	DESCRIPTION
----------	-------------

WT-215IH (#250)	1/10 Gallon Parallel Frame Caulking Gun Heavy Duty
-----------------	--

**▶ CAULKING GUN**

- Parallel frame dual 1/10 gallon (9") cartridge caulk gun.
- Heavy duty cast handle and mechanism.
- Smooth rod mechanism.




ITEM NO.	DESCRIPTION
----------	-------------

WT-296CT9	Dual 9" Cartridge Pro Caulking Gun
-----------	------------------------------------

**▶ CAULKING GUN**

- 15" enclosed type w/smooth rod operation.
- Revolving Anodized aluminum body.
- Can be used with 600ml cartridge or can be filled.
- Supplied with plastic nozzle and plastic plunger for use when used without cartridge.



ITEM NO.	DESCRIPTION
----------	-------------

WT-250XL	15" Aluminum 2 Way Caulking Gun
WT-250TN	Plastic Cone Nozzle For WT-250XL
WT-250XL-07	Threaded Collar For WT-250XL

**▶ ELECTRICIAN'S KNIFE - MADE BY MORA IN SWEDEN**

**MORAKNIV**

- Plastic handle with non slip rubber grip.
- Blade made of 12C27 Sandvik stainless steel.
- Blade is hardened to 57HRC for max sharpness & sharpness retention.
- Supplied with belt clip sheath.

**ITEM NO. DESCRIPTION**

\*12201-BK 1-1/4" Blade Electricians Knife with Double Ground Stripping Blade Allows RH and LH

\*12798-BK 1-3/4" Blade Without Stripping Groove

**\*TO BE DISCONTINUED**



**▶ UTILITY KNIFE - PLASTIC HANDLE & BLADES**

- Snap-off blade design.
- Positive thumb-screw blade lock.
- Rubber insert on handle assures positive grip.
- Blister carded.

**ITEM NO. DESCRIPTION REPLACEMENT BLADES**

TH-2001BC Standard Design 6-3/4" x 1-3/4 x 3/4" LCB-50



**▶ UTILITY KNIFE - (PLASTIC HANDLE & BLADES)**

- Plastic handle with push-button blade advance and safety lock.
- Individually sleeved.
- Snap-off blade design.

ITEM NO.	DESCRIPTION	REPLACEMENT BLADES
LC-499	Slim Design 5" X 5/8"	
LC-500	Standard Design 6" X 1-1/4" X 3/4"	LCB-50
LC-501	Standard Design 6" X 1-1/4" X 3/4" With Metal Chamber For Extra Blades	LCB-50
LC-502	Heavy Duty Design 6-1/4" X 1-1/2" X 3/4". Automatic Locking Blade	LCB-50



LC-499



LC-500    LC-501



LC-502

**▶ REPLACEMENT BLADES**

ITEM NO.	DESCRIPTION
LCB-50	Replacement Blades (10 Blades Per Pack, 24 Packs Per Inner & 288 Packs Per Master) To Fit:LC-500, LC-501, LC-502



## ▶ UTILITY KNIFE BLADE REPLACEMENT - HOOK TYPE


- Fits all standard size utility knives.
- Can be used to cut flooring or strapping.
- 10 blades per tube.

ITEM NO.	DESCRIPTION
----------	-------------

**SK5-10	Replacement Hook Blade
----------	------------------------

**\*TO BE DISCONTINUED**

**\*FOB DARTMOUTH, NS ONLY**



## ▶ TELESCOPIC INSPECTION MIRROR AND MAGNETIC PICK UP TOOL

- Telescopic handle from 7" to 13" (16-1/2" extended overall length).
- One multi-angle ball joint.
- Plated parts to prevent rusting.
- PVC coated handles for comfort.

ITEM NO.	DESCRIPTION
----------	-------------

406-PT	Carded Telescopic Magnetic Pick Up Tool (Approx. 12 Oz. Capacity Lift)
--------	--



## ▶ MAGNETIC SWEEPER - ROLLER TYPE



- Quick release drops picked up items in one pull.
- Supplied with 1-1/2" x 6" rubber tread-wheels.
- Extendable handle from 31-1/2" to 44-1/2".
- Ideal for parking lots and construction sites.
- Pull force 35 lbs.
- With hanger hole.
- Boxed.

ITEM NO.	DESCRIPTION
----------	-------------

QJ8012-24	24" Magnetic Sweeper
-----------	----------------------



**▶ 40 PC. TAP & DIE SET - TUNGSTEN STEEL SAE**


- Round dies.
- High quality tungsten steel, heat treated and tempered for Rockwell hardness 58° - 61° "C" scale.
- Combination NC, NF and NPT.
- One tap and one die of the following sizes:

ITEM NO.	DESCRIPTION
TD-40	SAE 40 Pc. Tap And Die Set

NOM. SIZE	T.P.I.	NOM. SIZE	T.P.I.
#4	- 40	5/16"	- 18
#6	- 32	5/16"	- 24
#8	- 32	3/8"	- 16
#10	- 32	3/8"	- 24
#10	- 24	7/16"	- 14
#12	- 24	7/16"	- 20
1/4"	- 20	1/2"	- 13
1/4"	- 28	1/2"	- 20
		1/8"	NPT



Note: Also contains: 1 long-handle adjustable tap wrench, 1 "T" handle, 1 die handle, 1 screwdriver, 1 screw pitch gauge, 1 handy molded carry case.

**▶ 40 PC. TAP & DIE SET - TUNGSTEN STEEL METRIC**


- Same as TD40 but with the following metric sizes for each tap & die:

ITEM NO.	DESCRIPTION
TD-40M	Metric 40 Pc. Tap And Die Set

NOM SIZE	T.P.MM.	NOM. SIZE	T.P.MM.
M3	- 0.5mm	M7	- 1.0mm
M3	- 0.6mm	M8	- 1.0mm
M4	- 0.7mm	M8	- 1.25mm
M4	- 0.75mm	M10	- 1.25mm
M5	- 0.8mm	M10	- 1.5mm
M5	- 0.9mm	M12	- 1.5mm
M6	- 0.75mm	M12	- 1.75mm
M6	- 1.0mm	1/8"	- NPT
M7	- 0.75mm		



Note: Also contains: 1 long-handle adjustable tap wrench, 1 "T" handle, 1 die handle, 1 screwdriver, 1 screw pitch gauge, 1 handy molded carry case.



## ▶ 41 PC. TAP & DIE SET - SAE - MADE IN JAPAN BY SKC

- Round dies.
- High quality tungsten steel, heat treated and tempered for Rockwell hardness 58° - 61° C scale.
- Combination NC, NF and NPT.

ITEM NO.	DESCRIPTION
850R	SAE 41 Pc. Tap And Die Set

- One tap and one die of the following sizes:

NOM. SIZE	T.P.I.	NOM. SIZE	T.P.I.
#4	- 40	5/16"	- 18
#6	- 32	5/16"	- 24
#8	- 32	3/8"	- 16
#10	- 32	3/8"	- 24
#10	- 24	7/16"	- 20
#12	- 24	7/16"	- 14
1/4"	- 20	1/2"	- 20
1/4"	- 28	1/2"	- 13
		1/8"	- NPT



Note: Also contains; 2 tap wrenches, 1 long handle tap wrench, 1 die handle, 1 screwdriver & 1 screw pitch gauge. Packed in sturdy, molded, plastic case.

## ▶ 41 PC. TAP & DIE SET - METRIC - MADE IN JAPAN BY SKC



ITEM NO.	DESCRIPTION
851M	Metric 41 Pc. Tap And Die Set

- Same as 850R but with the following metric sizes for each tap & die:

NOM. SIZE	T.P. (MM)	NOM. SIZE	T.P. (MM)
M3	- 0.6	M3	- 0.5
M4	- 0.75	M4	- 0.7
M5	- 0.9	M5	- 0.8
M6	- 1.0	M6	- 0.75
M7	- 1.0	M7	- 0.75
M8	- 1.25	M8	- 1.0
M10	- 1.5	M10	- 1.25
M12	- 1.75	1/8"	- NPT




**▶ 45 PC. TAP & DIE SET - SAE & METRIC - MADE IN JAPAN BY SKC**

- Round dies.
- Tungsten steel heat treated & tempered to RHC 58° - 61°.
- Set designed with sizes that are most commonly used.
- Contains 2 tap wrenches, 2 die stocks and 1 screwdriver.
- Packaged in metal case with ABS plastic tray.


**ITEM NO. DESCRIPTION**

895	SAE 45 Pc. Tap & Die Set, Combination NC and NF.
895M	METRIC 45 Pc. Tap & Die Set, Combination Metric Coarse & Fine.

- One tap and one die of the following sizes:

NOM. SIZE	NC T.P.I.	NOM. SIZE	NF T.P.I.	METRIC COARSE & FINE	
1/4"	- 20	1/4"	- 28	M 6 x 1.0	M 6 x 0.75
5/16"	- 18	5/16"	- 24	M 8 x 1.25	M 8 x 1.0
3/8"	- 16	3/8"	- 24	M 10 x 1.50	M 10 x 1.25
7/16"	- 14	7/16"	- 20	M 12 x 1.75	M 12 x 1.5
1/2"	- 13	1/2"	- 20	M 14 x 2.0	M 14 x 1.5
9/16"	- 12	9/16"	- 18	M 16 x 2.0	M 16 x 1.5
5/8"	- 11	5/8"	- 18	M 18 x 2.5	M 18 x 1.5
3/4"	- 10	3/4"	- 16	M 20 x 2.5	M 20 x 1.5
7/8"	- 9	7/8"	- 14	M 22 x 2.5	M 22 x 1.5
1"	- 8	1"	- 14	M 24 x 3.0	M 24 x 1.5


**▶ 110 PC. TAP & DIE SET - METRIC & SAE - MADE IN JAPAN BY SKC**

- Round dies.
- High quality tungsten steel, heat treated & tempered to RHC 58° - 61°.
- 3 different tap wrenches & 2 die wrenches.
- Packed in metal case with handle.
- Combination of NC and NF, and metric coarse and fine.

**ITEM NO. DESCRIPTION**

110-CFM	SAE & Metric 110 Pc Tap And Die Set
---------	-------------------------------------

- Contains one taper tap, one bottoming tap, and one die of the following sizes:

NOM. SIZE	T.P.I.	NOM. SIZE	T.P.I.	METRIC & NPT	T.P (MM)
#4	40	3/8"	16	M6	1.0
#6	32	3/8"	24	M8	1.25
#8	32	7/16"	14	M10	1.5
#10	24	7/16"	20	M10	1.0
#12	24	1/2"	13	M11	1.5
#10	32	1/2"	20	M12	1.25
1/4"	20	9/16"	12	M12	1.75
1/4"	28	9/16"	18	M14	1.25
1/4"	24	5/8"	11	M18	1.5
1/4"	18	5/8"	18	1/8"	NPT
5/16"	18	3/4"	10	1/4"	NPT
5/16"	24	3/4"	16		







## ► SCREW EXTRACTOR SETS - MADE IN JAPAN BY SKC

- High carbon steel.
- 5 pcs. in plastic case:
  - #1 - for 1/8" - 1/4" screw.
  - #2 - for 1/4" - 5/16" screw.
  - #3 - for 5/16" - 7/16" screw.
  - #4 - for 7/16" - 9/16" screw.
  - #5 - for 9/16" - 3/4" screw.



ITEM NO.	DESCRIPTION
1815	Spiral Flute
1815-SQ	Square Flute

## ► TWIST DRILL SETS

- High speed steel.
- TiN coated.
- Metal Index.

ITEM NO.	DESCRIPTION
D-290	29 Pc. Drill Set: 1/16" To 1/2" X 1/64" "Straight Shank"



## ► TWIST DRILLS

- High speed steel.
- Jobber length.
- Straight shank.
- Fine heat treated cutting edge.
- Excellent cutting performance and high durability.
- **Minimum order per pack.**



ITEM NO.	SIZE	QTY PER PACK	ITEM NO.	SIZE	QTY PER PACK
800-01	1/16"	10	800-15	9/32"	5
800-02	5/64"	10	800-16	19/64"	5
800-03	3/32"	10	800-17	5/16"	5
800-04	7/64"	10	800-18	21/64"	5
800-05	1/8"	10	800-19	11/32"	5
800-06	9/64"	10	800-20	23/64"	5
800-07	5/32"	10	800-21	3/8"	5
800-08	11/64"	10	800-22	25/64"	5
800-09	3/16"	10	800-23	13/32"	5
800-10	13/64"	10	800-24	27/64"	5
800-11	7/32"	10	800-25	7/16"	5
800-12	15/64"	10	800-26	29/64"	5
800-13	1/4"	10	800-27	15/32"	5
800-14	17/64"	5	800-28	31/64"	5
			800-29	1/2"	5

**▶ SILVER & DEMING (PRENTICE) DRILLS - 1/2" SHANK**

- High speed steel.

ITEM NO.	SIZE	ITEM NO.	SIZE
958	25/32"	950	17/32"
959	13/16"	951	9/16"
960	27/32"	952	19/32"
961	7/8"	953	5/8"
962	29/32"	954	21/32"
963	15/16"	955	11/16"
964	31/32"	956	23/32"
965	1"	957	3/4"


**▶ SILVER & DEMING (PRENTICE) 5 PC. DRILL SET**

- High speed steel.
- 6" Overall length.
- Set includes 9/16", 5/8", 3/4", 7/8", 1".
- Packed in wooden box.

ITEM NO.	DESCRIPTION
PD-5	5 Pc. Prentice Drill Set


**▶ STUB DRILL - DOUBLE END**

- Packed in 10's.
- High speed steel, nitrate finish.

ITEM NO.	DESCRIPTION
804-125	1/8" x 2"


**▶ FILE HANDLES**

- Durable plastic handles to fit chain saw files and most tanged files.

ITEM NO.	TANG SIZE	LENGTH
*908-S	Small	4" - 102mm
*TO BE DISCONTINUED		


**908-S**


## ▶ FILE HANDLE

- Durable plastic handle.
- Includes 5 different inserts to accept a variety of file tangs.

ITEM NO.	LENGTH
JKMFH-51	File Handle Kit



## ▶ FILES - BY JK FILES

- Smooth cut used for a more finished or polished effect.
- Bastard cut used where aggressive removal of material is required.
- Measurement of a file is from end on file to shoulder not including tang.

### ▶ FLAT FILES - BOXED

- Machinist's file (tapered sides, 2 cut edges).

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-01	8"	Flat	Bastard	12
JK100-02	10"	Flat	Bastard	12
JK100-03	12"	Flat	Bastard	6
JK100-05	8"	Flat	Smooth	12
JK100-06	10"	Flat	Smooth	12



### ▶ HALF ROUND FILES - BOXED

- Machinist's file.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-08	8"	Half Round	Bastard	12
JK100-09	10"	Half Round	Bastard	12
JK100-10	12"	Half Round	Bastard	6



### ▶ ROUND FILES - BOXED

- Machinist's file.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-12	8"	Round	Bastard	12
JK100-13	10"	Round	Bastard	12



**▶ TRIANGULAR FILES - BOXED**

- Machinist's file.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-15	6"	Triangular	Smooth	12


**▶ SAW FILES - BOXED**

- Mill saw file (parallel sided 2 cut edges).

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-17	6"	Flat	Bastard	12
JK100-18	8"	Flat	Bastard	12
JK100-19	10"	Flat	Bastard	12
JK100-20	12"	Flat	Bastard	6


**▶ FILES - HANDI-FILE**

- 8" File with handle 11-1/2" overall.
- 1 side single, 1 side double cut, 1 edge cut, 1 edge uncut.
- Rectangle shape.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-21	8"	Flat	Single Double	12


**▶ MOWER FILES - BOXED**

- Mower (axe) file (parallel sided 2 cut edges).

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-22	8"	Flat	Second	12


**▶ FARMERS OWN (AXE) FILES - BOXED**

- File with uncut edges.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-23	8"	Flat	Second	12



## ▶ CHAINSAW FILES - BOXED

- Chain-saw files (round).
- Minimum order: 6 PCS.



ITEM NO.	LENGTH	DIA.	SHAPE	CUT	BOX PACK
JK100-24	6"	1/8"	Round	Double	12
JK100-25	8"	5/32"	Round	Double	12
JK100-26	8"	11/64"	Round	Double	12
JK100-27	8"	3/16"	Round	Double	12
JK100-28	8"	13/64"	Round	Double	12
JK100-29	8"	7/32"	Round	Double	12
JK100-30	8"	1/4"	Round	Double	12

## ▶ FLAT CHAINSAW FILES - BOXED

- Files are 6" cut area.
- Chain-saw file (rounded uncut edges).
- Minimum order: 12 PCS.



ITEM NO.	OVERALL LENGTH	SHAPE	EDGES	BOX PACK
JK100-32	8" Reg Duty	Flat	Rounded	12

## ▶ HORSESHOE RASPS - TANGED

- 17" overall length including tang.
- Both edges cut.



ITEM NO.	DESCRIPTION	BOX PACK
*JK100-40	Horse Rasp	6
*TO BE DISCONTINUED		

## ▶ SHOE RASPS

- Two-cut edges.
- 6 Per box.



ITEM NO.	DESCRIPTION	BOX PACK
*JK100-41	14" Multi-Cut Shoe Rasp	6
*TO BE DISCONTINUED		

**▶ WIRE WHEEL BRUSHES - DISPLAY BOX**

- Includes 24 pieces with 1/4" shank.
- 6 each 2" plus 3" cup brushes and 6 each 1-1/2" plus 3" wire wheel brushes.
- All brushes are brass-coated steel wire.

ITEM NO.	DESCRIPTION
WW-24	24 Piece Wire Brush Assortment


**▶ WIRE WHEEL BRUSH SETS**

- Brass-coated crimped steel wire.
- 1/4" drill arbor, to be used with all hand drills.
- Used for removal of rust, paint or dirt build-up.
- Attractively blister carded.

ITEM NO.	DESCRIPTION
WW-03	Consists Of One Each: 2" Wheel, 2" Cup and 1" End Brush
WW-05	Consists Of One Each: 2" & 3" Wheel, 2" & 3" Cup and 1" End Brush



WW-03



WW-05

**▶ CIRCULAR SAW BLADES**


- Carbide tip.
- Individual cello-wrapped in bulk box.
- Plastic tooth protector on each blade.

ITEM NO.	BLADE DIA.	BLADE THICKNESS	NO. TEETH	ARBOR SIZE	MAX. MAT. RPM
TCT725-24	7-1/4"	1.5mm	24T	5/8"	8000
TCT725-40	7-1/4"	1.5mm	40T	5/8"	8000
TCT725-60	7-1/4"	1.5mm	60T	5/8"	8000
*TCT800-24	8"	1.5mm	24T	5/8"	7000
TCT825-24	8-1/4"	1.5mm	24T	5/8"	7000
TCT825-40	8-1/4"	1.5mm	40T	5/8"	7000
TCT1000-28	10"	1.8mm	28T	5/8"	5000
TCT1000-40	10"	1.8mm	40T	5/8"	5000
TCT1000-60	10"	1.8mm	60T	5/8"	5000
TCT1000-80	10"	1.8mm	80T	5/8"	5000
TCT1200-80	12"	1.8mm	80T	1"	6500

\*TO BE DISCONTINUED



## ▶ CUP BRUSHES - CRIMPED WIRE TYPE

- For angle grinders.
- For light or medium rust removal and deburring.
- Crimped brushes are less aggressive offering more flexibility.
- Blister carded.



ITEM NO.	DIA.	THREAD SIZE	WIRE SIZE	WIRE TYPE	LIST TRIM LENGTH	LIST MAX. RPM
*CC075-10125	3"	M10 x 1.25	0.012"	Brass Coated Steel	1-1/6"	12,500
*CC075-10150	3"	M10 x 1.50	0.012"	Brass Coated Steel	1-1/16"	12,500
CC075-5811	3"	5/8" - 11NC	0.012"	Brass Coated Steel	1-1/16"	12,500
CC100-5811	4"	5/8" - 11NC	0.012"	Brass Coated Steel	1-1/8"	8,500
CC125-5811	5"	5/8" - 11NC	0.012"	Brass Coated Steel	1-5/16"	6,500
CC150-5811	6"	5/8" - 11NC	0.012"	Brass Coated Steel	1-5/16"	4,500

\*TO BE DISCONTINUED

## ▶ CUP BRUSHES - KNOTTED WIRE TYPE

- For angle grinders.
- For heavy duty cleaning and resurfacing.
- More aggressive to remove rust, scale and other contaminants.
- Blister carded.



ITEM NO.	DIA.	BANDED	ARBOR THREAD SIZE	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX RPM.
*KC065-10125	2-1/2"	NO	M10 x 1.25	0.020"	Tempered Steel	3/4"	12,500
*KC065-10150	2-1/2"	NO	M10 x 1.50	0.020"	Tempered Steel	3/4"	12,500
*KC080-14200	3-1/2"	YES	M14 x 2.00	0.020"	Tempered Steel	1"	8,500
KC065-5811	2-1/2"	NO	5/8" - 11NC	0.020"	Tempered Steel	3/4"	12,500
KC080-5811	3-1/2"	YES	5/8" - 11NC	0.020"	Tempered Steel	1"	8,500
KC100-5811	4"	YES	5/8" - 11NC	0.020"	Tempered Steel	1"	8,500
KC125-5811	5"	YES	5/8" - 11NC	0.020"	Tempered Steel	1"	6,500

\*TO BE DISCONTINUED

## ▶ WIRE WHEEL BRUSHES - KNOTTED WIRE TYPE

- For angle grinders.
- For heavy duty work in corners and angles.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX. RPM.
KW100-5811	4"	5/8" - 11NC	1/2"	0.020"	Tempered	3/4"	11,000
KW125-5811	5"	5/8" - 11NC	9/16"	0.020"	Tempered	1-1/8"	10,000
KW150-5811	6"	5/8" x 11NC	9/16"	0.020"	Tempered	1-7/16"	9,000



**▶ WIRE WHEEL BRUSHES - CRIMPED WIRE TYPE**

- For bench grinders.
- Medium to heavy duty brush applications.
- Supplied with plastic adaptors to convert arbor hole size to 1/2", 5/8", 3/4", 7/8", 1".
- Blister carded.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX.RPM.
CW150-18	6"	1/2" - 1-1/4"	3/4"	0.012"	Brass Coated Steel	1-1/8"	6,000
CW150-25	6"	1/2" - 1-1/4"	1"	0.012"	Brass Coated Steel	1-1/8"	6,000
CW200-20	8"	1/2" - 1-1/4"	13/16"	0.012"	Brass Coated Steel	1-5/16"	4,500
CW200-25	8"	1/2" - 1-1/4"	1"	0.012"	Brass Coated Steel	1-5/16"	3,000


**▶ TAPERED BRUSHES - CRIMPED WIRE TYPE**

- For angle grinders.
- Best for medium to heavy duty work in corners and angles.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX RPM.
*TCW10-10125	4"	M10 x 1.25	3/8"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW10-10150	4"	M10 x 1.50	3/8"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW10-14200	4"	M10 x 2.00	3/8"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-5811	4"	5/8" x 11NC	13/16"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-10125	4"	M10 x 1.25	13/16"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-10150	4"	M10 x 1.50	13/16"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-14200	4"	M10 x 2.00	13/16"	0.012"	Brass Coated Stee	13/16"	12,500


**\*TO BE DISCONTINUED**


**▶ DISK CLEANERS - KNOTTED WIRE TYPE**

- For angle grinders.
- For heavy duty work in corners and angles.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX. RPM.
TKW-5811	4"	5/8" x 11NC	1/2"	0.020"	Tempered Steel	7/8"	12,000
*TKW-10125	4"	M10 x 1.25	1/2"	0.020"	Tempered Steel	7/8"	12,000
*TKW-10150	4"	M10 x 1.50	1/2"	0.020"	Tempered Steel	7/8"	12,000
*TKW-14200	4"	M10 x 2.00	1/2"	0.020"	Tempered Steel	7/8"	12,000

**\*TO BE DISCONTINUED**





## CUT-OFF WHEELS - DEPRESSED CENTRE


- White aluminum oxide abrasive with resinoid bond.
- Used for cutting steel and stainless steel.
- Reinforced to handle extra stress.
- WA36SBF Specification.



ITEM NO.	DIA.	THICKNESS	ARBOR	GRIT	USE	MAX. RPM
14056458	4"	3/32"	5/8"	36	Steel/SS	15,000
14556478	4-1/2"	3/32"	7/8"	36	Steel/SS	13,300
15056478	5"	3/32"	7/8"	36	Steel/SS	12,200

## CUT-OFF WHEELS - FLAT

- White aluminum oxide abrasive with resinoid bond.
- Used for cutting steel and stainless steel.
- Reinforced to handle extra stress.
- T41 WA60SBF specification.



ITEM NO.	DIA.	THICKNESS	ARBOR	GRIT	USE	MAX. RPM
34536478	4-1/2"	3/64"	7/8"	60	Steel/SS	13,300
35036478	5"	3/64"	7/8"	60	Steel/SS	12,200

## FOLDING CAMP/PRUNING SAW - MADE IN SWEDEN



- 8" Overall blade length.
- Plastic handle with rubber grip.
- Large threaded knob for locking & unlocking blade position.
- Positive lock in folded and unfolded position.
- Lanyard provided for easy hanging.
- Easy blade replacement.
- Ideal for camping or backpacking.
- Aggressive teething for fast clear-cutting.
- Can be used with most recip blades with universal shank.
- Carded.



ITEM NO.	DESCRIPTION
138-34	Folding Saw
1034-2006	Blade for 138-24

## 12" HACKSAW/BOWSAW - MADE IN EUROPE



- Combination saw for wood and metal.
- Supplied with wood blade and 24T bi-metal hacksaw blade.
- Blades can be adjusted at any angle to allow cutting in tight spaces.

ITEM NO.	DESCRIPTION
G-12	12" Combination Hacksaw/Bowsaw
G10H12	Replacement Blade



**▶ BOW SAWS - MADE IN EUROPE**


- Oval, high frequency welded tube construction.
- Supplied with 3/4" hard point long-lasting raker tooth blade made from Swedish Steel.
- Painted with orange stove enamel to prevent rusting.



ITEM NO.	LENGTH
14730SH21 (Previously 40021)	21"
14030BH24 (Previously 40024)	24"
14030BH30 (Previously 40030)	30"
14030BH36 (Previously 40036)	36"

**▶ REPLACEMENT BLADES**

- 3/4" raker tooth bow saw blades made from Swedish Steel.
- Induction hardened to provide long lasting sharpness.



ITEM NO.	LENGTH
G30SH21 (Previously 41021)	21" x 3/4"
G30BH24 (Previously 41024)	24" x 3/4"
G30BH30 (Previously 41030)	30" x 3/4"
G30BH36 (Previously 41036)	36" x 3/4"
G30BH42 (Previously 41042)	42" x 3/4"

**▶ PULL SAW**


- Cuts on pull stroke.
- Rubber grip for secure grip.
- Blade thickness: 0.6 mm, approx. 13.5 TPI
- Blade length: 10.5" (265 mm)



ITEM NO.	DESCRIPTION
265	10-1/2" Pull Saw

## ▶ PRUNING SAW WITH HOLSTER



- Professional curved 14" blade.
- Extremely sharp 3-edge teeth.
- Two component handle.

ITEM NO.	DESCRIPTION
232H14PS	14" Pruning Saw with Holster



## ▶ PRUNING SAW WITH TUBULAR HANDLE



- Professional curved 14" blade.
- Extremely sharp 3-edge teeth
- Tubular handle can be hand-held or mounted to 400EX or 550EX extension pole.

ITEM NO.	DESCRIPTION
233H14	14" Pruning Saw with Tubular Handle



## ▶ FOLDABLE PRUNING SAW



- Blade can be fixed in 3 different angles.
- Hollow-ground blade ejects sawdust plus reduces friction.
- 6 TPI hardpoint blade, 10" long.

ITEM NO.	DESCRIPTION
345-34	10" Foldable Pruning Saw



## ▶ 10" PRUNING SAW WITH HOLSTER



- Specially developed with extra-thin 0.8 mm blade.
- Extra fine 8TPI 3-edge teeth.
- Two component handle.

ITEM NO.	DESCRIPTION
344H10PS	10" Pruning Saw with Holster



### ▶ 12" PRUNING SAW WITH HOLSTER

- Hollow-ground blade ejects sawdust & reduces friction.
- Precision ground 3-edge teeth.
- Rounded nose helps to get into tight spaces.
- Two-component handle.

ITEM NO.	DESCRIPTION
343H12PS	12" Pruning Saw with Holster



### ▶ 14" SAMURAI PRUNING SAW



- Hook at front end to prevent blade from sliding out of cut.
- Tubular handle can be hand-held or mounted to 400EX or 550EX extension pole.
- Handle also has push knife to clear small branches.

ITEM NO.	DESCRIPTION
350LH	14" Samurai Pruning Saw



### ▶ PRUNING SAW EXTENSION POLES



- Oval aluminum tube with patented locking device.
- Fits models with tubular handle.
- Low weight facilitates handling and reduces fatigue.
- Available in two lengths.

ITEM NO.	DESCRIPTION
400EX	Aluminum Extension Pole 2 m-4 m
550EX	Aluminum Extension Pole 2 m-5.5 m



### ▶ HACKSAW FRAME - MADE IN EUROPE



- Compact frame fits in any toolbox.
- 16 x 10 mm rectangular steel frame with aluminum handle.
- 90° Blade mounting option.
- Includes 24T bi-metal blade.

ITEM NO.	DESCRIPTION
10BI24	12" Adjustable Hacksaw



**HACKSAW FRAME - ECONOMY**

- Tubular oval steel frame construction blade included.

ITEM NO.	DESCRIPTION
614	Adjustable 10"-12"



**HANSAWS - MADE IN SWEDEN**

- Blades made from Swedish steel.
- Universal tothing (U7) for both cross-cutting and rip-cutting
- Handle made from strong, long lasting ABS.
- Each blade protected by vinyl blade guard.
- Durable, long lasting electronically hardened teeth.

ITEM NO.	DESCRIPTION
G-319H	22" X 8 TPI Handsaw With Teflon-coated Blade To Reduce Friction
G-325H	22" X 8 TPI Handsaw With 45° - 90° Angles Indicated On Handle



**MEAT SAW**

- HD plated rectangular frame.
- 4-3/4 " tension handle.

ITEM NO.	DESCRIPTION
TOP-N001-19	Meat Saw w/StainlessSteel Blade
TOP-N001-19B	19-1/2" x 5/8" Stainless Steel Blade For Above



**MEAT SAW BLADE**

- Stainless steel.
- Hardened teeth.
- Fits any 21" Bow Saw.

ITEM NO.	DESCRIPTION
G5021	21" Stainless Steel Meat Saw Blade



**▶ STARRETT BIMETAL DUAL PITCH HOLESAWS (DEEP CUT)**


- Dual-pitch high speed steel teeth welded to tough alloy body and cap.
- 2" cutting depth.
- Design allows huge improvements in chip flow.
- Suitable for cutting wood, metal and steel.
- New box pack has viewing window in corner.
- 8% cobalt for greater performance.
- Display available for all blades.

ITEM NO.	SIZE	ITEM NO.	SIZE	ITEM NO.	SIZE
FCH0058	5/8"	DCH0200	2"	DCH0414	4-1/4"
DCH0034	3/4"	DCH0216	2-1/16"	DCH0438	4-3/8"
DCH2532	25/32"	DCH0218	2-1/8"	DCH0412	4-1/2"
DCH1036	13/16"	DCH0214	2-1/4"	DCH0434	4-3/4"
DCH0078	7/8"	DCH0256	2-5/16"	DCH0500	5"
DCH1056	15/16"	DCH0238	2-3/8"	DCH0514	5-1/4"
DCH0100	1"	DCH0212	2-1/2"	DCH0512	5-1/2"
DCH0116	1-1/16"	DCH0296	2-9/16"	DCH0600	6"
DCH0118	1-1/8"	DCH0258	2-5/8"	DCH160M	6-5/16"
DCH0136	1-3/16"	DCH0234	2-3/4"	DCH168M	6-5/8"
DCH0114	1-1/4"	DCH0278	2-7/8"	DCH177M	6-31/32"
DCH0156	1-5/16"	DCH0300	3"	DCH210M	8-9/32"
DCH0138	1-3/8"	DCH0318	3-1/8"		
DCH0176	1-7/16"	DCH0314	3-1/4"		
DCH0112	1-1/2"	DCH0338	3-3/8"		
DCH0196	1-9/16"	DCH0312	3-1/2"		
DCH0158	1-5/8"	DCH0358	3-5/8"		
DCH1116	1-11/16"	DCH0334	3-3/4"		
DCH0134	1-3/4"	DCH0378	3-7/8"		
DCH1136	1-13/16"	DCH0400	4"		
DCH0178	1-7/8"	DCH0418	4-1/8"		


**▶ PILOT DRILLS**

- Clamshell packed.

ITEM NO.	DESCRIPTION
KA014CE	For All Arbours, 4" Long HSS
*KXA014C	For All diamond Grit Arbours, 4" Carbide Tip
<b>*TO BE DISCONTINUED</b>	



KA014CE



KA014

## ▶ DISPLAY COMPONENTS

**Starrett®**

- Designed to be used with hooks to hang product.
- Available at no charge with Starrett stock order.

ITEM NO.	DESCRIPTION
PKG5519	12" X 24" Display Board with Backing
PKG5522	24" Header with Graphics
PKG5523	24" Graphics Sign Only
PKG5524	12" Header with Hardware
PKG5525	12" Graphics
PKG5526	Brochure Holder
PKG5529	7" Hook To Be Used on PKG5519



## ▶ HOLESAW KITS - BI-METAL DUAL PITCH

**Starrett®**

- Supplied in blown plastic case.


ITEM NO.	DESCRIPTION
KDC06034	Locksmith Kit Contains 1 each: 7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2-1/8" A1E and A10E Arbors, A12 Arbors, Adaptor Pilot Drill
KDC09051	Maintenance Kit Contains 1 each: 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2" A1E, A2E Adaptors, A15-12" Extension, A12 Arbor Adaptor A014CE Pilot Drill



**▶ ARBOURS - PARTS**


- Arbours supplied with pilot drill.

ITEM NO.	CLAM OR BOXED	DESCRIPTION	EQUIV MORSE #'S
A4-E	B	Fits 9/16" - 1-3/16" 1/4" Hex Shank	M34, M44
A1-E	C	Fits 9/16" - 1-3/16" 11/32" Hex Shank	MK24K
A10-E	C	Fits 1-1/4" - 8-9/32" 11/32" Hex Shank Quick Hitch	M55P
A2-E	C	Fits 1-1/4" - 8-9/32" 7/16" Hex Shank Quick Hitch	M35PS
KA19	C	Oops Arbour 13/16" - 1-3/16" for Hole Enlargement	
*XA1	B	Arbour with Carbide Tipped Pilot Drill 11/32" Shank Fits 9/16" - 1-3/16"	
*XA2	B	7/16" Hex Quick Hitch Arbour With Carbide Drill	
KA15	C	Fits 3/8" Chuck 12" Extension	
KA5	C	Fits 1/2" Chuck 12" Extension	
KA7	C	Ejector Spring	

**\*TO BE DISCONTINUED**

**▶ HACKSAW BLADES**


- Bimetal blade and carbon steel blades are suitable for mild steel, copper, brass, aluminum and like materials.
- All hacksaw blades packed in tubes of 10 blades.

ITEM NO.	DESCRIPTION
----------	-------------

***Bimetal***

KBS1218-10	12" X 18T 10 Blades per Tube
KBS1224-10	12" X 24T 10 Blades per Tube
KBS1232-10	12" X 32T 10 Blades per Tube

***Carbon Steel***

KGF1218-10	12" x 18T 10 Blades per Tube
KGF1224-10	12" X 24T 10 Blades per Tube
KGF1232-10	12" X 32T 10 Blades per Tube


**▶ BIMETAL JIG SAW BLADES**


- Incorporate the Starrett unique process technology.
- Resists breakage, cuts faster and lasts longer than conventional blades.
- All blades have unified shanks which fit most machines.
- Blades are 2 per card.

ITEM NO.	DESCRIPTION
----------	-------------

*BU3DC-2	3" X 5/16 X 0.60" Dual Cut (Teeth Cut both Directions)
----------	--

**\*TO BE DISCONTINUED**




## ▶ BI METAL RECIPROCATING SAW BLADES



- Packed 5 blades per pack.



ITEM NO.	DESCRIPTION	TPI	APPLICATION
B66-5	6" X 3/4" X 0.035"	6	General Power
B618-5	6" X 3/4" X 0.035"	18	General Power
BT123-5	12" x 3/4" x 0.050"	3	Tapered General Purpose
BT12610-5	12" x 1" x 0.063"	6-10	Tapered General Purpose
BTR91014-5	9" x 1" x 0.063"	10-14	King Cut Fire, Rescue
BTR121014-5	12" x 1" x 0.063"	10-14	King Cut Fire, Rescue
SB6-A	6" x 3/4" x .035"	5 piece set (6, 10, 14, 18, 24 TPI)	

## ▶ CHALK REFILLS



- Bottle supplied with easy handling no-spill cap.

ITEM NO.	DESCRIPTION
*SC4BLU	4 lb. Bottle Removeable, Blue Colour
*SC4RED	4 lb. Bottle Removeable, Red Colour
*SUC4BLK	4 lb. Bottle Removeable, Black Colour
SUC8BLK	8 oz Bottle Permanent, Black Colour
<b>*TO BE DISCONTINUED</b>	



## ▶ PORTABLE BANDSAW BLADES



- Uses Starrett's bimetal unique technology.
- Uses triple-tempered M-42 cobalt high speed steel with fatigue-resistant back.
- Twin tooth design allows better cutting and longer lasting.
- Sold in 3 blades per pack.
- Fits B & D, Greenlee, Milwaukee, Ridgid, Rockwell, Portor Cable, Skill, Unitec.

ITEM NO.	DESCRIPTION	TPI
*BM14	1/2" x 0.020" x 44-7/8"	14S
*BM18	1/2" x 0.020" x 44-7/8"	18W
*BM1014	1/2" x 0.020" x 44-7/8"	10-14P
<b>*TO BE DISCONTINUED</b>		



## ▶ KEY CADDY



- Heavy duty diecast case.
- Supplied with 21" stainless steel chain and key ring.
- Belt clip fastener.

ITEM NO.	DESCRIPTION
SK1	Starrett Key Caddy



**▶ POWER RETURN MEASURING TAPE - ISO 9002 CERTIFIED**

- Triple-riveted end hook.
- Easy to find fluorescent orange ABS case.
- 16" markings indicated.
- Includes wrist lanyard and belt clip.
- Individually carded.



ITEM NO.	LENGTH	MARKINGS	WIDTH
MT-16ME	16' (5 M)	English/Metric	3/4"
MT-25ME	25' (7.5M)	English/Metric	1"
MT-25EE	25'	English Only	1"

**▶ FIBREGLASS MEASURING TAPE - OPEN REEL**

- One side metric, one side standard measure.
- Markings in 1/8" THS (Standard) and 2mm (Metric).
- Durable plastic body with folding handle.
- Large strong steel claw for positive fastening.



ITEM NO.	LENGTH	WIDTH
JGWF-303	100 ft (30 M)	1/2"
JGWF-503	164 ft (50 M)	1/2"
JGWF-1003	330ft (100 M)	1/2"

**▶ VERNIER CALIPERS - STEEL**


- Supplied with case.
- 6" (150mm) metric and inch scale.
- High quality steel, chrome hardened.
- Easy to read black numbers on satin chrome surface.
- Inside, outside & depth measurements.
- Screw lock.
- Surfaces are ground and lapped to promote smooth slide operation.

ITEM NO.	DESCRIPTION
7910	0.05mm - 1/128" Vernier Scale
7912	0.02mm - 1/1000" Vernier Scale



## ▶ ELECTRONIC DIGITAL CALIPER

- 0" - 6" or 150mm.
- LCD readout.
- Pushbutton control to convert metric to inches.
- "0" reset in any position.
- 1.5 V long-life battery included.
- Data output capability for interface with host computer or printer.
- Supplied with case.
- Auto off.
- Inside, outside & depth measurements.
- Graduated slide.
- Large display.



ITEM NO.	DESCRIPTION
----------	-------------

M-4306YF	0" - 6" Digital Caliper
----------	-------------------------

## ▶ OUTSIDE MICROMETERS

- Supplied with case.
- Locking screw included.
- Precision ground.

ITEM NO.	DESCRIPTION
----------	-------------

*MC-01	0" - 1" Cap. 0.0005" Graduation
--------	---------------------------------

*MC-01M	(METRIC) 0-25mm Capacity 0.01mm Graduation
---------	--

\*TO BE DISCONTINUED



## ▶ MAGNETIC BASE

- Specially designed base with "V" groove, has two machined surfaces to allow clamping to straight and round surfaces.
- Designed to support dial indicators, and other precision measuring devices.
- Powerful alnico permanent magnet.
- Lever type on/off switch.
- 60 kg. holding strength.

ITEM NO.	DESCRIPTION
----------	-------------

MB-B	Magnetic Base
------	---------------



## ▶ DIAL GAUGE

- Satin chrome-plated case, back mounting.
- Easy to read face.
- Precision ground hand chrome plated stem, and contact point.

ITEM NO.	DESCRIPTION
----------	-------------

200-111	1" Travel 0.001" Reading
---------	--------------------------



**RIVETS**

- Dome head type.
- Coated steel mandrels.

ITEM NO.	DESCRIPTION	RIVET BODY SIZE	GRIP RANGE	RIVET MAT.	MANDREL MAT.	DRILL SIZE	PKG.
SRAS42	Aluminum Steel Rivet	1/8" (3.2mm)	1/16"-1/8"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRAS43	Aluminum Steel Rivet	1/8" (3.2mm)	1/8"-3/16"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRAS44	Aluminum Steel Rivet	1/8" (3.2mm)	3/16"-1/4"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRAS46	Aluminum Steel Rivet	1/8" (3.2mm)	5/16"-3/8"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRSS42	Steel/Steel Rivet	1/8" (3.2mm)	1/16"-1/8"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS43	Steel/Steel Rivet	1/8" (3.2mm)	1/8"-3/16"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS44	Steel/Steel Rivet	1/8" (3.2mm)	3/16"-1/4"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS46	Steel/Steel Rivet	1/8" (3.2mm)	5/16"-3/8"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS62	Steel/Steel Rivet	3/16" (4.8mm)	1/16"-1/8"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS64	Steel/Steel Rivet	3/16" (4.8mm)	3/16"-1/4"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS66	Steel/Steel Rivet	3/16" (4.8mm)	1/4"-3/8"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS68	Steel/Steel Rivet	3/16" (4.8mm)	3/8"-1/2"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS66LF	Steel/Steel Rivet	3/16" (4.8mm)	1/4"-3/8"	Steel	Coated Steel	.192-.196 #11	Boxed 250

SRHR-705KIT: REPLACEMENT JAW SET



SS & AS SERIES



SS42



AS44



SRSS66LF



SRSS66 LARGE FLANGE

## ▶ RIVET GUN

- 2-jaw design.
- Perfect for DIY market.
- Wrench included.
- Packaged in display card hang pack.

ITEM NO.	WEIGHT	LENGTH	DESCRIPTION	CAPACITY			
				2.4mm (3/32")	3.2mm (1/8")	4.0mm (5/32")	4.8mm (3/16")
SRHR-702	530 g	255mm	Aluminum	✓	✓	✓	✓
			Steel	✓	✓	✓	✗
			Stainless Steel	✓	✓	✓	✗
SRHR-705	525 g	255mm	Aluminum	✓	✓	✓	✓
			Steel	✓	✓	✓	✓
			Stainless Steel	✓	✓	✓	✓



SRHR-702



SRHR-705



## HATCHETS & AXES - PREMIUM AXES BY HULTAFORS - MADE IN SWEDEN



- Heads are hand-forged.
- All axe heads have curved back for holding when carving.
- Handles are American hickory with linseed oil treatment.
- Handles are fastened with 1 wood wedge and 1 round metal wedge.
- **Each axe includes treated leather sheath.**
- Each axe packed in individual box.
- Each box has sleeve with history, facts and warranty information.

ITEM NO.	DESCRIPTION	NAME	HEAD WEIGHT (g)	HEAD WEIGHT (LBS)	HANDLE LENGTH
HF841760	MINI HATCHET	Agelsjon	50	1.10	9"
HF842760H	REPLACEMENT HICKORY HANDLE				9"
HF841701	HATCHET	Hultan	500	1.10	16"
HF842701H	REPLACEMENT HICKORY HANDLE				16"
HF840766S	SPARE SHEATH	Fits Hultan & Agelsjon			
HF841770	FOREST AXE	Aby	700	1.54	24"
HF842770H	REPLACEMENT HICKORY HANDLE				24"
HF840776S	SPARE SHEATH				
HF841710	HUNTING AXE	Ekelund	850	1.87	20"
HF842710H	REPLACEMENT HICKORY HANDLE				20"
HF840716S	SPARE SHEATH	Fits Ekelund & Qvarfot			
HF841720	FELLING AXE	Quarfot	850	1.87	26"
HF842720H	REPLACEMENT HICKORY HANDLE				26"



## PREMIUM CARPENTER AXE "STALBERG" - MADE IN SWEDEN



- Heads are hand-forged.
- All axe heads have curved back for holding when carving.
- Handles are American hickory with linseed oil treatment.
- Handles are fastened with 1 wood wedge and 1 round metal wedge.
- **Each axe includes treated leather sheath.**
- Each axe packed in individual box.
- Each box has sleeve with history, facts and warranty information.

ITEM NO.	DESCRIPTION
HF841730	Premium Carpenter's Axe
HF842730H	Replacement Hickory Handle
HF840736S	Spare Sheath



**► PREMIUM SPLITTING AXE “HULT” - MADE IN SWEDEN**


- Specially shaped head is hand forged.
- All axe heads have curved back for holding when carving.
- 30” long straight handle made from American hickory with linseed oil treatment.
- Handles are wedged with 1 wood wedge and 1 round metal wedge
- **Each axe includes treated leather sheath**, packed in individual box and has sleeve with history, facts and warranty information.
- 3.3 lbs (1.5kg).

ITEM NO.	DESCRIPTION
HF841740	Premium Splitting Axe
HF842740H	Replacement Hickory Handle
HF840746S	Spare Sheath


**► PREMIUM COMPETITION - DB THROWING AXE - WETTERHALL - MADE IN SWEDEN**


- 6” Polished cutting edges.
- 8” Tip-to-tip cutting edge to cutting edge.
- Hand forged 3.5 lb/1600 gram/DB head.
- Supplied with 30” total length hickory handle and **leather sheath**.

ITEM NO.	DESCRIPTION
HF841750	Double Bit Throwing Axe
HF842750H	Replacement Hickory Handle
HF840756S	Sheath for Double Bit Axe (2 Pce)


**► ARVIKA BRAND AXES - BY HULTAFORS RACING AXE - MADE IN SWEDEN**


- Arvika - highly polished head.
- Complete with a 32” hickory handle.
- Commonly used in competition and shake splitting.

ITEM NO.	DESCRIPTION	HEAD WEIGHT	REPLACEMENT HANDLE
*HF850511 (Replacement for 40-32REG)	Arivka Axe w/32” Hickory Handle	4-1/2 lb.	204-40

**\*LIMITED AVAILABILITY**


**► SHARPENING STONE - MADE IN SWEDEN**


- Offers 2 grits; 180 grit and 600 grit.
- To be used with water for best results.
- 3” diameter x 1” thick.
- Instruction book included.
- Leather case.

ITEM NO.	DESCRIPTION
HF840792	Sharpening Stone





## ▶ AGDOR SINGLE BIT MONTREAL PATTERN



- Extra wide splitting angle and blade width.
- High quality steel.
- Supplied with wood handle.



ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPLACEMENT HANDLE
*HF31-28	2-1/2 lb.	28"	302

\*LIMITED SUPPLY

## ▶ ILTIS OX-HEAD BRAND AXES - MADE IN GERMANY



- The blade, which is scientifically designed, extraordinarily thin & almost parallel, reduces the weight but doubles the performance.
- Special analysis axe steel, hardened from blade edge to the axe eye by newly developed treatment, guarantees longest durability and excellent cutting effect.
- Science proves that the blade of axe is distorted with each stroke.
- The blade of Iltis axes, however, being more flexible, reduces the danger of breaking considerably, compared to so-called rigid axes.
- Easier renewal of the edge due to the favourable cross-cut, based on the almost parallel blade.
- Sharpening before chopping is eliminated, because Iltis axes are shipped drawn, ready for use.
- American hickory handles.

## ▶ ORIGINAL PATTERN - SINGLE BIT WIDE BLADE



ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX-1002	2-1/2 lbs.	28"	302-1002 Euro Eye



## ▶ YANKEE PATTERN - SINGLE BIT



ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
*OX-2001	1-3/4 lbs.	24"	303
OX15H-0807	1-3/4 lbs.	28"	302

Complete with Vinyl Sheath (OX15H-0807)

\*LIMITED QUANTITY



OX-2001



OX15H-0807

Please specify **\*\*GRIP** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC warehouse only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ OX HEAD COMPETITION AXE - DOUBLE BIT THROWING AXE - MADE IN GERMANY**


- 6" width double blade tip to blade tip, 10-3/4" blade centre to blade centre.
- Tempered to maximum hardness without becoming too hard.
- Satin brushed finish.
- **Supplied with leather blade protectors.**

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX18-1200	3 lbs.	28" Hickory	208
H18-1200	3 lbs. Head Only		


**▶ COMPETITION AXE - MADE IN GERMANY**


- Polished head weighs 6.5 lbs.
- Supplied with 32" hickory handle
- Leather blade guard sheath supplied
- 7-1/2" cutting edge.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX440-H2708	6-1/2 lbs	32"	HDL-440
HDL-440	32" Replacement Hickory Handle		


**▶ SPLITTING MAULS - MADE IN GERMANY**


- Extra wide splitting angle and blade width.
- High quality steel.
- Supplied with ash handle.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX-1250	3 lbs.	20"	HDL-1250
OX-5000	5-1/2 lbs.	31"	HDL-5000


**▶ BRUSH HOOK - MADE IN GERMANY**


- Tempered blade.
- Sharpened on hook side and back side.
- Supplied with genuine hickory handle.
- 28-1/2" overall length 8" length cutting edge.

ITEM NO.	DESCRIPTION	REPL HANDLE
OX-0905	28-1/2" Brush Hook	HDL-0905





## ▶ CARPENTER'S ADZES - HEAD ONLY - MADE IN GERMANY

ITEM NO.	HEAD WEIGHT
----------	-------------

**Straight Pattern:**

- \*H56-51            2-2/3 lbs.
- \*Requires #215, 34" Ash Handle



## ▶ DRAW KNIVES - MADE IN GERMANY

- Forged steel with wood handles.

ITEM NO.	DESCRIPTION
----------	-------------

- |       |   |
|-------|---|
| P-7   | 4-1/2" Handles, 10" Cutting Edge, Straight Edge |
| P-7CB | 3-1/2" Handles, 9" Cutting Edge, Curved Blade   |



## ▶ BEAVER BRAND HATCHET

- Hickory handles.
- Head fastened with round steel wedge and wood wedge.
- Popular throwing axe hatchets.

ITEM NO	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
90-150	1.50 lbs	15"	212



## ▶ BEAVER BRAND AXES

- Head fastened with round steel wedge and wood wedge.
- Supplied with hickory handles.

ITEM NO	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
91-175	1-3/4 lbs.	26"	200-SG
93-250	2-1/2 lbs.	28"	302



Please specify **"\*GRIP"** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC warehouse only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ SINGLE BIT "MINERS" - RAFTING AXE, STRAIGHT HANDLE**


- Straight high-grade American hickory handle.
- Yankee pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
*16-350	3-1/2 lbs.	28"	206
*FOB SURREY, BC ONLY			


**▶ SINGLE BIT AXES - FACTORY INSTALLED FIBREGLASS HANDLES**


- Strong Fibreglass core with polypropylene outer housing.
- Rubber hand-grip for comfort and safety.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
FA-25	2-1/2 lbs.	28"
FA-35	3-1/2 lbs.	36"


**▶ HATCHETS, CAMPING AXES**


- Hardwood handle.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
2015	1-1/4 lbs.	14"


**▶ HATCHETS, CAMPING AXES**


- Fibreglass handle.
- Strong Fibreglass core with polypropylene outer housing.
- Rubber handgrip for comfort and safety.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
FA-15	1-1/2 lbs.	15"



## ▶ PULASKI FIRE AXES



- Straight high-grade American hickory handle.
- Yankee pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

### With Wood Handle:

- Pinned for safety.

100-350	3-1/2 lbs.	36"	402
---------	------------	-----	-----

### With Fibreglass Handle:

100-350FG	3-1/2 lbs.	34"	N/A
-----------	------------	-----	-----



## ▶ FIRE AXES WITH SPIKE



- Wood handle.
- Yankee pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

97-450	4-1/2 lbs.	36"	304
98-600	6 lbs.	36"	305A

### With Fibreglass Handle

98-600FG	6 lbs.	36"	
----------	--------	-----	--



## ▶ HOOKAROOD



- Heads drilled for pin.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

### With Hickory Handle:

15-36	2 lbs.	36"	304
-------	--------	-----	-----



## ▶ SINGLE BIT YANKEE PATTERN WIDE MAUL HEAD



- Yankee Pattern.
- All 3-1/2 lb Unex brand axes are pinned.
- Wide maul head.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

*10-250	2-1/2 lbs.	21"	301
11-250	2-1/2 lbs.	28"	302
*10-350	3-1/2 lbs.	21"	301
*11-350	3-1/2 lbs.	28"	302
*12-350	3-1/2 lbs.	24"	303
*22-350	3-1/2 lbs.	32"	204
23-350	3-1/2 lbs.	36"	304

### \*FOB SURREY, BC ONLY



Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles for an additional charge. Surrey BC warehouse only. Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ SPLITTING MAULS FOR WOOD SPLITTING**


- Oregon pattern.
- Standard axe eye.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPLACEMENT HANDLE
<b>With Hickory Handles:</b>			
4806	6 lbs.	36"	236
4808	8 lbs.	36"	236


**▶ AXE PROTECTORS & HOLDERS**


- Durable one-piece polypropylene construction resists cold and heat.
- Bright orange velcro strap allows secure holding power yet quick release of axe.
- Pre-drilled for easy fastening to ATV, snow mobile, truck or wall
- AM-250 has belt loop to fasten to belt providing safety and convenience.
- Axe handle fastens into flexible tab to secure handle.
- Drain holes are built into **AXE MATE** to allow drainage of water.

Manufactured and Registered Trademark by  
G Hjukstrom Ltd

ITEM NO.	DESCRIPTION
AM-250	For Most Axes up to 2-1/2 lbs.
AM-350	For Most Axes up to 3-1/2 lbs. Supplied with Belt Loop.


**▶ AXE SHEATHS**

- Constructed of durable split leather.
- Reinforced with rivets.
- Made with belt loops to fasten onto belt.
- Snap-down flap.
- Header card.

ITEM NO.	DESCRIPTION
S-3000	Designed To Fit Most 2-1/2 Lb. Axes
S-3901	Designed To Fit Most 1-1/4 To 1-1/2 Lb. Hatchets
S-1002	Designed To Fit Ox-1002 (Wide Blade). Most 3-1/2 Lb. Axes, And Arvika.


**▶ FELLING & BUCKING WEDGE**

- Made of tough polypropylene.
- Double taper design.
- Packed 10 per carton.

ITEM NO.	DESCRIPTION
46378	7" Long x 3" Wide Wedge (yellow)
46386	10" Long x 3" Wide Wedge (yellow)



## ▶ SCRAPER - STEEL

- Ideal for scraping ice or removing roofing material.
- Handle socket accepts standard shovel handle.
- Large 4" blade with single bevel 14" overall length.



ITEM NO.	DESCRIPTION	HANDLE REQUIRED
SC-HDL	Scraper w/48" Handle	HDL-04
SC-04	Steel Scraper Head Only	
HDL-04	Handle for SC-04	

## ▶ SLEDGE HAMMERS WITH AMERICAN HICKORY HANDLES



- Assembled in our warehouse.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL. HANDLE
----------	-------------	---------------	--------------

### Standard Sledge Hammers:

*1060-041	4 lbs.	18"	224-55
*1060-042	4 lbs.	28"	226
*1060-06	6 lbs.	32"	227-SR
*1060-08	8 lbs.	36"	229
*1060-10	10 lbs.	36"	229
*1060-12	12 lbs.	36"	229
*1060-16	16 lbs.	36"	232
*1060-20	20 lbs.	36"	232

\*FOB SURREY, BC ONLY



## ▶ SOFT FACE SLEDGE HAMMERS

- Made of softer grade steel as required by Workers Compensation Board for certain applications.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

*1065-041	4 lbs.	18"	224-55
*1065-042	4 lbs.	28"	226

\*FOB SURREY, BC ONLY



## ▶ SLEDGE HAMMERS - FACTORY INSTALLED FIBREGLASS HANDLE



- Homeowner grade.
- Stronger than wood.
- Strong plastic-coated fibreglass core.
- Unaffected by moisture and temperature, will not shrink or swell.
- Will not conduct electricity.
- Will not be harmed by chemicals.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
----------	-------------	---------------

FSH-041	4 lbs	15"
FSH-042	4 lbs	24"
FSH-06	6 lbs	36"
FSH-08	8 lbs	36"
FSH-10	10 lbs	36"



**▶ CLUB HAMMER**

- Quality steel head.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
----------	-------------	---------------

**Hardwood Handle:**

799-250	2 1/2 lbs.	12"
---------	------------	-----

**Factory Installed Fibreglass Handle:**

FST-1250	2 1/2 lbs.	10"
----------	------------	-----


**▶ BLACKSMITH HAMMERS**


- Head of high quality steel.
- Professional.

ITEM NO.	HEAD WEIGHT	REPL HANDLE
----------	-------------	-------------

**With 18" American Hickory Handle:**

3500-3	3 lbs.	224-53
--------	--------	--------

**3500-4	4 lbs.	224-53
----------	--------	--------

**With 16" Fibreglass Handle:**

FMH-1500	3 lbs.	
----------	--------	--

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**


**▶ SPLITTING MAULS - FIBREGLASS HANDLE**


- Stronger than wood.
- Poly-coated Fibreglass core.
- Rubber grip handle for more secure grip.
- Supplied with 36" epoxy fastened handle.

ITEM NO.	DESCRIPTION
----------	-------------

FSM-06	6 lb Fibreglass Handle Maul
--------	-----------------------------

FSM-08	8 lb Fibreglass Handle Maul
--------	-----------------------------



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".



## ▶ BALL PEIN MACHINIST'S HAMMERS - AMERICAN HICKORY HANDLES



- Complete with UNEX hickory handles.
- Polished sides.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL. HANDLE
*HJ-3008	1/2 lbs.	12"	217
*HJ-3012	3/4 lbs.	12"	217
*HJ-3016	1 lbs.	14"	218
*HJ-3024	1-1/2 lbs.	16"	275
*HJ-3032	2 lbs.	16"	275
*HJ-3040	2-1/2 lbs.	18"	224-53

\*FOB SURREY, BC ONLY



## ▶ BALL PEIN MACHINIST'S HAMMERS - FIBREGLASS HANDLE



- Polished surfaces.
- Rubber grip.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
4016-FG	1 lbs. (16 oz.)	13"
4024-FG	1-1/2 lbs. (24 oz.)	14"
4032-FG	2 lbs. (32 oz.)	15 1/2"
4040-FG	2-1/2 lbs. (40 oz.)	16 1/2"



## ▶ HAMMERS - BRASS (NON-SPARKING) - HEADS BY ABC HAMMERS

- Yellow brass - 406 heads made in USA.
- American hickory handles wedged with specially made brass wedges.
- Ideal for mining, gas plants, maintenance, tool & die makers and many other areas where non-sparking is required.

ITEM NO.	HEAD & HANDLE WEIGHT	HEAD DIAMETER	HANDLE LENGTH	HANDLE	DESCRIPTION
**BRH-05	5 lbs	1 7/8"	18"	224-55	Same As Above
**BRH-10	10 lbs	2 1/2"	36"	229	Brass Hammer W/Hickory Handle And Rectangular Head

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



## ▶ HAMMERS - BRASS (NON-SPARKING) - FIBREGLASS HANDLES

ITEM NO.	HEAD & HANDLE WEIGHT	HEAD DIAMETER	HANDLE LENGTH	DESCRIPTION
**BRH-10FG	10 lbs	2 1/2"	34"	Brass Hammer W/Fiberglass Handle & Rectangular Head

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ CARPENTER'S CLAW HAMMERS**

**ITEM NO. DESCRIPTION**

6720T	16 oz. Tubular Steel Handle with Rubber Grip.
6722F	16 oz. Fibreglass Handle with Rubber Grip.
6722W	16 oz. Hardwood Handle (Replacement Handle #221).



6720T



6722F



6722W

**▶ DEADBLOW HAMMERS**


- Strong unicast urethane construction.
- Shockless, non-sparking and non-marring face.
- Head is loaded with shot to eliminate rebound and increase strike force.

**ITEM NO. DESCRIPTION WEIGHT**

DB-200	Deadblow Hammer	2 lbs.
DB-300	Deadblow Hammer	3 lbs.


**▶ RUBBER MALLET - WHITE RUBBER**


- Non-marking.
- Hardwood handle.

**ITEM NO. DESCRIPTION HANDLE LENGTH**

WM-16	16 oz. White Rubber Mallet	11-1/2"
WM-24	24 oz. White Rubber Mallet	12"


**▶ RUBBER MALLET - BLACK RUBBER**

- 12" hardwood handle.

**ITEM NO. DESCRIPTION HANDLE LENGTH**

C-001	16 oz. Rubber Mallet	12"
-------	----------------------	-----



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ DOUBLE BIT AXE HANDLES



- American hickory.



ITEM NO.	LENGTH	GAUGED TO FIT
208	28"	OX18-1200, 18-350, OX-1200, OX-3000
209	36"	18-350, 100-350
OX-Head Maul Handles		
HDL-1250	20"	OX-1250
HDL-5000	32"	OX-5000

## ▶ SINGLE BIT AXE HANDLES



- American hickory.



ITEM NO.	LIST LENGTH	GAUGED TO FIT
200-SG	26" - Boy's Axe	91-175
204	32"	22-350
204-40	32"	40-32 (HF840500-REG)
*205-RGT	32" - Rough Grip (Serrated) Handle	40-32 (HF840500)
*205-33	36" Handle	33-28
*206	28" - Miners Straight Std. Eye	48-28, 16-350
212	15" Handle	90-150
301	21" - Std. Eye	10-250, 10-350
302	28" - Std. Eye	OX-2001, OX-2002, 11-250, 11-350
302-1002	28" - Euro Eye	OX-1002 (H10-1200)
303	24" - Std. Eye	OX-1001
304	36" - Std. Eye	23-350, 97-450, 98-600, 15-36
305A	36" Std. Eye, Ash	98-600

**\*FOB SURREY, BC ONLY**

## ▶ HICKORY SLEDGE HAMMER HANDLES



- American hickory replacement handles for Sledges, gauged to fit our heads.



ITEM NO.	DESCRIPTION & EYE SIZE	GAUGED TO FIT
224-55	18" Sledge - 7/8" x 1-1/8"	4 lbs.
226	28" Sledge - 7/8" - 1-1/8"	4 lbs.
227-SE	32" Sledge - 1" x 1-1/4"	6 lbs.
229	36" Sledge - 1" x 1-1/4"	8 - 10 lbs.
232	36" Sledge - 1 1/4" x 1-1/2"	16 - 20 lbs.

Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC only.

\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1-1/4".

\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1-1/4".

**▶ PULASKI AXE HANDLES**


- 12" hardwood handle.



ITEM NO.	DESCRIPTION
402	36"

**▶ HAMMER HANDLES**

- American hickory replacement handles for Standard American Eye.


**Machinist's - Ball Pein:**

ITEM NO.	DESCRIPTION & EYE SIZE	GAUGED TO FIT
217	12" - 3/4" x 7/16"	8 - 12 oz.
218	14" - 29/32" x 17/32"	16 - 20 oz.
275	16" - 1-3/16" x 19/32"	24 - 32 oz.
224-53	18" - 1-3/16" x 11/16"	32 - 48 oz.

**Carpenter's Hammer and Club Hammer Handles - Adze Eye:**

221	14-9/16 x 1-1/16" Eye Size	6722-W
-----	----------------------------	--------

**▶ BLACKSMITH'S HAMMER HANDLES**


- American hickory.



ITEM NO.	DESCRIPTION	GAUGED TO OUR HEAD NO.
224-53	18" Handle	3500-3, 3500-4

**▶ HOOKARON HANDLE**

- American hickory.



ITEM NO.	DESCRIPTION	GAUGED TO OUR HEAD NO.
304	36" Handle	15-36, 23-350

**▶ ADZE HANDLE**


- Top grade ash.

ITEM NO.	LENGTH	GAUGED TO OUR HEAD NO.
215	32" Handle	H56-51, H56-52



Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey, BC only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ POST MAUL HANDLE



- American hickory.



ITEM NO.	LENGTH	GAUGED TO OUR HEAD NO.
----------	--------	------------------------

*238	36" - Round Eye	#14 (H14)
------	-----------------	-----------

\*TO BE DISCONTINUED

## ▶ SPLITTING MAUL HANDLES - SEE ALSO FIBREGLASS HANDLES

- American hickory.

ITEM NO.	DESCRIPTION	GAUGED TO OUR HEAD NO.
----------	-------------	------------------------

229	36" - Sledge, Std. Eye	6216, 6218
-----	------------------------	------------

236	36" - Straight Handle Axe Eye	4806, 4808
-----	-------------------------------	------------



## ▶ PICK HANDLES

- American hickory.

ITEM NO.	DESCRIPTION	GAUGED TO FIT OUR HEAD NO.
----------	-------------	----------------------------

242	36" - Clay, Rock, Cutter, Pick, Railroad, # 6 Eye	2004-600
		2004-500
		2005-600
		2037-500
		2045-500

*244	36" - Pick Mattock, #10 Eye	2045-250
------	-----------------------------	----------

\*FOB SURREY, BC ONLY



## ▶ SHOVEL HANDLES - ASH

- Top grade Ash.

ITEM NO.	DESCRIPTION
----------	-------------

245	24" - Steel "D" Type with rivets
-----	----------------------------------

246	48" - Shovel Handle
-----	---------------------



**▶ WOOD WEDGES FOR AXES AND SLEDGES**



- For assembly of axes and hammers.

ITEM NO.	DESCRIPTION
449-D	66mm - 2-5/8" W x 1/2" H x 2 7/8" L

**▶ METAL WEDGES - TRIANGULAR**


- For assembly of hammers and axes.

ITEM NO.	DESCRIPTION
450-3	1/2" x 1-1/4" (for Small Hammers)
450-4	3/4" x 1-1/4" (for Axes & Medium Sledges)
450-5	1" x 1-1/4" (for Large Sledges)


**▶ METAL WEDGES - ROUND**


- For assembly of hammers and wedges.
- Reduces risk of splitting.

ITEM NO.	DESCRIPTION
*451-0	15/32" Diameter x 1/2" Long - for Smaller Hammers and Axes
451-1	19/32" Diameter x 19/32" Long - for Larger Hammers and Axes



**\*FOB SURREY, BC ONLY**

**▶ FORKS & RAKES**


- Steel heads.

ITEM NO.	HEAD MATERIAL	TYPE	HANDLE LENGTH/TYPE
F-017L	Steel	5 Forged Tine Fork, Tines 13", Fork width 8"	48" Ash
F-018Y	Steel	4 Forged Tine Fork	28" Ash, D-Grip
R002-14-2FL	Steel	14 Tine Bow Rake	60" Fibreglass Pinned



R002-14-2FL

F-018Y

F-017L

## ▶ SHOVELS - ASH WOOD HANDLES



- Supplied with ash-wood handles.

ITEM NO.	BLADE MAT.	TYPE	BLADE LENGTH	HANDLE LENGTH	STEP POSITION
PCL-P	Steel Hollow Back	Square Blade	11-3/4" x 9-1/2"	48"	Rear
PRY-P	Steel Hollow Back	Round Blade	11-3/4" x 8-3/4"	28"	Rear
PCY-P	Steel Hollow Back	Square Blade	11-3/4" x 9-1/2"	28"	Rear
PRL-P	Steel Hollow Back	Round Blade	12" x 8-3/4"	48"	Rear
*PRL-P-2	Steel Hollow Back	Round Blade	11-3/4" x 9-1/2"	48"	Front
*PCL-P-2	Steel Hollow Back	Square Blade	11-1/2" x 9"	48"	Front
PDS-P	Steel Hollow Back	Drain Spade	14-1/2" x 5-1/2"	48"	Front

\*FOB SURREY, BC ONLY



## ▶ SHOVELS - FIRE

- Red painted blade and handle tip.
- Lacquered wood handle.

ITEM NO.	BLADE MATERIAL	TYPE	BLADE LENGTH	HANDLE LENGTH	STEP POSITION
*RFS-P	Steel Hollow Back	Round Blade	11-3/4" x 9-1/2"	45"	Front

\*FOB SURREY, BC ONLY



**▶ SHOVELS - FIBREGLASS HANDLES**


- Supplied with tubular fibreglass handles for light weight and strength.
- Cushion grip for comfort on straight handles.

ITEM NO.	BLADE MAT.	TYPE	BLADE SIZE	HANDLE LENGTH
81518	Steel, Hollow, Back	Round Blade	12" x 8-3/4"	48"
82519	Steel, Hollow, Back	Square Blade	12" x 9-1/2"	48"
97518	Steel, Hollow, Back	Round Blade	12" x 8-3/4"	28"
97519	Steel, Hollow, Back	Square Blade	12" x 9-1/2"	28"
97526	Steel, Hollow, Back	Drain (Track) Shovel	14-1/2" x 5-1/2"	28"


**▶ ALUMINUM SHOVELS - SCOOPS**


- Supplied with tubular fibreglass handles for light weight and strength.
- Cushion grip on 48" for comfort.
- Aluminum blades are riveted to handle.
- Ribbed blade to add extra strength.

ITEM NO.	TYPE	BLADE SIZE	HANDLE LENGTH
511172	Scoop#8	13" x 17-1/2"	28"
197701	Scoop	15" x 20"	28"
511171	Scoop#8	13" x 17-1/2"	48"
192702	Scoop	15" x 20"	48"
197700	Scoop	11-3/4" X 16"	28"
192701	Scoop	11-3/4" X 16"	48"





## ▶ SHOVELS - COLLAPSIBLE

- Aluminum telescoping handle.
- 10" width x 13-1/2" long plastic scoop.
- Overall collapsed length 27", extended 34-1/2".



ITEM NO.	DESCRIPTION
----------	-------------

XP-389808	Collapsable Shovel
-----------	--------------------

## ▶ PICK & MATTOCK - Heads Only

ITEM NO.	DESCRIPTION	OUR HANDLE NUMBER
----------	-------------	-------------------

2004-500	5 lb. Clay Pick	242
2004-600	6 lb. Clay Pick	242
2005-600	6 lb. Rock Pick	242
2037-500	5 lb. Cutter Mattock	242
*2045-250	2-1/2 lb. Pick Mattock	244
2045-500	5 lb. Pick Mattock	242

**\*FOB SURREY, BC ONLY**



2037-500



2004-500  
2004-600



2045-250  
2045-500



2005-600

## ▶ WRECKING BARS - GOOSE NECK

- Made from hexagonal stock.

ITEM NO.	LENGTH	WEIGHT
----------	--------	--------


371-12	12" x 1/2"	0.75 lbs.
371-18	18" x 5/8"	2.00 lbs.
371-24	24" x 3/4"	3.50 lbs.
371-30	30" x 3/4"	4.50 lbs.
371-36	36" x 3/4"	5.00 lbs.



### ▶ TOVE BARS - MADE IN SWEDEN

- A handcrafted wrecking bar offers superior durability compared with a pressed wrecking bar.
- The wrecking bar is forged in specially alloyed steel, and the whole bar is tempered and annealed to handle extremely high loads. The steel alloy and handcrafting give the wrecking bar sprung properties, which enable it to stand up to extreme loads without deforming or breaking.
- The sides of the shaft are octagonal, which gives a better grip than if it was round.
- The wrecking bar's nail claw is angled at 90 degrees to the shaft, giving the claw good access even right up against a wall or a ceiling.
- Both ends of the bar are thinly ground and have wide, polished tips for ease of insertion under boards, while minimising damage to the surface providing the fulcrum.
- The nail claw has a precision angled V-slot design to allow nails to be pulled regardless of their size and head shape.
- Available in five lengths – 11, 20, 25, 28 and 36 inches.

ITEM NO.	LENGTH	WEIGHT
25-11	11"	1 lb.
25-20	20"	2.5 lbs.
25-25	25"	3.0 lbs.
25-30	28"	3.75 lbs.
25-36	36"	5.0 lbs.



### ▶ PRY BARS

- Carbon steel.
- One end straight point, one end bent chisel point.
- Made from hexagonal stock.

ITEM NO.	LENGTH	WEIGHT
101-24	24" x 3/4"	3 lbs.
101-36	36" x 3/4"	4.5 lbs.



## ▶ CROW BARS - CHISEL POINT

- Point tapered on one side.
- Carbon steel.

ITEM NO.	LENGTH	WEIGHT
CP-12	51"	12 lbs.
CP-14	54"	14 lbs.
CP-16	57"	16 lbs.
CP-18	60"	18 lbs.



## ▶ CROW BAR - WEDGE POINT

- Tapered on both sides.
- Carbon steel.

ITEM NO.	LENGTH	WEIGHT
*WP-18	60"	18 lbs.

\*FOB SURREY, BC ONLY



## ▶ STRIPPING BAR



- Full 1" octagon stock.
- 48" overall length.
- Polished claw tips and prying tip.
- Designed for stripping forms.

ITEM NO.	DESCRIPTION	WEIGHT
SB-12	48" HD Stripping Bar	1.2 lbs.





**▶ BRASS PADLOCKS - CARDED GOLD LEE**



- Keyed different.
- Limited key changes
- Solid brass case.
- Hardened steel shackle.
- Double-locking.
- Supplied with 3 keys.



ITEM NO.	CASE SIZE	STD. PACK
9010-KD	30 mm. (1-1/4")	12
9015-KD	40 mm. (1-1/2")	12
9020-KD	50 mm. (2")	12

**▶ KEY BLANKS FOR BRASS PADLOCKS**

ITEM NO.	DESCRIPTION
9015-KB	Key Blanks For 9010 And 9015 Padlocks
9020-KB	Key Blanks For 9020 Padlocks



**▶ LAMINATED STEEL PADLOCKS**



- Steel case with brass plug & pins.
- Hardened steel shackle.
- Supplied with 2 keys.
- Double-locking.
- Key blanks available.
- Limited key changes.



**KEYED DIFFERENT - Carded**

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
LP30-KD	30 mm. ( 1-1/4")	5/8"	12
LP40-KD	40 mm. (1-1/2")	1"	12
LP50-KD	50 mm. (2")	1"	12

**▶ KEYBLANKS FOR LAMINATED PADLOCKS**

ITEM NO.	DESCRIPTION
LP30-KB-4	Key Blanks for LP30 4 Pin
LP50-KB	Key Blanks for LP40 and LP50 Padlocks



\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**▶ LAMINATED STEEL PADLOCKS - CONTINUED**

**KEYED ALIKE - Boxed**

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD. PACK
LP30-KA3	30 mm. (1-1/4")	5/8"	24
*LP30-KA4	30 mm. (1-1/4")	5/8"	24
LP40-KA1	40 mm. (1-1/2")	1"	12
*LP40-KA2	40 mm. (1-1/2")	1"	12
*LP40-KA4	40 mm. (1-1/2")	1"	12
LP50-KA1	50 mm. (2")	1"	12
*LP50-KA2	50 mm. (2")	1"	12

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**


**▶ MICOTA PADLOCKS - BRASS CASE**

- All 330 series padlocks are double-locking with heel and toe-locking mechanism.
- Hardened steel shackles.
- Moisture drain hole on bottom of padlock.
- Rubber gasket around shackle to reduce moisture.
- Solid brass construction.
- Available Keyed Alike or Keyed Different.
- Regular shackle or long shackle available.
- Uses Yale key blanks in most cases.

**▶ MICOTA PADLOCKS - KEYED DIFFERENT**

- Regular length shackle KD

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
*36020-KDC	20mm. (3/4")	1/2"	10
*33030-KDC	30mm. (1-1/4")	5/8"	10
*33060-KDC	60mm. (2-3/8")	1-3/16"	10

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**


**▶ MICOTA PADLOCKS Keyed Different - CONTINUED**

- Long shackle KD.
- Clam pack.

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE
**330490-KDC	40mm. (1-1/2")	3-1/2"
**330590-KDC	50mm. (2")	3-1/2"

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**▶ MICOTA PADLOCKS - KEYED ALIKE**

- Regular length shackle KA boxed.

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
**33040-KA1	40mm. (1-1/2")	15/16"	10
**33040-KA6	40mm. (1-1/2")	15/16"	10
**33050-KA1	50mm. (2")	1-5/32"	10
**33060-KA1	60mm. (2-3/8")	1-3/16"	10

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ MICOTA PADLOCKS - KEYED ALIKE**

- Long Shackle
- Boxed.

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
**330464-KA1	40mm. (1-1/2")	2-1/2"	10
**330464-KA2	40mm. (1-1/2")	2-1/2"	10
**330490-KA1	40mm. (1-1/2")	3-1/2"	10
**330490-KA2	40mm. (1-1/2")	3-1/2"	10
**330564-KA1	50mm. (2")	2-1/2"	10
**330564-KA2	50mm. (2")	2-1/2"	10
**330590-KA1	50mm. (2")	3-1/2"	10
**330590-KA2	50mm. (2")	3-1/2"	10

\*\* Please note - 33040-KA1 is Keyed Alike to 330464-KA1 & 330490-KA1, 33050-KA1 is Keyed Alike to 330564-KA1 & 330590-KA1

\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ KEYBLANKS FOR MICOTA PADLOCKS**

ITEM NO.	DESCRIPTION
33030-KB	Fits 30mm Padlock
33040-KB	Fits 40-45mm Padlock
33050-KB	Fits 50-60mm Padlock



**▶ BRASS PADLOCKS**


- Hardened steel shackle.
- Solid brass body.
- Double-locking bolt (except 20 & 25mm).
- Stainless spring and pin for bolt.
- Pick resistant.
- Brass cylinder plug.
- Stainless spring for pin.
- Stainless spring for shackle.
- Nickel-plated brass key.
- Standard Yale keyways.
- Keyed alike groups.
- Long shackle available on 1-1/2" and 2".


**▶ PADLOCKS - KEYED DIFFERENT - CARDED**


ITEM NO.	CASE WIDTH	STD. PACK
10120-KD	3/4" (20mm)	12
10125-KD	1" (25mm)	12
10130-KD	1-1/4" (30mm)	12
10140-KD	1-1/2" (40mm)	12
10150-KD	2" (50mm)	6

\*Note: 3/4" and 1" single-locking only.


**▶ PADLOCKS - KEYED ALIKE**


- Individually boxed.

ITEM NO.	CASE WIDTH	STD. PACK
10330-A	1-1/4" (30mm)	12
10330-B	1-1/4" (30mm)	12
10440-C	1-1/2" (40mm)	12
10440-D	1-1/2" (40mm)	12
10440-G	1-1/2" (40mm)	12
10440-H	1-1/2" (40mm)	12
10550-E	2" (50mm)	6
10550-F	2" (50mm)	6
10550-I	2" (50mm)	6
10550-J	2" (50mm)	6





**▶ PADLOCKS - KEYED DIFFERENT**



- Long Shackle
- Boxed.

ITEM NO.	CASE WIDTH	SHACKLE	STD. PACK
10440-LS65	1-1/2"	2-1/2"	12
10440-LS90	1-1/2"	3-1/2"	12
10440-LS140	1-1/2"	5-1/2"	12
10550-LS65	2"	2-1/2"	12
10550-LS90	2"	1/2"	12



**▶ PADLOCKS - KEYED ALIKE**



- Long Shackle
- Boxed.

ITEM NO.	CASE WIDTH	SHACKLE	STD. PACK
*10440-C-LS65	1-1/2"	2-1/2"	12
*10440-C-LS90	1-1/2"	3-1/2"	12
*10440-D-LS90	1-1/2"	3-1/2"	12
*10440-C-LS140	1-1/2"	5-1/2"	12
*10550-E-LS65	2"	2-1/2"	12
*10550-E-LS90	2"	3-1/2"	12



\*Note: Above padlocks are Keyed Alike to standard length padlocks with same letter code.

**▶ BRASS PADLOCKS**



- Hardened shackle.
- Heel-toe locking.
- Stainless steel springs.
- Over 3,000 combinations to prevent key interchanges (not selected in groups).
- Ideal for self storage units.

ITEM NO.	DESCRIPTION
10140-KD5	40 mm Brass Padlocks KD




**▶ CROWN PADLOCKS - SEMI ASSEMBLED**



- Ideal for Locksmiths to set up own keying system.
- Supplied with shackle and plug assembled.
- Individually boxed.
- Springs, top pins, pin hole plug, and two keyblanks.
- Boxed in 12's.

ITEM NO.	CASE WIDTH	STD. PACK
**10130-SA	1-1/4" (30mm.)	12

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



Double-Locking

**▶ SEMI ASSEMBLED PARTS**


ITEM NO.	DESCRIPTION
*10130-Y8	Crown Keyblanks - 4 Pin - Yale 8 Keyway. Fits 30mm & 40mm Crown Padlocks, 270 Disc locks (70 mm).
*10150-Y9B	Crown Keyblanks - 5 Pin - Yale 9B Keyway. Fits 50mm Crown Padlocks.
**10130-99-001	Brass Bottom Pins No. 1
**10130-99-002	Brass Bottom Pins No. 2
**10130-99-003	Brass Bottom Pins No. 3
**10130-99-004	Brass Bottom Pins No. 4
**10130-99-005	Brass Top Pins
**10130-99-006	Brass Pin Hole Plugs
**10130-99-007	Stainless Steel Springs for 10130-SA Padlocks
**10150-99-001	Stainless Steel Springs for 10150-SA Padlocks

**\* Note: Minimum order on above parts - 100 pieces.**  
**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**


**▶ PADLOCKS - RE-KEYABLE**

- Re-keyable to Weiser and Schlage specifications.
- Supplied "O" bitting or keyed different with 2 keys.
- Ball bearing locking.
- Brushed chrome-plated brass body.
- Molybdenum shackle.
- Supplied with 1" clearance shackle.

ITEM NO.	DESCRIPTION
PLB45-1-SLG-KO	45 mm Padlock Satin Chrome, Schlage Keyway "O" Bitting
PLB45-1-WR-KO	45 mm Padlock Satin Chrome, Weiser Keyway "O" Bitting
PLB45-1-SLG-KD	45 mm Padlock Satin Chrome, Schlage Keyway KD
PLB45-1-WR-KD	45 mm Padlock Satin Chrome, Weiser Keyway KD
PL-SHACKLE-1-MA	1" Shackle For PLB45 Padlock
PL-SHACKLE-2-MA	2" Shackle For PLB45 Padlock
PL-SHACKLE-3-MA	3" Shackle For PLB45 Padlock


**▶ DISC STYLE PADLOCKS - KEYED ALIKE (BOXED)**


ITEM NO.	CASE SIZE	DESCRIPTION	STD. PACK
*270-KA3	70mm (2-3/4" Dia)	Disc Padlock KA	12 (Boxed)

**\*Item #10130-Y8 fits for the 270 series Disc Locks.**



**▶ DISC STYLE PADLOCKS - KEYED DIFFERENT**



- Hardened chrome-plated shackle.
- Stainless steel outer case.
- Keyed different.
- Attractively clamshell packed.



ITEM NO.	CASE SIZE	DESCRIPTION	STD. PACK
270-KD	70mm (2-3/4" Dia)	Disc Padlock Keyed Different	12
10130-Y8	Keyblank Fits 270 Padlock		

**▶ LEVER DOOR LOCKS - SPARTAN BRAND**

- Box-packed.
- Suitable for 1-3/8" - 2" thick doors.
- Manufactured to meet ANSI specs for grade 3.
- 4 way latch suitable for 2-3/8" - 2-3/4" back set and for drive-in or mortise face plates.

**Note: Special Order on Quotation Only**

**▶ ENTRANCE LOCKSETS - LEVER HANDLE TUBULAR TYPE**

- Weiser keyway.
- Easily rekeyable.

ITEM NO.	FUNCTION	FINISH	HANDLE DESIGN
6411SC	Entrance	Satin Chrome	Straight Lever



**▶ PRIVACY SETS - LEVER HANDLE TUBULAR TYPE**

- Turn-button locking.
- Emergency key opening from outside.

ITEM NO.	FUNCTION	FINISH	HANDLE DESIGN
6412SC	Privacy	Satin Chrome	Straight Lever



**▶ PASSAGE SETS - LEVER HANDLE TUBULAR TYPE**

ITEM NO.	FUNCTION	FINISH	HANDLE DESIGN
6413SC	Passage	Satin Chrome	Straight Lever



**▶ DEAD-BOLTS - SPARTAN BRAND**

- Weiser keyway.
- 4-way bolt, adjustable for 2 3/8" - 2 3/4" back-set.
- Drive-in or mortise faceplate.
- Crush resistant cylinder rings.
- Supplied with HD security strike with extra long screws.



ITEM NO.	FUNCTION	FINISH	PACKAGE
*7301PB-B	Single Cyl Deadbolt	Pulished Brass	Boxed
<b>*FOB SURREY, BC ONLY</b>			

**▶ DEAD-BOLTS - SPARTAN BRAND**

- Weiser keyway.
- 4-way bolt, adjustable for 2-3/8" - 2-3/4" back-set.
- Drive-in or mortise faceplate.
- Crush-resistant cylinder rings.
- Supplied with HD security strike with extra-long screws.
- Boxed.



ITEM NO.	DESCRIPTION	FINISH	PACKAGE
*7301SC-B	Single Cyl Deadbolt	Satin Chrome	Boxed
<b>*FOB SURREY, BC ONLY</b>			
<b>Note: Special Order on Quotation Only</b>			

**▶ COMBO LOCK-SET - ENTRANCE SET & SINGLE CYLINDER DEAD-BOLT COMBINATION - SPARTAN BRAND**

- Clamshell packaged.
- Suitable for 1-3/8" - 1-3/4" thick doors.
- Adjustable back-sets 2-3/8" - 2-3/4".
- Drive-in or mortise faceplates.
- Weiser keyway.
- Deadbolt has heavy duty security strike with extra-long screws included.
- Deadbolt has crush resistant cylinder rings.
- Both deadbolt and entrance lock are keyed alike.



ITEM NO.	DESCRIPTION	FINISH
6771SC-D101	Combo Entrance Set/Single Cylinder Dead-bolt	Satin Chrome Finish
<b>Replacement for item #6871SC-2</b>		

**▶ LEVER HANDLES FOR 4510 DEAD LATCH**

- Reversible cam included.


ITEM NO.	DESCRIPTION
4560-AL	Aluminum Finish

**Note: Special Order on Quotation Only**



**▶ DEADLOCKS - THROWBOLT**

- 31/32" and 1-1/8" back set.
- Aluminum finish.
- With faceplate.
- Adams Rite Cutout.
- Supplied with 4 keys.



**ITEM NO. DESCRIPTION**

1850A-2 Adams Rite Cutout 1-1/8" Backset

**Note: Special Order on Quotation Only**

**▶ DEAD LATCHES**

- 31/32" and 1-1/8" backset.
- Includes strike and faceplate.
- Adams Rite cutout.
- Metal latch bolt with plastic insert.



**ITEM NO. DESCRIPTION**

4510A-1 31/32" Backset With Aluminum Finish

**Note: Special Order on Quotation Only**

**▶ LATCH PADDLES FOR 4510 DEADLATCH**

- Aluminum and duranodic finish.
- Suitable for 1-3/4" door thickness.
- Reversible handing.
- Supplied with cam.
- Push label not attached.

**ITEM NO. DESCRIPTION**

4590-AL Left or Right available, Aluminum Finish

4590-DU Left or Right available, Duranodic Finish


**Note: Special Order on Quotation Only**



**▶ FLUSH BOLT - LEVER TYPE**

- Mortise flush bolt for aluminum doors.
- Zinc die-cast face and lever mechanism.
- Supplied with 10" steel threaded rod, nylon bolt, nylon guide and mounting screws.


ITEM NO.	FACE SIZE	FINISH	BACKSET	MOUNTING HOLE C-C	BOLT THROW
5506-AL	4-7/32" x 15/16"	Sprayed Aluminum	1/8"	5-1/4"	5/8"


**▶ MORTISE THUMB TURNS AND DUMMY CYLINDERS**

- 1" Solid Brass

ITEM NO.	DESCRIPTION
4010-AL	Dummy Cyl., Aluminum Finish
4010-DU	Dummy Cyl., Duronodic Finish
4015-AL	Thumb Turn, Aluminum Finish

**Note: Special Order on Quotation**


**▶ MORTISE THUMB TURNS - CAPTIVE KEY**

- Allows thumbturn to be in cylinder during work hours.
- For security reasons thumbturn can be removed when all staff have left the building.
- 1-1/8" length.

ITEM NO.	DESCRIPTION
*CM118-WRE	Weiser Keyway Captive Mortise Cylinder Satin Chrome Finish
*CM-KEY-SC	Key Blank For Above Supplied with Release Key


**\*FOB SURREY, BC ONLY**  
**Note: Special Order on Quotation**



**▶ CYLINDER SPACER RINGS**




- Made of aluminum.
- Available in 3 sizes.
- Aluminum finish.
- Packed 10/pack.



ITEM NO.	DESCRIPTION
*AR354-03	3mm Aluminum Spacer Ring
*AR354-06	6mm Aluminum Spacer Ring
*AR354-12	12mm Aluminum Spacer Ring
<b>*FOB SURREY, BC ONLY</b>	

**▶ CYLINDER GUARD RINGS**

- Satin chrome rings
- Available in 2 sizes to accommodate 1" - 1-1/8" cylinders.
- Sold in bags of 10 pieces
- Supplied with wave washer



ITEM NO.	DESCRIPTION
*BR431-113-SC-V	Satin Chrome Guard Rings 1/4" Inside Step
*BR431-147-SC-V	Satin Chrome Guard Rings 3/8" Inside Step
<b>*FOB SURREY, BC ONLY</b>	
<b>Note: Special Order on Quotation</b>	

**▶ KNOB PROTECTOR - HEAVY DUTY (USED FOR CUT-OFF EVER HANDLES)**

- Made of solid brass to resist attack.
- Large 3-9/16" opening on back to accommodate large escutcheons.
- Supplied with bolts, template and hole marking set screws.
- Satin chrome finish.



ITEM NO.	DESCRIPTION
*KP802-26D	Heavy Duty Knob Protector, Satin Chrome Finish
<b>*FOB SURREY, BC ONLY</b>	
<b>Note: Special Order on Quotation</b>	

**▶ LEVER PROTECTOR (USED FOR CUT-OFF EVER HANDLES)**

- Made of solid brass to resist attack.
- Large 3-9/16" opening on back to accommodate large escutcheons.
- Supplied with bolts, template and hole marking setscrews.
- Satin chrome finish.



ITEM NO.	DESCRIPTION
*KPA02-BLK	Lever Protector Matte Black Painted
<b>*FOB SURREY, BC ONLY</b>	

**▶ KNOB PROTECTOR**

- Black hammer-tone finished aluminum.
- Complete with screws.
- Large 3-1/8" capacity.
- 2-1/16" screws supplied.

**ITEM NO. DESCRIPTION**

\*KPA-01 Aluminum Alloy Knob Protector

**\*FOB SURREY, BC ONLY**


**▶ KNOB PROTECTOR WITH PULL**

- Designed to fit 3-5/16" rosette and 5/8" thickness.
- Heavy aluminum body.
- Supplied with carriage bolts.
- Powder coat finish.

**ITEM NO. DESCRIPTION**


\*KPA03 Knob Protector

\*KPA03-1-5 Spacer 7/32" Thick Accepts 3-5/16" Rosette


\*KPA04 Lock Guard Exit Only with Screws

**\*FOB SURREY, BC ONLY**


**Note: Special Order on Quotation**



KPA04



KPA03-1-5



KPA03

**▶ DEADBOLT CYLINDER GUARD**


- Supplied with plated carriage bolts with acorn nuts.
- Included are 2 backplates.
- 1-1/16" depth.
- Individually boxed.

**ITEM NO. DESCRIPTION**

\*LP007-G Deadbolt Cylinder Guard

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**





**▶ MORTISE CYLINDER GUARDS**




- Used to prevent plier attack to mortise cylinders.
- 1/4" deep recess to accommodate cylinder face.
- Made of corrosion resistant alloy.
- Attractively carded.

ITEM NO.	DESCRIPTION
*MP01-SC-V	1-5/8" X 4" 4-Hole Model With 4 Rivet Fastening. Satin Chrome Finish
*MP01-10B-V	1-5/8" X 4" 4-Hole Model With 4 Rivet Fastening. Dark Bronze Finish
*MP02-SC-V	1-1/2" X 4-1/2" Narrow Style 2-Hole Model With 1 Rivet And 1 Thru-Bolt. Satin Chrome Finish
*MP02-10B-V	1-1/2" X 4-1/2" Narrow Style 2-Hole Model With 1 Rivet And 1 Thru-Bolt. Dark Bronze Finish

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**



MP01

MP02

**▶ DOOR CYLINDER GUARDS - FOR ALUMINIUM DOORS**

- Prevents pulling and twisting of cylinders by covering cylinder except for keyway area.
- Made of aluminum alloy.
- Supplied complete with 1/2" face and 1 x 1/8" spacer & thru-bolts.
- Available in aluminum and 10B (DU) finish.
- Overall dimensions 1-3/4" W x 8-1/4" L x 1/2" thick.

ITEM NO	DESCRIPTION
*MP04-AB-SC	Cylinder Guard for Abloy Cylinders, Aluminum Finish
*MP04-AB-DU	Cylinder Guard for Abloy Cylinders, 10B Finish
*MP04-ST-SC	Cylinder Guard for Standard Mortise Cylinders, Aluminum Finish
*MP04-ST-DU	Cylinder Guard for Standard Mortise Cylinders, 10B Finish
*MP04-18-SC	1/8" Spacer for MP04, Aluminum Finish
*MP04-18-DU	1/8" Spacer for MP04, 10B Finish

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**



MP04-AB-SC FRONT

MP04-AB-SC BACK

MP04-ST-SC FRONT

MP04-STD-SC BACK

MP04-18-SC SPACER

**▶ LATCH PROTECTOR / INTERLOCK PLATE**

- Steel construction.
- Supplied with non-removable security screws
- Carded.

ITEM NO.	DESCRIPTION
*LP001-PBV	Brass Latch Protector - 11" Length (Offset Type)
*LP004-10B-V	Duronodic Latch Protector - 12" Length ("U" Type)
*LP004SCV	Satin Chrome Latch Protector - 12" Length ("U" Type)
*LP004WHTV	White Latch Protector - 12" Length ("U" Type)

\*FOB SURREY, BC ONLY

Note: Special Order on Quotation


**▶ LATCH PROTECTORS - FOR WOOD OR METAL DOORS**

- Lock protection for out-swinging doors.
- Supplied with 2-1/4" bolts with chrome acorn nuts.
- Covers strike plate.

ITEM NO.	DESCRIPTION	FINISH	STD. PACK
804-CAD	11" x 3"	Aluminum	6
804-DU	11" x 3"	Duronodic	6


**▶ LATCH PROTECTORS - FOR ALUMINUM DOORS**

- Lock protection for aluminum out-swinging doors.
- 12" x 3-1/2" heavy gauge steel.
- Covers strike plate.
- Carded.

ITEM NO.	SIZE	FINISH
LG-111-AL	12" x 3-1/2"	Aluminum
LG-111-DU	12" x 3-1/2"	Duronodic



**▶ KEY CADDY**

- Heavy duty die-cast case.
- Supplied with 21" stainless steel chain and key ring.
- Beltclip fastener.



ITEM NO.	DESCRIPTION
SK1	Starrett Key Caddy

**▶ CARABINER HOOKS WITH KEY RINGS**

- Supplied in assorted anodized aluminum colours.
- Comes with 1" split ring.
- 12 Carabiner hooks per card.



ITEM NO.	DESCRIPTION
*CAR2-12	60mm. (2-3/8") (Medium) Overall Length
*CAR3-12	80mm. (3-1/8") (Large) Overall Length
<b>*TO BE DISCONTINUED</b>	

**▶ STRAP HINGES - ZINC PLATED**

- Screws not included.
- Sold in pairs.



ITEM NO.	SIZE	STD. BOX	MASTER PACK
*11204	8"	5	30
<b>*TO BE DISCONTINUED</b>			

**▶ KEY CAPS - NEON**

- Rubber-like vinyl.
- Assorted colours.



ITEM NO.	DESCRIPTION
*ID995-N	Jumbo Size 200 Per Box
<b>*TO BE DISCONTINUED</b>	

**► SPLIT KEY RINGS**

- Nickel plated.
- Sizes are approximate inside dimensions.

ITEM NO	DESCRIPTION	ACTUAL INSIDE DIMENSIONS	QUANTITY PER BAG
**SR-74734X	3/4" Round	3/4"	100
**SR-74778X	7/8" Round	13/16"	100
<b>*TO BE DISCONTINUED</b>			
<b>*FOB SURREY, BC ONLY</b>			


**► KEVRON KEY TAGS - MADE IN AUSTRALIA**


- 10 Loose tags, assorted colours in poly-pouch with hang-hole.
- Easy-opening keytags with paper insert.
- Tag size: 56 x 30mm (2-3/16" x 1-1/8").
- Paper insert size: 37 x 21mm (1-7/16" x 13/16").
- Ring size: 19mm (3/4").

ITEM NO.	DESCRIPTION
ID5-PP10	Key Tags On Card Of 10PCS


**► KEVRON KEY TAGS - MADE IN AUSTRALIA**


- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Consistency in tag colours.
- Large 1-1/4" x 1" ID card size.
- Supplied with stainless steel rings.
- Ideal for office, home, real-estate agents, car dealers & motels.

ITEM NO.	DESCRIPTION
ID5-AC100	100 Loose Tags. Assorted Colours in Countertop Display.
ID5-AC150	150 pce. Standard Click Tags. In Fish Bowl Container.
ID5-RED	50 Red Loose Tags In Poly Bag
ID5-BLU	50 Blue Loose Tags In Poly Bag
ID5-GRN	50 Green Loose Tags In Poly Bag
ID5-ORG	50 Orange Loose Tags In Poly Bag
ID5-YEL	50 Yellow Loose Tags In Poly Bag
ID5-NAT	50 Natural Loose Tags In Poly Bag


**NEW FLOURESCENT COLOURS: Loose Tags in Poly Bag**

- Tag size: 56 x 30mm (2-3/16" x 1-1/8").
- Paper insert size: 37 x 21mm (1-7/16" x 13/16").
- Ring size: 19mm (3/4").

- \*ID38-GRN 50 Fluorescent Green
- \*ID38-ORG 50 Fluorescent Orange
- \*ID38-PNK 50 Fluorescent Pink
- \*ID38-YEL 50 Fluorescent Yellow

**\*FOB SURREY, BC ONLY**

▶ **KEY TAGS RACKS - MADE IN AUSTRALIA**

- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Consistency in tag colours.
- Supplied with stainless steel rings.
- Ideal for office, home, real-estate agents, car dealers & motels.
- Tag size: 56 x 30mm (2-3/16 x 1-1/8").
- Paper insert size: 37 x 21mm (1-7/16 x 13/16").
- Ring size: 19mm (3/4").



**ITEM NO. DESCRIPTION**

ID9-RTL	4 Tag Key Rack With Adhesive Pads Carded For Easy Display
ID6-RTL	8 Tag Key Rack With Adhesive Pads Carded For Easy Display

▶ **LARGER 2" x 1 1/4" ID CARD**

- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Consistency in tag colours.
- Supplied with stainless steel rings
- Ideal for office, home, real-estate agents, car dealers & motels.



**ITEM NO. DESCRIPTION**

ID30-AC50	50 Loose Tags, Assorted Colours in Countertop Display
-----------	---

▶ **KEY CABINETS**

- Made from .8mm steel.
- Key locking.
- Continuous number strip for fast & easy placement of numbers.
- Hook-style key holders.
- Beige colour enamel paint.
- Uses modified 1611 key blanks or our TS-BLANK
- Key tags not included.



ITEM NO.	KEY CAP	HEIGHT	WIDTH	DEPTH
TS0080	20	8"	6-1/2"	3-1/4"
TS0053	54	12"	9-1/2"	2-1/2"
TS0052	90	12"	9-1/2"	3-1/4"
TS0042	140	14-1/2"	11"	3-1/4"
TS0200	200	17-3/4"	13-3/4"	3-1/4"

Key Blanks for Key Cabinet  
 TS-BLANK

**▶ KEY CABINETS - COMBINATION LOCK**

- Made from .8mm steel.
- Changeable combination lock.
- Continuous number strip for fast & easy placement of numbers.
- Hook-style key holders.
- Beige colour enamel paint.
- Key tags not included.

ITEM NO.	KEY CAP	HEIGHT	WIDTH	DEPTH
TS0087G	20	8"	6-1/2"	3 1/4"
TS0057G	36	12"	9-1/2"	3 1/4"


**▶ CASH BOXES - LOCKABLE**

- All steel construction with plastic tray.
- Locked with a camlock with 2 keys.
- Compartments have beveled sides for easy coin and bill removal.
- Supplied with fold-down handle.
- Lift-out tray.

ITEM NO.	NO. OF TRAY COMPARTMENTS	OUTSIDE DIMENSIONS
TS0020	3 (2 Coin, 1 Bill)	10" L x 7" W x 3-1/2" D
TS0010	5 (3 Coin, 2 Bill)	12" L x 9-1/2" W x 3-1/2" D


**▶ CASH BOXES - LOCKABLE WITH COMBINATION LOCK**

- All steel construction with plastic tray.
- Lift-out tray.
- Compartments have beveled sides for easy coin and bill removal.
- Supplied with fold-down handle.
- Locked with a camlock with changeable combination lock.

ITEM NO.	NO. OF TRAY COMPARTMENTS	OUTSIDE DIMENSIONS
TS0027G	3 (2 Coin, 1 Bill)	10" L x 7" W x 3-1/2" D
TS0017G	5 (3 Coin, 2 Bill)	12" L x 9-1/2" W x 3-1/2" D



## ▶ HYDRAULIC JACKS

- Delivers full lifting power in upright position.
- Cylinder, housing and base precision fitted for virtually leak-proof operation.
- Made of heavy-duty steel with cast iron base.
- Top of lifting cap grooved for load stability.
- Release valve allows controlled lowering.
- 2 pc. Interlocking pump handle.
- Working temperature -20° to 45° C.



ITEM NO.	TONS CAPACITY	MIN. HEIGHT	MAX. HEIGHT	MAX. LIFT
<i>Standard Jacks:</i>				
1002	2	7-1/8"	13-9/16"	6-5/16"
1004	4	7-5/8"	14-5/8"	4-5/8"
1006	6	8-1/2"	16-1/4"	5"
1008	8	9-1/16"	17-5/16"	5-3/4"
1012	12	9-1/16"	18-5/16"	6-1/8"
1020R	20	9-1/2"	17-7/8"	5-15/16"
<i>Low Profile Jacks:</i>				
1012-LP	12	7-1/2"	13-13/16"	6-5/16"
1020-LP	20	7-1/2"	13-1/4"	5-3/4"

## ▶ HYDRAULIC BOTTLE JACKS - INDUSTRIAL QUALITY - MADE IN SPAIN

- Comfortable plastic handles on some models.
- Swivel pump valve allows for better positioning.
- 3 piece rectangular handle prevents handle roll when not in valve socket.
- Can be used horizontally.
- Can be repaired, repair parts available.
- Heavy machined jack base.

ITEM NO.	REPLACES	CAP	MIN HEIGHT	PISTON TRAVEL	MAX THREADED LIFT	OVERAL HEIGHT	CARRY HANDLE	WEIGHT lbs/kg
*BR50	MG-50	50 MT	10.2" (260)	5.5" (140)	N/A	15.8" (400)	Y	59.4 (27)

**\*LIMITED SUPPLY**



**▶ SINGLE ACTING WITH SPRING RETURN SPECS**


NOM FORCE TONS	STR.	AREA	INCHES															OIL CAP INS <sup>3</sup>	WT. LBS.	TILT SADDLE NO.
			ITEM NO.	INS	IN <sup>2</sup>	B	BI	C	CI	D	E	F	J	K	L	M	N			
5	**CSRA-5D	6 7/8	1.09	10 3/4	11 5/16	17 5/8	18 1/4	19/16	13/16	11/32	2 3/4	25/32	1 1/2	19/64	5/8	15/64	7.7	5.6	BCSRA-5	
16	**CSRA-16B	2	3.68	5 7/8	6 5/8	7 7/8	8 5/8	2 3/4	2 11/64	1 13/16	2 3/4	25/32	2 3/4	1 3/16	11/16	25/64	7.3	9.15	BCSRA-11	
16	**CSRA-16C	3 15/16	3.68	7 7/8	8 11/16	11 13/16	12 5/8	2 3/4	2 11/64	1 13/16	2 3/4	25/32	2 3/4	1 3/16	11/16	25/64	14.65	12.2	BCSRA-11	
93	**CSRA-93B	2	20.57	7 1/2	8 11/16	9 7/16	10 11/16	6 7/8	5 1/8	4 9/64	2 3/4	1 27/32	5	1 31/32			40.5	71.2	BCSRA-93	
23	**CSR-23	1 5/8	5.14	3 7/8	4 11/16	5 1/2	6 5/16	3 11/16	2 11/64	2 1/8	2 3/4	15/16				6/64	6	11.2	LOW HEIGHT	

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**

Note: Limited quantities, No backorders



**▶ SINGLE ACTING HOLLOW PISTON CYLINDER WITH SPRING RETURN**


- Carrying handles or eyes on units 44 lbs. – 88 lbs.
- Threaded mounting holes for easy application.

NOM FORCE TONS	STROKE	FORCE	AREA	INCHES															OIL CAP INS <sup>3</sup>	WT. LBS.	TILT SADDLE NO.
				ITEM NO.	INS	TONS	IN <sup>2</sup>	B	C	D	E	F	G	H	I	J	K	N			
12	**CSH-12	1 5/8	12	2.8	5 11/16	7 5/16	2 3/4	2 11/64	1 23/64	1.5	2	5/16-18 UNC	2 3/4	25/32	25/32	49/64	4.5	8.3	BRCSH-12 BMCSH-12		
20	**CSH-20	1 7/8	20	4.5	6 3/4	8 11/16	3 3/4	2 3/4	2	1.5	3 1/4	3/8-16 UNC	2 3/4	25/32	25/32	1 3/64	8.5	17.6	BRCSH-20 BMCSH-20		

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**





**▶ DOUBLE ACTING HOLLOW PISTON CYLINDERS WITH HYDRAULIC RETURN**



NOM FORCE TONS	ITEM NO.	STROKE INS	MAX FORCE TONS	EFFECT AREA IN <sup>2</sup>	INCHES													OIL CAP INS <sup>3</sup>	WT. LBS.	TILT SADDLE NO.
					B	C	D	E	F	G	H	I	J	K	N	O	P			
30	**CDH-30	5 15/16	30	6.6	11-11/16	17-9/16	4-15/16	3-3/8	2-7/16	M46x1.5	3-5/8	3/8-16 UNC	2-3/4	25/32	7/8	1-27/32	4-7/16	39	42.2	BRCSH-30 BMCSH-30

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ HYDRAULIC CYLINDERS - MADE IN SPAIN**




- Working pressure 10,000 PSI.
- All cylinders have salt bath nitrating treatment.
- Fitted with removable saddle.
- Fitted with high flow female quick coupler with dust cap.

**LOW PROFILE SINGLE ACTING WITH SPRING RETURN**

- Mounting holes in base.

NOM FORCE TONS	ITEM NO.	STROKE INS	MAX FORCE TONS	EFFECT AREA IN <sup>2</sup>	INCHES													OIL CAP INS <sup>3</sup>	WT. LBS.
					B	C	D	E	F	H	I	J	K	R	S	T	U		
5	**CSE-5	1/4	5	1.09	1 3/8	1 19/32	2 11/30	1 13/16	1 1/32	1 3/32	7/32	2 11/32	1 1/16	3/64	1 5/8	1 3/16	7/8	.77	1.65

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ FUNNELS - PLASTIC-MULTI-PURPOSE 2 IN 1**

- Can be used as a transmission funnel.
- Flexible detachable spouts are being used as regular funnel.
- Supplied with built-in 1" screen-filter.
- Convenient plastic handle to hold funnel securely.

ITEM NO.	CAP.	TOP DIA.	SPOUT DIA. O.D.	OVERALL LENGTH
TT1-238	900 ml	5 3/4"	1 1/16" Funnel Only. 1/2" Flex Spout.	7 1/2" Funnel Only. 15" W/Flex Spout



**FUNNELS - PLASTIC 4 PIECE SET**

- Can be used for Home, Auto or Business.
- All funnels have convenient tabs for hanging.
- 4 pc set consisting of: 2", 3", 4" and 4-1/2" dia. funnel.
- Poly-bagged with header card.



ITEM NO.	CAP.	TOP DIA.	SPOUT DIA O.D.	OVERALL LENGTH
TT1-239	50 ml	2"	5/16"	3"
	100 ml	3"	3/8"	4-1/2"
	200 ml	4"	7/16"	5-1/2"
	250 ml	4-1/2"	9/16"	6"


**FUNNELS - GALVANIZED STEEL - MADE IN USA**

- Strong interlocked soldered seams.
- Supplied with 70 mesh brass strainer screen.

ITEM NO.	DESCRIPTION	CAP.	SIZE	SPOUT TYPE	SPOUT DIA.
SK491	General Purpose.	1 Qt.	6"	Centre	5/8"
SK495	Transmission. 16" Flex Spout.	1 Qt.	6"	Centre	7/16"
SK590	Heavy Duty With Wired Top Extra Deep & Fluted. Bottom To Prevent Swirling.	8 Qt.	9"	Centre	1"
SK620	Heavy Duty With Wired Top	6 Qt.	10"	Side	1"
SK690	Heavy Duty With Wired Top Extra Deep & Fluted. Bottom To Prevent Swirling.	12 Qt.	11"	Centre	1"
SKSM	Small Screen				
SKLG	Large Screen				



SK491


 SK590  
SK690


SK620




SK495


**FUNNELS, MEASURING CONTAINERS AND OILERS - MADE IN CANADA BY CLUTHE PRODUCTS**

- Made of flexible, durable polyethylene.
- Ideal for oils, acids, adhesives, etc.
- Spark, dent, and rust proof.
- Funnel are made with built-in hang-up tab.
- All funnels are natural colour.

ITEM NO.	DESCRIPTION	DIMENSIONS				
		A	B	C	D	E
<b>AUTOMOTIVE AND INDUSTRIAL FUNNELS WITH 100 MESH FILTER</b>						
C30080	Tapered Rim 120 oz	8"	10"	5-1/2"	7/8"	2-1/8"
C30090	Funnel 144 oz	9"	10-1/2"	2-1/4"	5/8"	2-1/8"
<b>FILTERS FOR FUNNELS - 100 MESH</b>						
C30000	100 Filters	Bulk	Gold Mesh			



C30080



C30090



C30000

## ▶ LIGHT DUTY CASTERS

- Solid rubber wheel.
- Plain bearing.
- Single ball bearing raceway on swivel models.

Wheel Dia	Tread Width	Axle Dia	Overall Height	Mounting Bolt Dia	Finish	Load Cap
1-1/2"	1-1/16"	3/16"	2-1/8"	3/16"	Black	60 lbs.
2"	1"	1/4"	2-5/8"	1/4"	Zinc	80 lbs.
2-1/2"	1-1/16"	5/16"	3-1/4"	1/4"	Zinc	100 lbs.



ITEM NO.	DESCRIPTION	MOUNTING PLATE
SYR-15068	1-1/2" Rigid	1-13/16" x 1-1/2"
SYS-15068	1-1/2" Swivel	1-13/16" x 1-1/2"
SYFR-20100	2" Rigid	2-11/16" x 1-9/16"
SYFS-20100	2" Swivel	2-5/8" x 1-7/8"
SYFR-25112	2-1/2" Rigid	4-7/16" x 2-5/16"
SYFS-25112	2-1/2" Swivel	3-7/8" x 2-3/4"

## ▶ GENERAL DUTY CASTERS

- Solid rubber wheel.
- Sintered iron bearing.
- Single ball bearing raceway on swivel models.

Wheel Dia	Tread Width	Axle Dia	Overall Height	Mounting Bolt Dia.	Finish	Load Cap
3"	1-1/4"	3/8"	3-13/16"	5/16"	Zinc	175 lbs.
4"	1-1/2"	3/8"	5"	3/8"	Zinc	220 lbs.

ITEM NO.	DESCRIPTION	MOUNTING PLATE
SYFR-30125	3" Rigid	4-15/16" x 2-1/2"
SYFS-30125	3" Swivel	4-1/8" x 3-1/8"
SYFB-30125	3" Swivel With Side Brake	4-1/8" x 3-1/8"
SYFR-40150	4" Rigid	6-1/4" x 3-1/4"
SYFS-40150	4" Swivel	5" x 4"
SYFB-40150	4" Swivel With Side Brake	5" x 4"



## ▶ MEDIUM HEAVY DUTY CASTERS

- Hard rubber tire on cast iron wheel.
- Greaseable roller bearings and grease-able double raceway ball bearings.
- Heavy 3/16" steel mounting plate and legs.

Wheel Dia	Tread Width	Axle Dia	Overall Height	Mounting Bolt Dia	Finish	Load Cap
5"	2"	1/2"	6-1/2"	3/8"	Zinc	450 lbs.
6"	2"	1/2"	7-5/8"	3/8"	Zinc	500 lbs.

ITEM NO.	DESCRIPTION	MOUNTING PLATE
SYMR-50200	5" Rigid	4-1/2" x 4"
SYMS-50200	5" Swivel	4-1/2" x 4"
SYMR-60200	6" Rigid	4-1/2" x 4"
SYMS-60200	6" Swivel	4-1/2" x 4"



**▶ CLUTHE MEASURING CONTAINERS**

ITEM NO.	DESCRIPTION	CAP	COLOUR
C34046	Measuring Container With Pouring Spout	155 oz.	Natural


**▶ GREASE GUNS - LEVEL & PISTOL GRIP TYPE**

- Supplied with 7" detachable metal spout
- 3-way filling.
- 11" body accepts 14 oz. cartridges or can be filled by hand.

ITEM NO.	DESCRIPTION
G-4805	Lever-Type Grease Gun
A-480N	Pistol-Grip Type Grease Gun
A-401-12	12" Nylon Steel NPT Flex Hose
A-401-18	18" Nylon Steel NPT Flex Hose
G-4805CPL	1/8" NPT 3-Jaw Coupler. Blister Packed


**▶ PUMP OILERS - METAL (PERFETTA TYPE)**


- Supplied with rigid and PVC flexible detachable spouts.
- Steel pump mechanism.
- Supplied in cello bag with header card.

ITEM NO.	CAPACITY
R-101	10 oz. (300cc)
R-103	24 oz. (700cc)



▶ **REINFORCED BRAIDED P.V.C. FLEXIBLE SPOUTS**

ITEM NO.	DESCRIPTION
<b>Flexible Spout for All "R" Series Oilers:</b>	
R-103FLEX	6-1/2"
<b>Rigid Replacement Metal Spout for "R" Series Oilers:</b>	
R-101M	5-1/2"



▶ **PUMP - SUBMERSIBLE WITH FLOAT SWITCH**

- 1/6 HP Motor 115V/60Hz.
- Max 1400 GPH Flow Rate 26.3 Head.
- Low 1/8" pick up.
- Thermoplastic construction.
- Removable screw for cleaning.
- 1" water outlet with 3/4" hose adaptor.
- 10' grounded electrical cord.
- cETL Listed.

ITEM NO.	DESCRIPTION
Q1CP-400C	Submersible Pump w/Float Switch



▶ **POLYPRO - HAND OPERATED ROTARY PUMP**

- Glass-filled polypropylene construction.
- Suitable for most petroleum products *except gasoline*, water, water-based chemicals, alcohol and mild alkaline products.
- 360° rotation.
- Movable outlet spout.
- Pumps 6 GPM @ 70 revolutions.
- Supplied with 47" polypropylene suction tube and 2" NPT bung adapter.
- 1" OD barbed spout end.
- 46" polyethylene delivery hose included.

ITEM NO.	DESCRIPTION
RP-90P	Polypropylene Rotary Pump
RP-90P-16	Bung Adaptor with Lock
RP-90P-20	46" Replacement Hose For RP-90P Pump



### ▶ **DIAMOND HAND OPERATED ROTARY PUMP**

- Simple installation and operation, as well as durable.
- Steel vanes (note - not suitable for chemicals which are liable to corrode metals).
- Parts available.
- Complete with 8 ft. vinyl hose and steel pipe.
- Parts available.
- Packed in display box.

ITEM NO.	DESCRIPTION
----------	-------------

KS-25A	Pumping Capacity: 18 Litres Per Minute
KS-25-21	8' Replacement Vinyl Hose For Above

\*\* ALL PARTS AVAILABLE \*\*



### ▶ **LEVER BARREL PUMP**

- Zinc-plated for long life.
- Brass piston ring makes this pump suitable for use with lubricants, solvents, and other non-corrosive liquids.
- Spout is threaded for garden hose fittings.
- Suction tube extends 18" to 36".
- Suitable for 1-1/2" and 2" NPT bungs.
- Dispenses approx. 300 ml. per stroke.
- PVC coated handle.

ITEM NO.	DESCRIPTION
----------	-------------

A-490	Lever Barrel Pump, Boxed
-------	--------------------------



### ▶ **PLASTIC SYPHON PUMP**

- Lightweight and economical, corrosion resistant.
- Made of heavy polyethylene vinyl chloride.
- Suitable for use on all sizes of drums with 2" bungs.
- Used to transfer liquids such as oil, kerosene, fuel.
- Dispenses 15 litres/min.
- 33-1/2" suction pipe, 46" discharge hose.

ITEM NO.	DESCRIPTION
----------	-------------

CK-9	Plastic Syphon Pump
------	---------------------



## ▶ LEVER PAIL PUMP - FOR OILS

- For motor oil, gear oil and ATF.
- Fits full open head pails through 6-1/2 gal.
- Includes pump, pail cover, and 4 ft. of clear vinyl hose with curved discharge nozzle.
- Delivers approx. 1 gal./60 strokes.

ITEM NO.	DESCRIPTION
----------	-------------

A-492	Hand Oil Pump
-------	---------------



## ▶ CHAIN BLOCKS

- Safe, reliable, with minimum maintenance.
- High efficiency and small hand pull.
- Triple-spur gears.
- Lightweight.

ITEM NO.	CAP	LIFT	CHAIN DIA.	HEAD ROOM REQUIRED
----------	-----	------	------------	--------------------

100	1 Ton	8 ft.	15/64"	11'
200	2 Ton	10 ft.	5/16"	14'



## ▶ LEVER CHAIN RATCHET PULLER - MINI

- Steel housing.
- Supplied with spring-loaded safety latches.
- Lightweight for ease of carrying.
- Uses 4 mm load chain.
- Standard 1 metre lift.
- Rubber handgrip for comfortable grip.
- Up, down and free lever functions.
- Friction brake.
- Replacement parts available.

ITEM NO	DESCRIPTION	WEIGHT
---------	-------------	--------

A619-025	1/4 Ton Capacity	1.8 kg
----------	------------------	--------



**▶ LEVER CHAIN RATCHET PULLERS - HEAVY DUTY**

- Steel housing.
- Safe, reliable and durable in use.
- Excellent performance and minimum maintenance.
- Uses Grade 8 chain.
- Cast safety latch.
- Light weight and portable in size.
- Light hand pull and high efficiency.
- Max. lift 1.5m (59”).
- Friction brake.
- Replacement parts available.

ITEM NO	DESCRIPTION
A619-075	3/4 Ton Capacity
A619-150	1-1/2 Ton Capacity
A619-300	3 Ton Capacity


**▶ ROPE HOIST**

- 65 ft. nylon rope.
- 7 to 1 ratio.
- Steel blocks with nylon rollers.
- Double grip safety hooks.
- Max. pulling capacity, 1,000 lbs.
- Ideal for hunters, campers, boaters, etc.

ITEM NO	DESCRIPTION
PH-2C	1,000 lbs


**▶ RATCHET CABLE PULLERS**

- Economical reliable puller.
- Ideal for camping, farming, boating, landscaping, fencing, etc.

ITEM NO.	DESCRIPTION
PI-401	1 Ton Cap., 10 ft. Cable, 2 Hooks and Safety Latch Included. Single Gear.
PHP-30	2 Ton Cap., 10 ft. Cable, 3 Hooks and Safety Latch Included. Double Gear.
PHP-40	4 Ton Cap., 10 ft. Cable, 3 Hooks and Safety Latch Included. Double Gear.





**RATCHET ROPE PULLER**

- Grips rope and pulls through.
- Suitable for 10.5 mm (7/16") rope.
- Supplied with 6-metre polyester rope.
- 3 hook design.
- Double-gear design.
- Comfort-grip handle.




ITEM NO.	DESCRIPTION
HPR-302-2	1 Ton Ratchet Rope Puller

**WIRE ROPE - GALVANIZED AIRCRAFT CABLE**

- Galvanized Steel.
- Supplied on spools.
- Manufactured to DIN Standards.

ITEM NO.	CABLE DIA.	CNST.	BREAKING LOAD (LBS.)	BREAKING SPOOL LENGTH (FEET)	APPROX. GROSS WT./ROLL (IBS.)	BORE	SPOOL DIA. (INCH)	OVERALL WIDTH
AC-116	1/16"	7 x 7	480	500	4.4	1	6	4-3/4
AC-332	3/32"	7 x 7	920	500	8.8	1	6	5
AC-18	1/8"	7 x 7	1,700	500	13.6	1	7	5-3/4
AC-18-2	1/8"	7 x 19	2,000	250	13.1	1	7-1/4	5-3/4
AC-532	5/32"	7 x 19	2,800	250	12.1	1	6	7
AC-316	3/16"	7 x 19	4,200	250	16.5	1	7-3/4	5-3/4
AC-14	1/4"	7 x 19	7,000	250	27.7	1	8-3/4	6-1/4
AC-516	5/16"	7 x 19	9,800	250	43.4	2-1/4	10	10
AC-38	3/8"	7 x 19	14,400	250	61.16	2-1/4	12	8-3/4

**Note 1: Supplied in full spool length only!**  
**Note 2: Spool dimensions are approximate!**



**▶ WIRE ROPE CLIPS**

- Galvanized malleable iron.

ITEM NO.	SIZE
705-01	1/8"
705-02	3/16"
705-03	1/4"
705-04	5/16"
705-05	3/8"
705-06	1/2"
705-07	5/8"
705-08	3/4"
705-09	7/8"
705-10	1"


**▶ GALVANIZED WIRE ROPE THIMBLES**

- Electro-Galvanized.

ITEM NO.	SIZE
700-1-8	1/8"
700-3-16	3/16"
700-1-4	1/4"
700-5-16	5/16"
700-3-8	3/8"
*700-05	5/8"
*700-06	3/4"
*700-07	7/8"
*700-08	1"



**\*FOB DARTMOUTH, NS ONLY**

**▶ CABLE STOPS - ALUMINUM CONSTRUCTION**

- Packaged and sold 10/bag.

ITEM NO.	USE WITH CABLE DIA.
ACA-116	1/16"
ACA-332	3/32"
ACA-18	1/8"
ACA-532	5/32"
ACA-316	3/16"
ACA-14	1/4"
ACA-516	5/16"
ACA-38	3/8"



**▶ CABLE SLEEVES - OVAL ALUMINUM**

- Packaged and sold 10/bag.

**ITEM NO.    USE WITH CABLE DIA.**

ACB-116	1/16"
ACB-332	3/32"
ACB-18	1/8"
ACB-532	5/32"
ACB-316	3/16"
ACB-14	1/4"
ACB-516	5/16"
ACB-38	3/8"



**▶ PULLEY YOLK ASSEMBLY - FIXED EYE**

- Complete with safety latch hook.
- Plated finish.

**ITEM NO.    DESCRIPTION                      DIA.**

UP-2000	Pulley Yoke Assembly Non Swivel	2"
---------	---------------------------------	----



**▶ EYE SLIP HOOK**

**ITEM NO.    SIZE                      WEIGHT**

*3046	5/16" w/Safety Latch	1.0 lbs.
-------	----------------------	----------

**\*FOB DARTMOUTH, NS ONLY**



**▶ PULLEY SINGLE SHEAVES - SWIVEL EYE**

- Malleable iron body, cast iron sheaves.

**ITEM NO.    SHEAVE DIA.    MAX ROPE DIA.    EYE DIA.**

F173-075	3/4"	1/4"	5/16"
F173-125	1-1/4"	5/16"	9/16"
F173-200	2"	7/16"	5/8"



**▶ PULLEY SINGLE SHEAVES - FIXED EYE**

- Malleable iron body, cast iron sheaves.

ITEM NO.	SHEAVE DIA.	MAX ROPE DIA.	EYE DIA.
F174-075	3/4"	5/32"	3/16"
F174-125	1-1/4"	1/4"	3/8"
F174-200	2"	7/16"	7/16"


**▶ PULLEY SINGLE SHEAVES - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOM WORKING LOAD
S314-125	1-1/4"	3/8"	1,600 lbs
S314-200	2"	5/8"	3,500 lbs


**▶ PULLEY SINGLE SHEAVES WITH HANGER - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOMM. WORKING LOAD
S314A-125	1-1/4"	3/8"	1,600 lbs.
S314A-200	2"	5/8"	3,500 lbs.


**▶ PULLEY DOUBLE SHEAVES - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOMM WORKING LOAD
S315-125	1-1/4"	3/8"	1,600 lbs.
S315-200	2"	5/8"	3,500 lbs.



**▶ PULLEY DOUBLE SHEAVES WITH HANGER - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOMM. WORKING LOAD
S315A-125	1-1/4"	3/8"	1,600 lbs.
S315A-200	2"	5/8"	3,500 lbs.



**▶ WOOD ROPE BLOCK - DOUBLE**

- Hook, sheave and straps, hot dipped galvanized.
- Supplied with stainless safety latch on loose hook.

ITEM NO.	DESCRIPTION	ROPE SIZE	SHELL LENGTH
*DWB-3	Double Sheave	3/8"	3"
*DWB-5	Double Sheave	5/8"	5"
*DWB-6	Double Sheave	3/4"	6"

**\*FOB DARTMOUTH, NS ONLY**



**▶ WOOD ROPE BLOCK - SINGLE**

- Hook, sheave and straps, hot dipped galvanized.
- Supplied with stainless safety latch on loose hook.


ITEM NO.	DESCRIPTION	ROPE SIZE	SHELL LENGTH
*SWB-3	Single Sheave	3/8"	3"
*SWB-4	Single Sheave	1/2"	4"
*SWB-5	Single Sheave	5/8"	5"
*SWB-6	Single Sheave	3/4"	6"

**\*FOB DARTMOUTH, NS ONLY**



**▶ SNATCH BLOCKS**


- Supplied with smooth long-lasting needle bearing sheave.
- Spring-loaded safety latch on swivel hook.
- Moveable side plate allows easy installation of wire rope.



ITEM NO.	SIZE	RECOMM. ROPE SIZE	FACTORY RECOMM.SWLL
130-3	3"	3/8"	0.5
130-4	4"	7/16"	1
130-5	5"	1/2"	1.5
130-6	6"	5/8"	2
130-8	8"	3/4"	4

**▶ YARDING BLOCKS**

- Industrial quality.
- Open ball bearings with grease nipples.
- Swivel attachments available.



ITEM NO.	SIZE	MAX. WIRE ROPE SIZE	FACTORY RECOMM. SWLL	BREAKING LOAD
135-3	3"	5/16"	1.5 Ton	6
135-4	4"	3/8"	3 Ton	12
135-5	5"	7/16"	4.5 Ton	18
135-6	6"	9/16"	6 Ton	24
135-8	8"	3/4"	8 Ton	32

**▶ SHEAVES - CAST IRON**

- Bronze sleeve bearing.
- Grease fitting equipped.

ITEM NO.	DIA.	BORE DIA.	APPROX. ROPE SIZE
CIS-03	3"	1/2"	5/16"
CIS-04	4"	5/8"	3/8"
CIS-05	5"	3/4"	1/2"
CIS-06	6"	1-1/8"	5/8"
CIS-08	8"	1-1/4"	7/8"




**PILLOW BLOCKS**



- Cast iron.
- Supplied with 1/8" NPT grease nipple.
- Self-aligning.

ITEM NO.	SHAFT DIAMETER
UCP201-08	1/2"
UCP202-10	5/8"
UCP204-12	3/4"
UCP205-14	7/8"
UCP205-16	1"
UCP206-18	1-1/8"
UCP206-19	1-3/16"
UCP206-20	1-1/4"
UCP207-20	1-1/4"
UCP207-21	1-5/16"
UCP207-22	1-3/8"
UCP207-23	1-7/16"
UCP208-24	1-1/2"
UCP209-26	1-5/8"
UCP209-28	1-3/4"
UCP210-31	1-15/16"
UCP211-32	2"



**BEARING UNITS**

- For pillow blocks, 4 bolt flange, 2 bolt oval flange.
- Cylindrical outside diameter.

*Setscrew Locking Type:*

ITEM NO.	SHAFT DIAMETER
UC204-12	3/4"
UC205-14	7/8"
UC205-16	1"
UC206-18	1-1/8"
UC206-19	1-3/16"
UC206-20	1-1/4"
UC207-20	1-1/4"
UC207-21	1-5/16"
UC207-22	1-3/8"
UC207-23	1-7/16"
UC208-24	1-1/2"
UC209-26	1-5/8"
UC209-28	1-3/4"
UC210-31	1-15/16"
UC211-32	2"

*Eccentric Collar Locking Type:*

ITEM NO.	SHAFT DIAMETER
*ELS204-12	3/4"
*ELS205-14	7/8"
*ELS205-16	1"
*ELS207-20	1-1/4"
<b>*TO BE DISCONTINUED</b>	



**▶ FLANGES - 2 BOLT OVAL HOUSING**


- Cast iron housing.
- Supplied with 1/8" NPT grease nipple.

ITEM NO.	SUITABLE FOR BEARING NUMBER
FL203	UC201, UC202
FL204	UC203, 203-11, 204, 204-12
FL205	UC205, 205-13, 205-14, 205-15, 205-16
FL206	UC206, 206-17, 206-18, 206-19
FL207	UC207, 207-20, 207-21, 207-22, 207-23
FL208	UC208, 208-24, 208-25
FL209	UC209, 209-26, 209-27, 209-28
FL210	UC210, 210-29, 210-30, 210-31, 210-32
FL211	UC211, 211-32, 211-33, 211-34, 211-35
FL212	UC212, 212-36, 212-38, 212-39


**▶ FLANGES - 4 BOLT SQUARE HOUSING**

- Cast iron housing.
- Supplied with 1/8" NPT grease nipple.

ITEM NO.	SUITABLE FOR BEARING NUMBER
F203	UC201, UC202.
F204	UC203, 203-11, 204, 204-12
F205	UC205, 205-13, 205-14, 205-15, 205-16
F206	UC206, 206-17, 206-18, 206-19
F207	UC207, 207-20, 207-21, 207-22, 207-33
F208	UC208, 208-24, 208-25
F209	UC209, 209-26, 209-27, 209-28
F210	UC210, 210-29, 210-30, 210-31, 210-32
F211	UC211, 211-32, 211-33, 211-34, 211-35
F212	UC212, 212-36, 212-38, 212-39


**▶ TAPERED BEARING SETS**

ITEM NO.	DESCRIPTION	SHAFT DIA. (mm)	OUTER DIA. (mm)
30203A	Metric	17	40





**▶ TAPERED BEARING SETS**

ITEM NO.	CONE/CUP
BEA-01	LM11749/LM11710
BEA-02	LM11949/LM11910
BEA-03	M12649/M12610
BEA-04	LM44649/LM44610
BEA-05	LM48548/LM48510
BEA-06	LM67048/LM67010
BEA-07	M201047-S/M201011 w/ring
BEA-08	L45449/L45410
BEA-09	BS226095 w/ring (RSN 1578V)
BEA-11	JL69349/JL69310
BEA-12	LM12749/LM12710
BEA-13	L68149/L68110
BEA-14	L44643/L44610
BEA-16	LM12749/LM12711
BEA-17	L68149/L68111
BEA-35A	LM501349/LM501310



**▶ DEEP GROOVE BALL BEARINGS**

- With double seals.

ITEM NO.	INNER DIA. mm	OUTER DIA. mm	WIDTH mm
6000-2RS	10	26	8
6001-2RS	12	28	8
6002-2RS	15	32	9
6003-2RS	17	35	10
6004-2RS	20	42	12
6005-2RS	25	47	12
6006-2RS	30	55	13
6007-2RS	35	62	14
6008-2RS	40	68	15
6009-2RS	45	75	16
6010-2RS	50	80	16
6200-2RS	10	30	9
6201-2RS	12	32	10
6202-2RS	15	35	11
6203-2RS	17	40	12
6204-2RS	20	47	14
6205-2RS	25	52	15
6206-2RS	30	62	16
6207-2RS	35	72	17
6301-2RS	12	37	12
6302-2RS	15	42	13
6303-2RS	17	47	14
6304-2RS	20	47	14
6305-2RS	25	62	17
6306-2RS	30	72	19
6310-2RS	50	110	27
6909-2RS	45	68	12
608-2RS	8	22	7
626-2RS	6	19	6
627-2RS	7	22	7
629-2RS	9	26	8
635-2RS	5	19	6



**▶ TRAILER KITS - BAGGED WITH HEADER CARD**

ITEM NO.	DESCRIPTION
<b>GH 2001</b> (For 1" Axle)	Consists Of: 2 L44610 Bearing Cup
	2 L44643 Cone
	1 12124 Seal
	1 Cotter Pin
	1 Package Bearing Grease
<b>GH 2002</b> (For 1-1/16" Axle)	Consists Of: 2 L44610 Bearing Cup
	2 L44649 Cone
	1 12124 Seal
	1 Cotter Pin
	1 Package Bearing Grease


**▶ HITCH ACCESSORIES - HITCHPINS**

- One-piece drop-forged pin.
- Vinyl-dipped handle.
- Hardened & tempered high-tensile steel.
- Includes clip.

ITEM NO.	DIA.	USEABLE LENGTH	HAIR PIN NO.
5002-251	1/2"	3-5/8"	5704-307
5003-252	5/8"	4"	5706-305
5004-256	5/8"	5-1/2"	5706-305
5005-253	3/4"	4"	5706-305
5006-257	3/4"	6-1/2"	5706-305
5007-254	7/8"	4-1/2"	5706-305
5008-258	7/8"	6-1/2"	5706-305
5009-255	1"	4-1/2"	5706-305
5010-259	1"	7-1/2"	5706-305
5011-260	1-1/8"	8-1/2"	5706-305
5012-261	1-1/4"	8-1/2"	5708-304
5013-262	1-1/2"	8-1/2"	-----


**▶ HITCHPINS - FOLDING HANDLE**

- Supplied with linchpin.
- Supplied with chain fastened to linchpin.
- Zinc plated.

ITEM NO.	DIA.	USABLE LENGTH
5101-250	3/8"	3" (no chain with pin)
5102-280	1/2"	3-1/2" (with chain & pin)
5103-281	5/8"	4-1/4" (with chain & pin)
5104-282	5/8"	6-1/4" (with chain & pin)
5105-283	3/4"	4-1/4" (with chain & pin)
5106-284	3/4"	6-1/4" (with chain & pin)
5107-285	7/8"	6-1/4" (with chain & pin)
5108-286	1"	6-1/4" (with chain & pin)
5109-287	1-1/8"	6-1/4" (with chain & pin)



**▶ BENT HITCHPINS**

- Zinc-plated.
- Clip included.
- Carbon steel.

ITEM NO.	LIST DIA.	USEABLE LENGTH
5201-270	1/2"	3"
5202-271	5/8"	3"



**▶ QUICK PINS - CURVED SPRING TYPE**

- Zinc dichromate finish.

LIST ITEM NO.	DIA.	USEABLE LENGTH
5301-460	1/4"	1-5/8"
5302-461	1/4"	1-1/2"
5303-463	5/16"	1-3/8"
5304-464	5/16"	1-3/4"
5305-466	3/8"	1-3/4"



**Minimum Order: 5 Pieces**

**▶ QUICK PINS - SQUARE SPRING TYPE**

- Zinc dichromate finish.

ITEM NO.	DIA.	USEABLE LENGTH
5401-462	1/4"	2-1/4"
5402-465	5/16"	2-1/4"
5403-467	3/8"	2-1/4"
5404-468	3/8"	2-3/4"



**Minimum Order: 5 Pieces**

**▶ SAFETY PINS**

- Zinc-plated.
- Alternative to using hairpins.

ITEM NO.	DIA.	USEABLE LENGTH
5501-470	1/8"	1-3/4"
5502-472	3/16"	3-1/2"
5503-474	1/4"	5-1/4"




### ▶ LINCHPINS

- Zinc dichromate finish.

ITEM NO.	DIA.	USEABLE LENGTH
5601-450	3/16"	1-1/4"
5602-451	1/4"	1-1/2"
5603-452	5/16"	1-3/8"
5604-453	3/8"	1-3/8"
5605-454	7/16"	1-5/16"
5606-455	7/16"	1-1/2"

Minimum Order for All Above Items: 10 Pieces



### ▶ HITCHPIN CLIPS

- Zinc dichromate finish.
- Packed 25 pcs per bag.

ITEM NO.	DIA.	OVERALL LENGTH	ITEM NO.	DIA.	OVERALL LENGTH
5701-300	1/16"	1-3/8"	5707-302	3/16"	3-3/8"
5702-301	3/32"	1-5/8"	5708-304	3/16"	3-3/4"
5703-303	3/32"	2-1/4"	5709-308	1/4"	4-1/4"
5704-307	1/8"	1-7/8"			
5705-306	1/8"	2-1/2"			
5706-305	5/32"	3-1/8"			

Minimum Order for All Above Items: 25 Pieces




### ▶ HAIRPINS

- Zinc dichromate finish.
- Packed 25 pcs per bag.

ITEM NO.	DIA.	OVERALL LENGTH
*5710-311	1/8"	2-1/16"
*5711-312	3/16"	2-3/4"

Minimum Order for All Above Items: 25 Pieces



### ▶ S HOOKS

- Grey zinc.
- Packed 100 per bag.
- Packed 10 pcs per bag.

ITEM NO.	MATERIAL DIAMETER	OPENING SIZE	ITEM NO.	MATERIAL DIAMETER	OPENING SIZE
5801-230	0.093	3/32"	5806-238	0.250	1/4"
5802-232	0.105	7/64"	5807-239	0.188	3/16"
5803-234	0.120	1/8"			
5804-235	0.162	5/32"			
5805-236	0.148	9/64"			

Minimum Order for All Above Items: 10 Pieces



## ▶ WELDED STEEL RINGS

- Grey zinc.
- 10 PCS per bag.



ITEM NO.	MATERIAL	DIAMETER	OUTSIDE DIAMETER	INSIDE DIA.
5901-410	3/16"		1"	5/8"
5902-411	1/4"		1-1/2"	1"
5903-412	5/16"		2"	1-3/8"

**Minimum Order for All Above Items: 10 Pieces**

## ▶ QUICK LINKS - PLATED STEEL

- Zinc-plated steel.
- No tools required, can be tightened with fingers.
- Ideal for quick connection of chain, cable & wire rope.



ITEM NO.	SIZE	SWL
601	3.5mm (1/8")	220 lbs.
602	5mm (3/16")	660 lbs.
603	6mm (1/4")	880 lbs.
604	8mm (5/16")	1760 lbs.
605	9mm (3/8")	2200 lbs.
606	10mm (7/16")	2700 lbs.
607	12mm (1/2")	3300 lbs.

## ▶ QUICK LINKS - STAINLESS STEEL

- Made from 316 stainless steel.
- Ideal for quick connection of chain and wire rope.
- Suitable in situations where moisture is a problem.



ITEM NO.	SIZE
602-SS	5mm (3/16")
603-SS	6mm (1/4")
604-SS	8mm (5/16")
605-SS	9mm (3/8")
607-SS	12mm (1/2")

## ▶ LAP LINKS

- Zinc-plated steel.



ITEM NO.	SIZE	INSIDE LENGTH
660-1	1/8"	3/4"
660-2	3/16"	1"
660-3	7/32"	1-1/4"
660-4	5/16"	1-1/2"
660-5	3/8"	2"
660-6	1/2"	2-1/2"

**▶ LINK LOCK - MADE IN SWEDEN**

- Galvanized steel.
- Heavy duty repair or joining link.
- Ideal for tire chains, logging trucks.

ITEM NO.	SIZE	BREAKING LOAD
*461-3	3/8"	12000 lbs.

**\*TO BE DISCONTINUED, AVAILABLE WHILE SUPPLY LASTS**


**▶ HAMMERLOCKS**

- A-337 Grade 80 material
- Used for attaching chain to master links and eye-type hooks or for installing a new branch of body to old slings.
- Made from larger stock than the chain they are used with, they provide greater interlink wearing surface.
- Load pin and stud can be assembled quickly and easily with just a hammer.

ITEM NO.	CHAIN SIZE	WORKING LOAD LIMIT
25221	1/4"	3,500
25221A	5/16"	5,400
25222	3/8"	7,100
25223	1/2"	12,000
25224	5/8"	18,100
25225	3/4"	28,300
25226	7/8"	34,200


**▶ COLD SHUTS**

- Electro-galvanized.
- C1015 Steel.

ITEM NO.	SIZE	INSIDE WIDTH (CLOSED)	INSIDE LENGTH (CLOSED)
706-01	3/16"	11/32"	15/16"
706-03	5/16"	7/16"	1-3/8"
706-04	3/8"	5/8"	1-1/2"
706-05	7/16"	5/8"	1-5/8"
706-06	1/2"	3/4"	1-5/8"


**▶ ANCHOR SHACKLES**

- Zinc-plated steel.
- Screw collar pin.

ITEM NO.	CHAIN SIZE	PIN DIA.	BETWEEN EYES	INSIDE LENGTH
701-03Z	5/16"	3/8"	17/32"	1-3/16"
701-04Z	3/8"	7/16"	5/8"	1-7/16"
701-06Z	1/2"	5/8"	13/16"	1-7/8"
701-07Z	5/8"	3/4"	1-1/16"	2-3/8"



**▶ ANCHOR SHACKLES**

- Galvanized steel.
- Screw collar pin.
- Pin and body same size.

ITEM NO.	WLL	WIDTH CHAIN SIZE	PIN DIA.	WIDTH BETWEEN EYES	INSIDE LENGTH (CLOSED)
701-01	1/3 T	3/16"	1/4"	3/8"	5/16"
701-02	1/2 T	1/4"	5/16"	15/32"	1-1/8"
701-03	3/4 T	5/16"	3/8"	17/32"	1-1/4"
701-04	1 T	3/8"	7/16"	21/32"	1-7/16"
701-05	1 1/2 T	7/16"	1/2"	23/32"	1-11/16"
701-06	2 T	1/2"	5/8"	13/16"	1-15/16"
701-07	3 1/4 T	5/8"	3/4"	1-1/16"	2-1/2"
701-08	4 3/4 T	3/4"	7/8"	1-1/4"	2-7/8"
701-09	6 1/2 T	7/8"	1"	1-7/16"	3-1/4"
701-10	8 1/2 T	1"	1-1/8"	1-11/16"	3-1/4"



**▶ ANCHOR SHACKLES - STAINLESS STEEL**

- Made from 316 stainless steel.
- Screw collar pin.

ITEM NO.	CHAIN SIZE	PIN DIA.	BETWEEN EYES	INSIDE LENGTH
481-06	1/4"	1/4"	1/2"	1-1/16"
481-08	5/16"	5/16"	11/16"	1-7/16"
481-10	3/8"	3/8"	13/16"	1-3/4"
481-12	1/2"	1/2"	1"	2-3/32"
481-16	5/8"	5/8"	1-3/16"	2-7/8"
481-19	3/4"	3/4"	1-7/16"	3-5/16"



**▶ D SHACKLES**

- Zinc-plated steel.

ITEM NO.	SIZE
360-09	3/8"
360-12	1/2"



**▶ TRAWLING SHACKLES**

- Mild steel.
- Self-coloured (black).
- Threaded pin.

ITEM NO.	DESCRIPTION	SIZE
701TS-1	Trawling Shackles	10mm
701TS-2	Trawling Shackles	12mm



**▶ TURNBUCKLES - EYE & EYE**

- Galvanized forged steel.

ITEM NO.	SIZE		BODY LENGTH	EYE SIZE	EYE WALL THICKNESS
	MM	IN.			
*704-02EE	8 mm	(5/16")	4-3/4"	7/16"	1/4"
*704-03EE	10 mm	(3/8")	5-1/2"	5/8"	5/16"
*704-04EE	12 mm	(1/2")	7-1/2"	3/4"	3/8"
*704-05EE	16 mm	(5/8")	10"	7/8"	7/16"

**\*FOB SURREY, BC ONLY**


**▶ TURNBUCKLES - HOOK & EYE**

- Galvanized forged steel.

ITEM NO.	SIZE		SAFE WORKING LOAD (SWL)	BREAKING POINT
	MM	IN.		
704-01	6	(1/4")	220 lbs.	2xSWL
704-02	8	(5/16")	440 lbs.	2xSWL
704-03	10	(3/8")	660 lbs.	2xSWL
704-04	12	(1/2")	1100 lbs.	2xSWL
704-05	16	(5/8")	2200 lbs.	2xSWL
704-06	20	(3/4")	3300 lbs.	2xSWL
704-07	22	(7/8")	4840 lbs.	2xSWL
704-08	24	(1")	6600 lbs.	2xSWL


**▶ SPRING HOOKS - PLATED STEEL**

- Spring-loaded interlocking safety snaps.
- Ideal for small boat, mooring, motor safety line, camping & golf course nets.

ITEM NO.	SIZE	
	MM	IN.
2450-1	5mm	(3/16")
2450-2	6mm	(1/4")
2450-3	8mm	(5/16")
2450-4	10mm	(3/8")
2450-5	11mm	(7/16")
2450-6	12mm	(1/2")


**▶ SPRING HOOKS - STAINLESS STEEL**

- Made from 316 stainless steel.
- Stainless steel spring and pin.
- Suitable for marine applications.

ITEM NO.	SIZE		LENGTH
	MM	IN.	
2450-1SS	5mm	(3/16")	50mm (2")
2450-2SS	6mm	(1/4")	60mm (2-3/8")
2450-3SS	8mm	(5/16")	80mm (3-1/8")
2450-4SS	10mm	(3/8")	100mm (4")
2450-5SS	11mm	(7/16")	110mm (4-1/8")





## ▶ EYE BOLTS - WITH SHOULDER

- Hot dipped galvanized.
- Welded ring through-eye.
- Supplied with zinc plated washer and nut.

ITEM NO.	DESCRIPTION	SHANK DIAMETER & LENGTH
*EB-06050	Eyebolt	1/4" x 2"
*EB-06100	Eyebolt	1/4" x 4"
*EB-08057	Eyebolt	5/16" x 2-1/4"
*EB-08108	Eyebolt	5/16" x 4-1/4"
*EB-10062	Eyebolt	3/8" x 2-1/2"
*EB-10112	Eyebolt	3/8" x 4-1/2"
*EB-10150	Eyebolt	3/8" x 6"
*EB-10200	Eyebolt	3/8" x 8"
*EB-12087	Eyebolt	1/2" x 3-1/2"
*EB-12150	Eyebolt	1/2" x 6"
*EB-12200	Eyebolt	1/2" x 8"

**\*FOB DARTMOUTH, NS ONLY**



## ▶ RINGBOLTS - WITH SHOULDER

- Hot-dipped galvanized.
- Supplied with zinc-plated washer and galvanized nut.

ITEM NO.	DESCRIPTION	SHANK DIAMETER & LENGTH
*RB-10112	Ringbolts	3/8" x 4-1/2"
*RB-10150	Ringbolts	3/8" x 6"
*RB-12150	Ringbolts	1/2" x 6"
*RB-12200	Ringbolts	1/2" x 8"

**\*FOB DARTMOUTH, NS ONLY**



## ▶ JAW END SWIVELS

- Forged, quenched and tempered.
- Hot dipped galvanized finish.
- Ultimate load is 5 times working load limit.

ITEM NO.	LIST DESCRIPTION	SAFE WORKING LOAD LIMIT
*707-04J	1/2" (Material & Pin Size)	3600 lbs.
*707-05J	5/8" (Material & Pin Size)	5200 lbs.
*707-06J	3/4" (Material & Pin Size)	7200 lbs.
*707-07J	1" (Material & Pin Size)	12500 lbs.

**\*FOB DARTMOUTH, NS ONLY**



**▶ SWIVELS - STAINLESS STEEL - EYE & EYE**

- 316 Stainless Steel.

ITEM NO.	DESCRIPTION
*1290-06	6mm (1/4")
*1290-08	8mm (5/16")
*1290-10	10mm (3/8")
*1290-12	12mm (1/2")

**\*FOB DARTMOUTH, NS ONLY**


**▶ SWIVELS - DOUBLE END**

- Hot-dip galvanized.

ITEM NO.	DESCRIPTION	MATERIAL SIZE
*707-02	Double end swivel	1/4"
*707-03	Double end swivel	3/8"
*707-04	Double end swivel	1/2"
*707-05	Double end swivel	5/8"
*707-06	Double end swivel	3/4"
*707-08	Double end swivel	1"

**\*FOB DARTMOUTH, NS ONLY**


**▶ EYE GRAB HOOKS**

- Forged carbon steel.
- Electro-galvanized.
- High test.
- Heat treated.

ITEM NO.	SIZE	WORKING LOAD LIMIT	ULTIMATE LOAD
702E-01	1/4"	2,600 lbs.	4 x WLL
702E-02	5/16"	3,900 lbs.	4 x WLL
702E-03	3/8"	5,400 lbs.	4 x WLL
702E-04	1/2"	9,200 lbs.	4 x WLL


**▶ EYE SLIP HOOKS**

- Forged carbon steel.
- Electro-galvanized.
- High test.
- Heat treated.

ITEM NO.	SIZE	WORKING LOAD LIMIT	ULTIMATE LOAD LIMIT
703E-01	1/4"	2,600 lbs.	4 x WLL
703E-02	5/16"	3,900 lbs.	4 x WLL
703E-03	3/8"	5,400 lbs.	4 x WLL
703E-04	1/2"	9,200 lbs.	4 x WLL



**▶ CLEVIS GRAB HOOKS**

- Galvanized.
- High test.
- Forged steel.

ITEM NO.	SIZE	SAFE WORKING LOAD (SWL)	BREAKING POINT
702-01	1/4"	2,600 lbs.	4 x SWL
702-02	5/16"	3,900 lbs.	4 x SWL
702-03	3/8"	5,400 lbs.	4 x SWL
*702-04	1/2"	8,500 lbs.	4 x SWL

**\*FOB DARTMOUTH, NS ONLY**



**▶ CLEVIS SLIP HOOKS**

- High test.
- Forged steel.

ITEM NO.	SIZE	SAFE WORKING LOAD (SWL)	BREAKING POINT
703-01	1/4"	1,950 lbs.	4 x SWL
703-02	5/16"	2,875 lbs.	4 x SWL
703-03	3/8"	4,000 lbs.	4 x SWL
*703-04	1/2"	6,500 lbs.	4 x SWL

**\*FOB DARTMOUTH, NS ONLY**



**▶ MINI LOAD BINDER**

- Rack pattern.
- 3" Take-up.


ITEM NO.	CHAIN SIZE	WEIGHTCAPACITY
1-270	3/16" - 1/4"	250 lbs.



**▶ LOAD BINDER**

- Standard pattern.
- Handle of cast steel.
- Hook of carbon steel drop-forged.
- 2-3/4" Take-up.

ITEM NO.	CHAIN SIZE	WEIGHT CAPACITY
2-76	1/4"-5/16"	1250 lbs.



**▶ LOAD BINDER**

- Standard pattern.
- Heat-treated drop-forged steel.
- Ball & socket swivel joints at hook assemblies permit a straight line pull.
- Extra solid construction at leverage point prevents spreading.



ITEM NO.	CHAIN SIZE	WEIGHT CAPACITY
3-305	5/16" - 3/8"	5,400 lbs.

**▶ LOAD BINDERS - RATCHET TYPE**

- Forged Steel.
- Orange painted
- 4-1/2" Take-up.



ITEM NO.	CHAIN SIZE	WLL	MBS	TAKE UP
3-305RAT	5/16"-3/8"	5,400 lbs	19,000 lbs.	8"

**▶ WINCH BAR - COMBINATION TYPE**

- Chrome plated.
- Knurled handle.
- 32" length overall.
- Supplied with load binder socket end.



ITEM NO.	DESCRIPTION
TW-BAR	Combination Winch Bar

**▶ SNAP-HOOKS**

- Forged steel.
- Load rated to 5,000 lbs.
- Size 1" hole x 5-3/8" overall length.

ITEM NO.	SIZE
3047	Zinc Plated
3047-G	Hot Dipped Galvanized with Stainless Steel Spring and Pin



3047



3047-G

**▶ SWIVEL-EYE LEASH SNAPS - SOLID BRASS**

ITEM NO.	EYESIZE	OVERALL LENGTH
----------	---------	----------------

\*B5025-38 3/8" 3"

\*B5025-50 1/2" 3"

\*TO BE DISCONTINUED



**▶ SWIVEL-EYE BOLT SNAPS - SOLID BRASS**

- Orange painted
- 4-1/2" Take-up.

ITEM NO.	EYE SIZE	OVERALL LENGTH
----------	----------	----------------

B225-58 5/8" 3-1/8"

B225-75 3/4" 3-1/8"



**▶ SWIVEL-EYE BOLT SNAPS - DIE-CAST ZINC ALLOY**

- Nickel plated.

ITEM NO.	EYE SIZE	OVERALL LENGTH
----------	----------	----------------

201-075 3/4" 3-1/8"

201-100 1" 3-1/8"



**▶ SWIVEL TRIGGER SNAPS - DIE CAST ZINC ALLOY**

- Nickel plated.

ITEM NO.	EYE SIZE	OVERALL LENGTH
----------	----------	----------------

\*5013-050 1/2" 2-3/8"

\*5013-075 3/4" 2-1/2"

\*TO BE DISCONTINUED



**▶ SWIVEL SNAPS - STEEL**

- Nickel plated.

ITEM NO.	SNAP SIZE	OVERALL LENGTH
----------	-----------	----------------

\*734A-125 1-1/4" 2-1/4"

\*734A-162 1-5/8" 2-5/8"

\*734A-200 2" 3"

\*TO BE DISCONTINUED



**▶ FIXED EYE SNAPS - SOLID BRASS**

ITEM NO.	EYE NO.	EYE SIZE	OVERALL LENGTH
B249-037	0	3/8"	2"
B249-062	1	5/8"	2-7/8"
*B249-068	2	11/16"	3-1/4"
B249-075	3	3/4"	3-3/4"

\*TO BE DISCONTINUED


**▶ SWIVEL EYE SNAPS - SOLID BRASS**

ITEM NO.	EYE NO.	EYE SIZE	OVERALL LENGTH
B251-58	1	5/8"	3-1/8"
B251-75	2	3/4"	3-3/4"
B251-78	3	7/8"	4-5/8"


**▶ SWIVEL - BRASS**

- Zinc dichromate finish.

ITEM NO.	EYE SIZE
*B018-58	5/8"
*B018-100	1"

\*TO BE DISCONTINUED



**▶ SPRING, FASTENER AND GREASE NIPPLE ASSORTMENTS**

- Supplied in multiple compartment plastic box.

ITEM NO.	DESCRIPTION
KTSR-300	300 pc Snap Ring Assortment
KTHP-150	150 pc Hair Pin Assortment
KTRR-285	285 pc Retaining Ring Assortment
KTCPA-555	555 pc Cotter Pin Assortment
KTEC-300	300 pc E-Clip Assortment
KTRP-315	315 pc Split Pin Assortment
KTGN-110M	110 pc Grease Nipple Set Metric
KTGN-110	110 pc Grease Nipple Set SAE



KTSR-300



KTHP-150



KTRR-285



KTRP-315



KTGN-110M  
KTGN-110



KTCPA-555



KTEC-300

**▶ RUBBER O-RING KITS - IN PLASTIC BOX**


- Buna-N-BG 715 (Nitrile 70 Shore)- SAE J200.
- Material Buna-N passed ASTM oil #1 & #3 laboratory test.

ITEM NO.	DESCRIPTION
KT-D2000	407 Pcs, 1/8" - 2" Inside Diameter, 1/16" - 1/8" Section
KT-D2000M	419 Pcs, 3mm - 50mm Inside Diameter, 1.5mm - 3.5mm Section



**▶ CABLE TIES**

- Standard cable ties made from U.L. approved nylon 6/6.
- Normal service temperature range - 40° to 85°C.
- Flammability rating UL 94V-2.
- Made to comply with MIL-SPEC M 20693B.
- Tensile strength meets or exceeds MIL-S 23190E Standard.
- Cable ties are packed 100 per bag.



ITEM NO.	OVERALL LENGTH	WIDTH	BUNDLE DIA	TENSILE STRENGTH
----------	----------------	-------	------------	------------------

**White Nylon**

CV-120L	4.7" (120mm)	4.8mm	29mm	50 lbs. (22 kg)
CV-190	7.3" (186mm)	4.8mm	51mm	50 lbs. (22 kg)
CV-280	11.3" (286mm)	4.8mm	83mm	50 lbs. (22 kg)
CV-280L	11.5" (292mm)	7.6mm	82mm	120 lbs. (54 kg)
*CV-368	14-1/2" (365mm)	4.8mm	109mm	50 lbs. (22 kg)
*CV-380	14-1/2" (365mm)	7.6mm	108mm	120 lbs. (54 kg)
CV-450	17.7" (450mm)	7.6mm	133mm	120 lbs. (54 kg)
CV-540	21.3" (540mm)	7.6mm	162mm	120 lbs. (54 kg)
CV-762	30.3" (770mm)	8.80mm	233mm	175 lbs. (79 kg)

**Black Nylon**

CV-120LB	4.7" (120mm)	4.8mm	29mm	50 lbs. (22 kg)
CV-190B	7.3" (188mm)	4.8mm	51mm	50 lbs. (22 kg)
CV-280B	11.3" (286mm)	4.8mm	83mm	50 lbs. (22 kg)
CV-280LB	11.3" (292mm)	7.6mm	82mm	120 lbs. (54 kg)
*CV-368B	14-1/2" (368mm)	4.8mm	109mm	50 lbs.
*CV-380B	14-1/2" (368mm)	7.6mm	108mm	120 lbs.
CV-450B	17.7" (450mm)	7.6mm	133mm	120 lbs. (54 kg)
CV-540B	21.3" (540mm)	7.6mm	162mm	120 lbs. (54 kg)

**\*TO BE DISCONTINUED**


**▶ WHISK BROOM - SYNTHETIC BRISTLES**

- 8-1/2" overall length.
- 4" width.
- Handle has handy hole for hanging up.

ITEM NO.	DESCRIPTION
XP-4500R	Synthetic Whisk Broom


**▶ ANGLE BROOM**

- PVC bristles are washable.
- Metal handle has a hang-up cap.

ITEM NO.	DESCRIPTION
FR458	Angle Broom PVC Bristles W/48" Metal Handle






**▶ INDUSTRIAL DUTY CORN BROOM**

- Heavy corn exterior with Yucca fibre center.
- 2 Rows of stitching and 2 steel bands.
- Varnished 1-1/8" wood handle.

ITEM NO.	DESCRIPTION
FR108	Heavy Duty Corn Exterior W/Yucca Fibre Center, Replacement for #FR1034 and #FR1036



**▶ CORN BROOMS**

- 3 row stitching
- Molded steel band binding
- Heavy duty handle 42" x 1-1/8"

ITEM NO.	DESCRIPTION
*FR1034	Heavy Duty Corn Exterior W/Stiff Cane Center For Heavy Sweep Loads
*FR1036	Heavy Duty Corn Exterior W/Yucca Fibre Center For Long Wear
*AVAILABLE WHILE SUPPLIES LAST!	



**▶ CORN WHISK**

- 12-1/2" Overall length.
- 3-Strand construction
- Metal cap with hang ring.
- UPC coded.

ITEM NO.	DESCRIPTION
MB-0370 (Previously FR417)	Corn Whisk Broom



**▶ PUSH BROOMS - ALL PURPOSE**

- 2 Threaded handle holes (see our selection of handles).
- Ideal for fine-medium dirt on smooth surfaces.
- Synthetic PET fibre with flagged ends for better performance.
- Pre-drilled for brace.

ITEM NO.	DESCRIPTION
*MB-3518	18" Wood Block
*MB-3524	24" Wood Block
**MB-3530	30" Wood Block
*MB-3536	36" Wood Block



\* COLOUR MAY CHANGE!  
\*TO BE DISCONTINUED

**► PUSH BROOMS - ALL PURPOSE**

- 2 Threaded handle holes (see our selection of handles).
- For smooth surfaces.
- Pre-drilled for brace.
- Tampico fibreblend.


**ITEM NO. DESCRIPTION**

MB-2124	24" Wood Block
MB-2136	36" Wood Block

**► PUSH BROOMS - STIFF PALMYRA CENTRE**

- Natural fibre.
- Palmyra centre.
- Medium/coarse sweeping.
- 2 Threaded Handle Holes (see our selection of handles).
- Pre-drilled for brace.


**ITEM NO. DESCRIPTION**

FR6218	18" Wood Block
FR6224	24" Wood Block

**► STIFF SWEEP FLOOR BRUSHES**

- Most popular heavy-duty maintenance broom.
- Stiff PET synthetic fibre of burgundy colour.
- Ideal for snow, gravel, under all wet or dry conditions.
- 2 Threaded handle holes (See our selection of handles).


**ITEM NO. DESCRIPTION**

MB-3018	18" Wood Block
MB-3024	24" Wood Block
MB-3030	30" Wood Block
MB-3036	36" Wood Block

**► PUSH BROOM - COARSE STIFF**

- 24" Wood block with fluorescent orange polypropylene bristles.
- 2 Threaded handle holes (see our selection of handles).
- Pre-drilled for brace.


**ITEM NO. DESCRIPTION**

XP-628202	24" Wood Block
-----------	----------------

▶ **PUSH BROOM**

- Medium bristle.
- Flagged polypropylene outer bristle with stiff inner bristle.
- 2 Threaded handle holes (see our selection of handles).
- Drilled for brace.



ITEM NO.	DESCRIPTION
----------	-------------

XP-628204	24" Wood Block
-----------	----------------

▶ **PUSH BROOM - MEDIUM TO HEAVY SWEEPING**

- 2 Threaded Handle Holes (See our selection of wood and metal handles.)

ITEM NO.	DESCRIPTION
----------	-------------

MB-2838 (Previously MB-1918)	18" Wood Block
------------------------------	----------------

MB-2839 (Previously MB-1924)	24" Wood Block
------------------------------	----------------




▶ **UNIVERSAL BRACE FOR FLOOR BRUSHES**

- Ensures maximum handle life
- Rod style
- Recommended for 60" length handles, weighs 0.6 lb.

ITEM NO.	DESCRIPTION
----------	-------------

*MB-0108	Broom handle brace
----------	--------------------

\***FOB DARTMOTH, NS ONLY**



▶ **MEDIUM / FINE SWEEP FLOOR BRUSHES**

- Interior outer layer of synthetic PET fiber.
- Filled with algil centre for medium sized particles.
- 2 Threaded handle holes (See our selection of wood and metal handles.)



ITEM NO.	DESCRIPTION
----------	-------------

*MB-2618GH	18" Wood Block
------------	----------------

*MB-2624GH	24" Wood Block
------------	----------------

*MB-2630GH	30" Wood Block
------------	----------------

\***FOB DARTMOTH, NS ONLY**

**▶ BRACE - HEAVY DUTY STEEL**

- Recommended for use with brooms over 24".
- Galvanized bolts & wing nuts used to fasten brace to handle.

ITEM NO.	DESCRIPTION
MB-108F	Steel Broom Brace


**▶ MAGNETIC- FLOOR BROOM**

- Synthetic fiber bristles are split-tipped to pick up fine dust and dirt (attracts like a magnet).
- Broom has an 11" sweep surface with a 3" trim.
- The 48" metal handle is equipped with an end cap and hang-up hole.

ITEM NO.	DESCRIPTION
*FR453	Soft Sweep Broom
<b>*FOB DARTMOTH, NS ONLY</b>	


**▶ STREET AND STABLE BROOM**

- Extra long polypropylene fibres
- For use in garages, streets, decks and driveways
- Head only.
- Requires tapered-end handle.

ITEM NO.	DESCRIPTION
*MB-5014 (Previously FB109S-14)	14"
<b>*FOB DARTMOTH, NS ONLY</b>	


**▶ STABLE BROOM**

- Extra long polypropylene fibres
- For use in garages, streets, decks and driveways
- Head only.
- Requires tapered-end handle.

ITEM NO.	DESCRIPTION
MB-5016 (Previously FR5716)	16" Wood Block Stable Broom, Drilled W/2 Tapered Holes



▶ **ROOF & TAR BRUSH - HANDLE INCLUDED**

- Ideal for application of all types of roof coatings.
- 3" trim, 5" x 2" wood block.

ITEM NO.	DESCRIPTION
MB-3604-9047	Roof & Tar Brush, Tampico Fibre With Handle



▶ **ROUND WINDOW/BOAT BRUSH**

- 4-1/2" poly-foam block round brush.
- Uses threaded handle.
- Flow-through design.

ITEM NO.	DESCRIPTION
FR653	Tampico Bristles



▶ **ROUND WINDOW/BOAT BRUSHES - HEAD ONLY**

- Top and side threaded handle receiver.

ITEM NO.	DESCRIPTION
XP-0601	Polypropylene (stiff) Bristle, 4-1/2" Round Brush, Flow-through



▶ **RECTANGULAR WASH BRUSH - HEAD ONLY**

- Plastic block.
- Polystyrene bristle.
- Has water flow-through feature.
- Requires tapered-end handle.

ITEM NO.	DESCRIPTION
FR670	Soft Rectangular Wash Brush 8"



**▶ RECTANGULAR WASH BRUSH - HEAD ONLY**

- Foam block.
- Flagged Tetalon bristle.
- Has water flow-through feature.
- Requires tapered-end handle.



ITEM NO.	DESCRIPTION
XP-5608A	Soft 10" Rectangular Wash Brush

**▶ DECK/POOL BRUSH - HEAD ONLY**

- Extra stiff.
- Bi-level feature allows for better cleaning of corners & sides.
- Flow-through head.
- Requires tapered-end handle.



ITEM NO.	DESCRIPTION
FR5317	Deck/Pool Brush 10"

**▶ COUNTER BRUSH**

- Heavy duty counter duster.
- Lacquered wooden handle with synthetic horse hair fibres.
- Handle has a hang-up hole.



ITEM NO.	DESCRIPTION
FR85	13" Counter Brush

**▶ UTILITY RIG BRUSH**

- 20" Handle
- PVC Bristle



ITEM NO.	DESCRIPTION
*FR838	Utility RIG Brush
*FOB SURREY, BC ONLY	

▶ **INDUSTRIAL YACHT MOP WITH HANDLE**

- Made from cotton yarn.
- Industrial 16 oz. yacht mop w/54" wood handle.
- For heavy-duty jobs.
- Comes complete w/hang-up cap.



ITEM NO.	DESCRIPTION
MB-7303	Industrial Yacht Mop

▶ **COTTON MOP REFILL - CONTRACTOR**

- Made from cotton yarn.
- 24 oz. Cotton flat mop refill.
- Yarn is held securely w/1" mesh headband.
- Yarn is 4 ply for extra strength.
- Use with our # FR4754 handle.



ITEM NO.	DESCRIPTION
FR1624	Cotton Mop Refill

▶ **POINTED WOOD SCRUB BRUSH**

- Stiff union fibre.
- 9-1/8" x 2-1/2" wood block.
- Pointed ends to fit into corners.
- Strong chemicals do not affect the stiff tampico bristles.



ITEM NO.	DESCRIPTION
MB-0077	Wood Scrub Brush

▶ **PLASTIC DUST PAN**

- This premium heavy-duty polypropylene dustpan has a 6-1/2" deep pan w/beveled hold lip.
- The two resting feet on the underside holds the tray at the correct angle.

ITEM NO.	DESCRIPTION
FR4K	12" Heavy-duty Polypropylene Dust Pan



**▶ DUST PAN - METAL**

- Heavy-duty 12" metal dust pan.
- Rolled steel handle has a convenient hang-up hole.

ITEM NO.	DESCRIPTION
MB-0180	12" Metal Dustpan


**▶ DUST PAN - METAL**

- Heavy-duty metal dust pan.
- Lies flat without holding for easy clean-up.
- 16" wide face and 9" handle.

ITEM NO.	DESCRIPTION
FR495	16" Metal Dust Pan - Black


**▶ HANDLE - MOP**

- 54" x 15/16" epoxy-coated metal wet mop handle.
- For use with narrow-band mops (#FR1624).
- All-metal head with wingnut to tighten.

ITEM NO.	DESCRIPTION
FR4754	54" Mop Handle


**▶ HANDLE - BROOM & MOP - METAL**

- Heavy-duty hollow metal handles.
- Handles have nylon ends and rubber handgrips.
- 1" Diameter Metal Handles.

ITEM NO.	DESCRIPTION
*XP-3114	60" Metal Handle With Threaded Tip
<b>*TO BE DISCONTINUED</b>	





▶ **HANDLES - BROOM & MOP - WOOD**

- Made of “Bamwood” Bamboo with glued wood filler.(XP-Series)
- Very strong and flexible.

ITEM NO.	DESCRIPTION
XP-1013 (FR52510)	60" X 15/16" Wood Broom Handle, Metal Thread End Type
FR52505	54" x 15/16" Wood Broom , Handle Metal Thread End Type
XP-1015	54" x 15/16" Wood Broom, Handle,Wood Thread
XP-1009 (FR52506)	54" x 1-1/8" Wood Broom, Handle, Tapered End



XP-1009  
FR52506

XP-1015

XP-1013  
FR52505

▶ **FLOOR SQUEEGEE - FOAM RUBBER (HEAD ONLY)**

- Cleans light to medium debris.
- Best on smooth semi-smooth surfaces.
- Blade can be reversed for longer life.
- Foam blade is quick-drying.

ITEM NO.	DESCRIPTION
FR25330	30" Foam Floor Squeegee



▶ **TROUBLE LIGHT**


- cUL approved.
- 25' with 1 outlet.
- Reflective guard to provide greater light and safety.
- Suitable for up to 75 Watt bulb.

ITEM NO.	DESCRIPTION	WIRE SIZE	WIRE TYPE
ECTL3075	25' Trouble Light	16/3	SJTW



**▶ STRING LIGHT SET - JOB SITE**

- Standard lamp sockets spaced 10' apart.
- 12/3 SJTW cable.
- Heavy-duty coated steel lamp cages.
- End-to-end connectable (max 1500W total) with dust cover on end.



ITEM NO.	DESCRIPTION
EC123300-06	50' Construction Light String
EC123300-11	100' Construction Light String

**▶ WORK LIGHT - 10,000 LUMEN LED**


- 100W LED assembly saves power, lasts over 30,000 hours.
- More resistant to shock, generates much less heat than comparable halogen lights.
- Bright 5000K daylight colour temperature.
- 176 individual SMD LEDs.
- Replacement switch available.



ITEM NO.	DESCRIPTION
LWLP10000	Floodlight LED 5000K, 100W/10K Lumens, 1.8 m Cord

**▶ TRIPOD WORK LIGHT - 2 x 10,000 LUMEN LED**


- 2 X 100W LED assembly saves power, lasts over 30,000 hours.
- More resistant to shock, generates much less heat than comparable halogen lights.
- Bright 5000K daylight colour temperature.
- 176 individual SMD LEDs per head.
- Tripod height with lights over 6-1/2'(2 m).
- Each light with its own switch and convenient tilt and swivel knobs.
- IP65 rated enclosure, suitable for outdoor use.
- 120V AC operation.
- Replacement switch available.
- Colour retail box.



ITEM NO.	DESCRIPTION
LWLT20000	Floodlight LED 5000K, 2 X 100W/10K Lumens, 3.6 m Cord

**ELECTRICAL EXTENSION CORDS**

- cUL approved.
- Sleeve-packed

ITEM NO.	LENGTH	WIRE SIZE	WIRE TYPE	NO. OF OUTLETS	AMP RTG.	COLOUR	USE
EC163030	3 M 10'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163050	5 M 16'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163100	10 M 32'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163150	15 M 49'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163300	30 M 98'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC143100	10 M 32'	14/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC143150	15 M 49'	14/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC143300	30 M 98'	14/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC123150	15 M 49'	12/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC123300	30 M 98'	12/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
*EC162150	15 M 49'	16/2	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
*EC143100-3	10 M 32'	14/3	SJTW	3 (Fan)	13	YELLOW	INDOOR/ OUTDOOR
*EC123150-3	15 M 49'	12/3	SJTW	3 (Fan)	13	YELLOW	INDOOR/ OUTDOOR
*EC123300-3	30 M 98'	12/3	SJTW	3 (Fan)	13	YELLOW	INDOOR/ OUTDOOR

**\*ILLUMINATED TRI-SOCKET FANTAIL**


**\*TO BE DISCONTINUED**



**PLUGS AND CONNECTORS**

- cUL listed
- Vinyl TP bodies.
- Suitable for cord 6.35 mm - 16.64 mm DIA.

ITEM NO.	DESCRIPTION
EC4531	Male Plug 15A-125V
EC5631	Female Socket 15A-125V



EC4531 (Previously EC4508)      EC5631 (Previously EC5603)

**▶ TIE WIRE**

- Soft black annealed tie wire.
- Ideal for equipment repair and to tie rebar
- Master case 16 pcs
- Per pallet 768 pcs.



ITEM NO.	DESCRIPTION	WEIGHT PER COIL
TW-16	16 Gauge Black Tie Wire	3 lbs.
TW-18	18 Gauge Black Tie Wire	3 lbs.

**▶ DISPENSER - TIRE WIRE**

- Accomodates standard 3 lb rolls of 16 & 18 gauge tie wire.
- 2-1/4" belt loops.
- Free-wheeling spinner knob for easy wind up.
- Aluminum lightweight body.



ITEM NO.	DESCRIPTION
TWREEL-A	Tie Wire Reel

**▶ ELECTRICAL EXTENSION CORD - BLOCK HEATER STYLE**

- cUL approved.
- Sleeve-packed.
- Blue colour.
- Good to -45°.

ITEM NO.	LENGTH	WIRE SIZE	WIRE TYPE	NO. OF OUTLETS	AMP RTG.	COLOUR	USE
EC163010-3	1m/3'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163020-3	2m/6'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163030-3	3m/10'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163050-3	5m/16'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163100-3	10m/32'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163150-3	15m/49'	16/3	SJTW	3	13	BLUE	OUTDOOR



**▶ ELECTRICAL INSULATING TAPE**

- CSA approved black PVC tape.
- 3/4" x 66', 7 mil thick.
- Temperature range 0°C to 60°C.
- Dielectric breakdown at 9,000 volts
- Master case 100 pcs.

ITEM NO.	DESCRIPTION
34740-66	0.25 lbs.



**▶ ELECTRICAL INSULATING PVC TAPE - EXTENDED TEMPERATURE RANGE**

- CSA approved black PVC tape.
- 3/4" x 66', 7 mil thick.
- Rated up to 600 volts.
- Temperature range: -18°C to 105°C.
- Master case: 200 PCS.

ITEM NO.	DESCRIPTION
SS3331	Extended Range Electrical Tape



**▶ HIGH VISIBILITY PET SOLAS TAPE**




- For application on floating objects.
- Conforms to MED A-1/1.30 retro-reflective materials specification.
- Master case: 10 PCS.

ITEM NO.	DESCRIPTION
ST-150	2" X 150' Roll (45.7 m x 50 mm)



**▶ REFLECTIVE TRAILER TAPE**

- 51 mm X 45.7 m (2" X 150') polycarbonate reflective tape.
- High-intensity grade.
- Strong adhesive back.
- Red and silver colour
- Exceeds DOT-C2 standards for reflectivity.
- Individually boxed.
- Master case: 10 PCS.



ITEM NO.	DESCRIPTION
HRFT-150	Reflective Tape, 2" X 150'



**▶ TEFLON TAPE**

- 1/2" x 480" (12mm x 12m), 0.075mm thick.
- 100% TFE fluorocarbon.
- Chemically inert, non-hardening, non-contaminating.
- Temperature range -450° F to 600° F.
- 1,200 pcs. per carton.



ITEM NO.	DESCRIPTION
----------	-------------

1102	Case of 1200
------	--------------

**▶ PACKING TAPE - HEAVY DUTY**

- Meets postal requirements.
- Ideal for shipping departments.
- Can be used for reinforcement of moving boxes.
- Packed 6 rolls per sleeve.
- Hot-melt adhesive.

*(Must be ordered in multiples of 6 rolls)*



ITEM NO.	COLOUR	WIDTH	LENGTH
PT-110	Clear	48mm/2"	100m/330'

**▶ BARRICADE TAPE**

- Durable polyethylene.
- Used for crowd control and marking off restricted areas.
- 3" wide - 300' or 1,000' in length.
- 2 mil thickness.
- Master case: 12 pcs. (1000').
- Master case: 16 pcs. (300').

ITEM NO.	SIZE	DESCRIPTION
BT300-CA (Prev. 17779-CA)	3" x	300' Yellow/Black Print
BT1000-CB (Prev. 17779-CB)	3" x	1,000' Yellow/Black Print
BT1000-DB (Prev. 17779-DB)	3" x	1,000' Red/Black Print



**▶ FLAGGING TAPE FLUORESCENT COLOURS - REGULAR TEMPERATURE**

- 1" x 150' long.
- 4 mil thickness.
- Durable, matte embossed PVC sheeting.
- Remains pliable in cold weather. Cold crack rated at -20°C.
- Will not chip, peel or crack.
- Non-toxic.
- Highly visible and colourfast.
- Individual rolls - UPC labeled.
- 10 per sleeve/120 per case.



ITEM NO.	COLOURS
FT150-ORG (Prev. 16001)	Fluorescent Orange
FT150-PNK (Prev. 16002)	Fluorescent Pink
FT150-GRN (Prev. 16003*)	Fluorescent Green
FT150-BLU (Prev. 16004)	Fluorescent Blue

**\*TO BE DISCONTINUED**

**▶ FLAGGING TAPE - WINTER TEMPERATURE**

- 1" x 125' long/5.2 mil thick.
- Designed to withstand severe cold temperatures, rated to -43°C.
- UV Stabilized to prevent fading.
- Matte embossed for securing knots.
- 10 per sleeve/120 per case.



ITEM NO.	LENGTH
AFT125-ORG	Fluorescent Orange
AFT125-PNK	Fluorescent Pink

**▶ DISPOSABLE COVERALLS - POIYETHIENE COATED**

- Ideal for protecting clothes from paint, dirt and grease.
- Tri-layer construction prevent bleed-through of liquids.
- Comfortable with elastic arm and leg cuffs and attached hood.
- Excellent for DIY.
- White, SMS, 50 g/m<sup>2</sup>.

Specifications	M	L	XL	XXL
Chest Size	48"	52"	56"	60"

ITEM NO.	DESCRIPTION
*DC-M	Medium Disposable Coverall
*DC-XL	Extra Large Disposable Coverall
*DC-XXL	Extra-Extra Large Disposable Coverall

**\*LIMITED QUANTITY**



**▶ PAINT BRUSHES - POLYESTER BRISTLE**

- Durable plastic handles w/metal ferrule.
- Flagged synthetic bristle to retain paint.
- Plastic wrapper includes hanger.
- UPC coded.



ITEM NO.	WIDTH	HAIR LENGTH	PACKING PER CARTON
SA031-050	1/2"	2"	12
SA031-100	1"	2"	12
SA031-150	1-1/2"	2"	12
SA031-200	2"	2"	12
SA031-250	2-1/2"	2"	12
SA031-300	3"	2"	12
SA031-400	4"	2"	12

**▶ PAINT BRUSHES - PURE BRISTLE**

- 100% Pure white natural bristle (flagged).
- Heavy duty 1/2" thick unpainted wooden handle.



ITEM NO.	WIDTH	HAIR LENGTH	PACK	MASTER PACK
5051-050	1/2"	1-1/2"	36	432
5052-100	1"	1-1/2"	12	288
5053-150	1-1/2"	1-3/4"	12	288
5054-200	2"	1-3/4"	12	288
5056-300	3"	2-1/4"	12	144
5057-400	4"	2-1/4"	12	144

**▶ HAND WIPES (REPLACES 6285-06)**


- Wipes are pre-moistened with GOJO heavy duty cleaning solution.
- Extra large 10.5" X 12.25", for superior cleaning capacity.
- Contains skin conditioners to prevent dryness
- Dual textured with scrubbing side and smooth side for quick dirt absorption.
- Use anywhere, no water needed.
- Used to quickly remove oils, grease, paints, inks, tar, dirt, sealants, adhesives, chaulks, polyurethane.
- 72 wipes per cannister.
- Master case: 6 cannisters.

ITEM NO.	DESCRIPTION
GJ6396-06	72 GOJO Wipes





**▶ HAND CLEANER**



- For removal of industrial soils, medium dirt and grease.
- Contains baby oil and orange citrus scent.
- Master case: 4 PCS.

ITEM NO.	BOTTLE SIZE	DISPENSE METHOD	DESCRIPTION
GJ0958-04	1/2 gallon	Pump	GOJO Orange Lotion with Pumice



**▶ FILE CARD**

- For cleaning debris out of files.

ITEM NO.	DESCRIPTION
FCB-1	Wire Brush W/Polycast Handle, Steel Bristles



**▶ PARTS CLEANING BRUSHES**

- Polypropylene does not shrink or swell and resists most petroleum-based solvents.
- Packed 24 per carton.

ITEM NO.	DESCRIPTION
37P-BR	7" Wire Brush, 3 Rows Brass Bristle, Polypropylene Handle Resists Most, Petroleum Based Solvents
38P-SS	7" Wire Brush, 3 Rows Stainless Bristle, Polypropylene Handle Resists Most, Petroleum Based Solvents



**▶ PARTS CLEANING BRUSHES**

ITEM NO.	DESCRIPTION
236-00	11" Round Parts Brush With Wood Handle And Polyester Bristle.
237-BR	8" Wire Brush 3 Row Brass Bristle With Wood Handle.
238-SS	8" Wire Brush 3 Row Stainless Steel Bristle With Wood Handle.



**▶ WIRE BRUSHES - WOOD HANDLES**

- Four row steel wire bristle.
- Rectangular wood handle.


**ITEM NO. DESCRIPTION**

1419-SS	14" 4 X 19 Row Stainless Steel Wire Brush
XP-1419WS	14" 4 X 19 Row Wire Brush With Metal Scraper

**▶ WIRE BRUSH - POLYCAST HANDLE**

- 11" – 15 x 4 row heavy duty wire brush.
- Polycast construction for greater durability.
- Coated steel bristles.
- Equipped with removable 2" plated scraper.


**ITEM NO. DESCRIPTION**

233-4R	Wire Brush W/Polycast Handle, Steel Bristles
--------	--

**▶ SCRATCH BRUSHES - PLASTIC HANDLE WITH CRIMPED WIRE**

- Sturdy metal frame.
- Curved brush to allow brushing in corners.
- Handle colour determines wire material.
- Overall length 10", brush size 5-1/2" x 5/8", trim length 1".
- Packed in 20 pc display box.



ITEM NO.	WIRE TYPE	HANDLE COLOUR	BRUSH SIZE	WIRE SIZE
USB-STEEL	Steel	Red	5 1/2" x 5/8"	0.012
USB-BRASS	Brass Coated Steel	Yellow	5 1/2" x 5/8"	0.012
USB-SS	Stainless	Green	5 1/2" x 5/8"	0.012

## ▶ GLOVES

**ITEM NO. DESCRIPTION**

\*5800-P-HL Pig grain leather work glove. Lined palm. Elastic back. Rubberized safety cuff.

\*LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS

**ITEM NO. DESCRIPTION**

\*5800-P-FL Pig grain leather work glove. Fully fleece-lined elastic back. Rubberized lined safety cuff.

\*LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS

**ITEM NO. DESCRIPTION**

\*361-B Green fleece glove with knit wrist 35% cotton/65% polyester.

\*LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS



**▶ GLOVES**

ITEM NO.	DESCRIPTION
4-S	White double-knit with elasticized wrist band. 75% Polyester, 25% cotton. Small size.
4-M	As above medium size.
4-L	As above large size.
4-XL	As above extra large size.



ITEM NO.	DESCRIPTION
6899-S	Cotton knit glove with blue latex palm, finger & finger ends. Elasticized wristband. Size small.
6899-M	As above - medium size
6899-L	As above - Large size
*8015FR	Fluorescent Orange PVC-Coated Gloves. Elasticized Wristband. Fully Lined.
*NITB-601	Blue Nitrile-Dipped Glove. Cotton Interlocked Base. Elasticized Wristband.

**\*LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS**



NITB-601



8015FR



6899 Series

**▶ GLOVES - LINED FOR COLDER TEMPERATURES**

ITEM NO.	DESCRIPTION	SIZE
WG68-M	Cotton knit glove with blue latex palm, finger & finger ends, elasticized wristband.	Medium
WG68-L	As above	Large
WG68-XL	As above	X-Large



**▶ GLOVES - NITRILE DIPPED STICKY GLOVE**

- Black nylon back with nitrile palm and fingers. Elasticized wrist band.
- Sticky grip gives more positive holding ability.
- Very sensitive touch due to thin yet strong material.
- Can be used in warehouses, construction or automotive.

ITEM NO.	SIZE
NN2-S	Small
NN2-M	Medium
NN2-L	Large
NN2-XL	X-Large



**▶ MECHANIC'S GLOVE**



- Strong synthetic palm and fingertips to resist tearing.
- Elasticized back to achieve secure fit.
- Hook "N" Loop wrist fastener.
- Available in Red or Black.

ITEM NO.	SIZE
GR-305M	Medium
GR-305L	Large
GR-305XL	Extra Large
GR-305M-R	Medium
GR-305L-R	Large
GR-305XL-R	Extra Large



**▶ GENERAL PURPOSE GLOVES**



- High dexterity, oil-resistant, polyurethane black palm and fingertips.
- Yellow spandex back with elasticized wristband.
- Foam-padded knuckles.
- Double thickness palm.

ITEM NO.	SIZE	DESCRIPTION
M177-M	Medium	General Purpose Glove
M177-L	Large	General Purpose Glove
M177-XL	X Large	General Purpose Glove



**▶ HEARING PROTECTOR - ADJUSTABLE HEADBAND TYPE**

- Padded ABS headband.
- Adjustable muff height.
- Headband force 3.0 lbs.
- WCB Class C
- Tests in accordance with ANSI S3.19-1974.



Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attenuation (dB)	8.9	13.7	20.7	26.1	33.2	33.0	34.5	31.3	34.5
Standard Deviation	2.4	2.1	2.0	1.9	2.1	1.7	2.2	2.0	3.4
SNR	23.6								

**ITEM NO. DESCRIPTION**

EP-106 Hearing Protector

**▶ SAFETY VESTS - 360° REFLECTIVE - 5 POINT TEAR-AWAY**

- Meets CSA Z96-15 Class 2, level 2 requirements.
- 2" silver "3M" Scotchlite reflective strips on front and reflective "X" on back.
- Made of lightweight, soft, breathable lime green polyester material.
- Hook and loop fastening on shoulder, sides and front.

**ITEM NO. DESCRIPTION**

RS-303-M Five-Part Tear-Away Vest With "3M"  
 RS-303-L Reflective Strips, Meets CSA Z96-15  
 RS-303-XL Class 2, Level 2 Requirements.  
 RS-303-XXL


**▶ KNEE PADS**

**ITEM NO. DESCRIPTION**

\*PAD-2000 Hardshell Knee Pad With Hinged Hard cover , Built For Safety And Long Life, Withstands Cold Weather

**\*TO BE DISCONTINUED**



**▶ SPORT & SAFETY GLASSES CONTINUED**

- UV400 rated lens.
- Strong nylon frame and temples.
- Universal nose pads.
- Fog resistant.
- Individually cello-bagged with peg holes.
- Break-resistant polycarbonate lens.



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-321C	Clear	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSIZ 87.1

ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-321S	Smoke	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-321Y	Yellow	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



**▶ SAFETY GOGGLES**

- Soft PVC frame.
- Elastic headband.
- CE EN166F Certified.

ITEM NO.	DISCRIPTION
SG-201	Direct Vented (Perforated Frame)
SG-204	Indirect Ventilation (Cap Vented)



SG-204



SG-201

**▶ SPORT & SAFETY GLASSES CONTINUED**

ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642C	Clear	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642I	Iridium	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642S	Smoke	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642Y	Yellow	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1753C	Clear	Black	Adjustable

Note: Sport/Safety Glasses meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1753S	Smoke	Black	Universal

Note: Sport/Safety Glasses meets ANSI Z87.1





## ▶ RAINSUITS - 3 PC

- 75% PVC, 25% polyester.
- Corduroy-lined collar on jacket.
- Detachable hood with drawstring.
- Bib-style pants.
- Ventilation holes on back.
- Strong, long-wearing, soft at low temperatures.
- Welded seam.

ITEM NO.	SIZE	COLOUR
----------	------	--------

*RPY-570-XL	X-Large	Yellow
-------------	---------	--------

**\*TO BE DISCONTINUED**




## ▶ BARRICADE (SAFETY & SNOW) FENCING

- Uses for outdoor sports, ski areas, farms and ranches, industrial and construction sites, demolition sites, landfills, roadwork and traffic control.
- Strong HD polyethylene construction.
- 1-3/4" x 4" opening rectangular design.
- 100% high density polyethylene.
- Bright orange colour.
- UV stabilized.
- 24 ml thick.

ITEM NO.	DESCRIPTION
----------	-------------

SF-320	Safety/Snow Fencing 4X50'
--------	---------------------------



## ▶ TRAFFIC WARNING TRIANGLES - FOLDING

- Packed 3 reflective triangles per handled plastic case.
- 17" sides for good visibility.
- Weighted base for stability.
- Meets DOT approval.
- All 3 triangles fit plastic case
- 4-3/8" H x 4" W x 17-1/2" L.

ITEM NO.	SIZE
----------	------

YJ-8F	Folding Traffic Warning Triangles
-------	-----------------------------------



**▶ REFLECTIVE MARKER POLE - FIBREGLASS**

- Used to mark driveways and hazardous areas.
- Hi-Viz fluorescent orange.
- Made of durable 5/16" Fibreglass to withstand weather and bending.
- Markers have pointed end and PVC-capped end for driving.

**ITEM NO. DESCRIPTION**

MP0872 72" Marker Pole W/ Reflective Tape



**▶ REFLECTIVE DISC MARKER POLE - FIBREGLASS**

- 5/16" (8 mm) diameter x 48" OAL orange fibreglass pole.
- 3" (76 mm) reflector for long visibility.
- Hole below reflector to help with insertion into ground.
- Reflectors on both sides.

**ITEM NO. DESCRIPTION**

MPD848 48" Marker Pole W/ Reflector Disc



**double-sided red reflector**



▶ **TARPAULINS - BLUE**

- Polyethylene.
- 10 x 10 weave.
- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem.

ITEM NO.	SIZE IN FT.	WEIGHT
768	6 x 8	1.1 lbs.
7810	8 x 10	1.9 lbs.
71012	10 x 12	2.6 lbs.
71014	10 x 14	3.0 lbs.
71214	12 x 14	3.8 lbs.
71218	12 x 18	4.9 lbs.
71224	12 X 24	6.5 lbs.
71416	14 x 16	5.1 lbs.
71520	15 x 20	6.8 lbs.
71824	18 x 24	9.8 lbs.
72030	20 x 30	13.5 lbs.
72448	24 x 48	26.0 lbs.
73060	30 x 60	41.0 lbs.

▶ **TARPAULINS - NATURAL WHITE**

- Polyethylene.
- 8 x 7 weave.
- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem.

ITEM NO.	SIZE IN FT.	WEIGHT
61520	15 X 20	4.9 lbs.
*62030	20 X 30	9.8 lbs.

**\*FOB DARTMOUTH, NS ONLY**

▶ **TARPAULINS - CAMOUFLAGE**

- Polyethylene.
- 10 x 10 weave.
- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem.

ITEM NO.	SIZE IN FT.	WEIGHT EACH
768-CF	6 x 8	1.1 lbs.
7810-CF	8 x 10	1.9 lbs.
71012-CF	10 x 12	2.6 lbs.
71214-CF	12 x 14	3.8 lbs.
71218-CF	12 x 18	4.9 lbs.
71520-CF	15 x 20	6.8 lbs.
72030-CF	20 x 30	13.5 lbs.





▶ **COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIL®

- Ideal for search and rescue.
- Supplied with fluorescent plastic belt clip sheath.
- 4" stainless steel blade.
- Rubber-coated handgrip on plastic handle.
- Distinctive fluorescent ends on handle.
- 15 Pc display master carton.

**ITEM NO. DESCRIPTION**

11824-BK Fluorescent Orange Handle Ends And Sheath

▶ **COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIL®

- 4" stainless steel blade with 2-1/4" serrated section.
- Distinctive fluorescent coloured ends on black rubber-coated handle.
- Rubber-coated handgrip.
- Supplied with orange plastic belt clip sheath.
- 15 Pc display master carton.

**ITEM NO. DESCRIPTION**

11829-BK Serrated Blade Knife, Fluorescent Orange Handle Ends &amp; Sheath

▶ **COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN -**

MORAKNIL®

- 4" Stainless steel blade.
- High-friction rubber-gripped handle.
- Multi-colour handles and sheaths.
- Available in display, 5 pieces black, 5 pieces military green, 5 pieces desert.
- Colour co-ordinated sheath with clip-on fastener.
- 15 PC display master carton.

**ITEM NO.****DESCRIPTION**

14065-15D (Replaces #13089-15D) Companion DIM Colour Mix with Stainless Steel Blade (15 PCS)



**▶ COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**
**MORAKNIL**

- Military green sheath and handle ends.
- Supplied with military green belt clip sheath.
- Rubber coated handgrip on plastic handle.
- 15 Pc display master carton.
- 4" Blade.

ITEM NO.	DESCRIPTION
11863-BK	4" Carbon Steel Blade With Military Green & Black Handle
11827-BK	4" Stainless Steel Blade With Military Green Handle Ends


**▶ COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN**
**MORAKNIL**

- 4" Stainless steel blade.
- High-friction rubber-gripped handle.
- Multi-colour handles and sheaths.
- Available in display, 3 each blue, green, black, dark pink & fluorescent orange.
- Colour co-ordinated sheath with clip-on fastener .
- 15 Pc display master carton.

ITEM NO.	DESCRIPTION
M-12141	4" SS Companion Knife - Black Handle


**▶ COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN**
**MORAKNIL**

- 12C27 Stainless steel & smooth blade.
- TPE rubber handle and polypropylene plastic sheath.
- Available in display, 5 pieces dala red, 5 pieces olive green, 5 pieces burnt orange (15 Pc display master carton).
- Blade length (cm): 10.3, Handle length (cm): 12, Total length (cm): 21.8, Weight (gr): 116, Hardness: 57.

ITEM NO.	DESCRIPTION
14069-15D (Replaces #12884-15D)	Companion Leaf Colour Mix Display (15 PCS)



▶ **COMPANION OUTDOOR & RESCUE KNIVES - MADE IN SWEDEN**

MORAKNIV®

- 3.9" Stainless steel blade.
- Serrated cutting edge for cutting rope, nylon or poly.
- Comfortable rubber grip and belt clip sheath.
- Blunt end for safety.
- Red colour sheath and handle ends.
- 15 pc display.

**ITEM NO. DESCRIPTION**

11828-BK Companion Rescue Knife with Stainless Steel Blade

▶ **COMPANION HEAVY DUTY OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIV®

- Heavy duty 3.2 mm thickness blade.
- Matching colour clip-on sheath and handle ends.
- 27° Edge angle for sharpness retention.
- Decorative display box.
- Master Carton: 5 Pieces.

**ITEM NO. DESCRIPTION**

12494-BK 4.1" Carbon Steel Blade-Military Green  
 12495-BK 4.1" Carbon Steel Blade-Orange  
 M-12210 Carbon Steel Blade-Military Green, Blister Pack  
 M-12211 Carbon Steel Blade-Orange, Blister Pack

▶ **COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIV®

- 2.5 mm thick cold-rolled stainless steel blade.
- H.Q. Fire starter built into handle for use with blade spine.
- Molded TPE handle with guard.
- Hard plastic combo sheath.
- Blade 4.1", total length 9.4"
- Carded.

**ITEM NO. DESCRIPTION**

M-13571 Companion Spark Knife - Red  
 M-13567 Companion Spark Knife - Black



**▶ OUTDOOR/CAMPING/SURVIVAL KNIFE (BUSHCRAFT BLACK SERIES) - MADE IN SWEDEN** **MORAKNIV**

- 4-1/8" Heavy-duty carbon steel blade is 3.2 mm thick.
- Blade is coated with black coating to resist corrosion.
- Blade tang extends 3/4 of the way into handle.
- Blade spine is shaped to use with fire starter.
- Rubber-coated handle to provide positive grip.
- Multi-position plastic sheath w/belt clip & belt loop.
- Clamshell packed for easy display.



ITEM NO.	DESCRIPTION
10791-SC	Bushcraft Black Knife w/ 4-1/8" Coated Carbon Blade

**▶ SPORT AND FISHING KNIVES - MADE IN SWEDEN** **MORAKNIV**

- Molded polymer handle with guard.
- Molded hard plastic combo sheath.
- 15 pc display master carton.

ITEM NO.	DESCRIPTION
BASIC511-BK	3.6" Carbon Steel Blade, Red Handle
M-13246 (Replaces #BASIC546-BK)	2mm x 91mm (3.6") Stainless Steel Blade, Orange/Black Handle


**▶ CLASSIC KNIFE - MADE IN SWEDEN** **MORAKNIV**

- 4-1/8" Carbon steel blade (8-11" overall length).
- Red-stained birchwood handle with finger guard.
- Black polymer sheath with leather belt strap.
- Packaged in peggable display box.
- 5 Per master carton.



ITEM NO.	DESCRIPTION
M-13606	Classic No.2 Knife with Finger Guard



► **KANSBOL OUTDOOR & CAMPING KNIFE - MADE IN SWEDEN**

**MORAKNIL**®

- Made from recycled Swedish stainless steel.
- Blade length: 4.3" and is 0.1" thick.
- Profile shaped blade for added precision.
- Spine is ground so it can be used with fire starter.
- Secure grip handle for safety and comfort.
- Supplied with belt loop plastic sheath.
- Dark green colour.
- Carded.



ITEM NO.	DESCRIPTION
12872-SC (Replacement for 12634-BK)	Heavy-Duty General Purpose Stainless Steel Knife

► **ELDRIS CAMPING KNIFE - MADE IN SWEDEN**

**MORAKNIL**®

- Designed for outdoor use.
- Ergonomic barrel-shaped polymer handle provides a soft friction grip and a finger guard for safety.
- 2.0 mm thick blade is made of recycled Swedish stainless steel.
- Compact.
- Can fit in a pocket or backpack, & comes with a symmetrical polymer sheath suitable for both right & left-handed users.
- Burnt Orange.

ITEM NO.	DESCRIPTION
13501-BK (Replacement for 12647-BK & 12648-BK)	2-1/8" Stainless Steel Blade Burnt Orange Handle
12647-BK	Knife Eldris Basic, Black, Boxed.
12648-BK	Knife Eldris Basic, Red, Boxed.



12647-BK



12648-BK



13501-BK

► **SKINNING KNIFE - MADE IN SWEDEN**

**MORAKNIL**®

- 6" curved stainless steel blade.
- 5" slip-resistant polypropylene handle.

ITEM NO.	DESCRIPTION
7146-5	Skinning Knife



**FILLET KNIFE (SPORT FISHING) - MADE IN SWEDEN**


- 6" Cold-rolled stainless steel blade with high-friction rubber grip.
- Medium flex blade.
- Easy clean vented plastic sheath.
- Master Carton: 10 Pieces.
- Blister pack.

ITEM NO.	DESCRIPTION
M-13869	6" Rubber-Gripped Fillet Knife, Blister Carded


**FILLET KNIVES - MADE IN SWEDEN**


- Plastic molded handles with rough surface.
- Flexible stainless steel blades.
- Blades are hardened to 57-58 HRC.
- Master carton 10 pcs.

ITEM NO.	DESCRIPTION
299P	4-1/2" Blade Fillet Knife (Semi-flexible) With Stainless Steel Spoon
9152P	6" Blade Fillet Knife (Stiff) With Stainless Steel Spoon
9197P	7-1/2" Narrow Style Fillet Knife (Flexible)
9160P	6-1/4" Flexible Blade Fillet Knife
9180P	7" Flexible Blade Fillet Knife



299P &amp; 9152P



9197P



9160P



9180P

**KITCHEN AND BUTCHER KNIVES - MADE IN SWEDEN**


- Stainless steel blades with comfortable sealed plastic handles that conform to Health - Safety Standards.
- Stainless steel blades are hardened to 57 - 58 Rockwell C, which makes the blades very hard so as to maintain a sharp edge yet still remain flexible to avoid breakage.
- Fully guaranteed against manufacturer's defects.
- Master Carton: 10 Pieces.

ITEM NO.	DESCRIPTION	BLADE LENGTH
*9210P	Meat Knife	8-3/4"

\*FOB SURREY, BC ONLY



▶ **KNIFE - SKINNING & BONING KNIVES (FILLET) - MADE IN BRAZIL**

TRAMONTINA

- Krupp 1.14110 or Sandvik (12C27) Stainless Steel Blades with 55HRC hardness.
- Textured polypropylene handles for comfort and safety.
- NSF® for health safety issues.
- 12 PCS per shelf pack.

ITEM NO.	DESCRIPTION
24606-056	6" Skinning Knife, Yellow Handle
24603-086	6" Boning Knife, White Handle
24605-087	7" Boning (Fillet) Knife, White Handle, Stiff Blade



24606-056



24603-086



24605-087

▶ **FILLET KNIFE - MADE IN BRAZIL**

TRAMONTINA

- Stain-free high carbon blade Krupp or Sandvik 12C27 SS.
- NSF food safe handle.
- Semi-flexible blade.
- Blade is 8-1/2" long.
- 12 PCS per shelf pack.

ITEM NO.	DESCRIPTION
24622-088	8-1/2" Filleting Knife

▶ **MACHETES - MADE IN BRAZIL**

TRAMONTINA

- Steel SAE 1070.
- Hardness: 48 to 52 RC.
- Wood handles with nickel-plated rivets.
- Supplied with vinyl sheath.

ITEM NO.	DESCRIPTION
2610-18	18" Blade With Vinyl Sheath
2610-22	22" Blade With Vinyl Sheath



**▶ GRANTON EDGE COOKING KNIFE**
**TRAMONTINA**

- Hardened DIN 1.4110 stainless steel blade.
- Ergonomic polypropylene handle with anti-microbial properties.
- Air pockets between meat & blade enhances cutting performance.



ITEM NO.	DESCRIPTION
24646-087	7" Cook's Knife

**▶ 10" COOK'S KNIFE**
**TRAMONTINA**

- Hardened DIN 1.4110 stainless steel blade.
- Ergonomic polypropylene handle with anti-microbial properties.



ITEM NO.	DESCRIPTION
24609-080	10" Meat Knife

**▶ GRANTON EDGE SALMON FILET KNIFE**
**TRAMONTINA**

- Hardened DIN 1.4110 stainless steel blade.
- Ergonomic polypropylene handle with anti-microbial properties.
- No stick, tear or shred.
- 1" Wide blade for smooth cutting.



ITEM NO.	DESCRIPTION
24654-082	12" Salmon Filet Knife

**▶ CAMPING MACHETE**
**TRAMONTINA**

- Stainless steel blade.
- Black textured polypropylene handle with lanyard hole.
- Saw-tooth back.
- Comes in hang pack.



ITEM NO.	DESCRIPTION
26619-122	12" Camping Machete without Sheath

▶ **10" BUSH KNIFE**

TRAMONTINA

- Hardened carbon steel blade.
- Wood handle.

**ITEM NO. DESCRIPTION**

26620-010 10" Knife without Sheath

▶ **SWEET SPOT CHOPPER**

TRAMONTINA

- Hardened carbon steel blade.
- Wood handle.

**ITEM NO. DESCRIPTION**

26652-014 14" Machete without Sheath, Hook Blade

▶ **STANDARD HUNTING KNIFE WITH SHEATH**

TRAMONTINA

- Hardened stainless steel blade.
- Ergonomic polypropylene handle.
- Waterproof nylon sheath.

**ITEM NO. DESCRIPTION**

26003-106 6" Hunting Knife with Sheath

▶ **PARING KNIVES**

CH UNEX

- Nylon or plastic handles.
- Carbon steel blades.
- Individually poly-bagged.

**ITEM NO. DESCRIPTION**

TOP-002 Paring (Net) Knife With 3-1/2", Serrated Blade, Nylon Handle

TOP-003 Paring Knife With 3-1/2", Smooth Blade, Plastic Handle



**▶ POCKET KNIFE**
**TRAMONTINA**

- Stainless steel blade.
- High quality wooden handle.

ITEM NO.	DESCRIPTION
26325-103	3" Pocket Knife


**▶ BOLO MACHETE KNIFE**
**TRAMONTINA**

- Hardened carbon steel blade.
- Wooden handle.

ITEM NO.	DESCRIPTION
26624-014	14" Bolo Machete Knife


**▶ FOLDING POCKET KNIFE - LOCK BACK**
**GH UNEX**

- Stainless steel blades.
- Stainless steel bolsters.
- Brass rivets.
- Pakka wood handle.
- End bolster drilled for lanyard.
- Supplied with nylon web sheath with belt loop.
- Boxed.

ITEM NO.	DESCRIPTION
SC22222	5" Lock Back Knife



## ▶ SHARPENING STEELS

CH UNEX

- Plastic handles with handle hang-up ring.
- Molded finger guard.
- Individually poly-bagged.

ITEM NO.	DESCRIPTION
TOP-003ST-12	12" Oval, Diamond Steel
TOP-004ST-12	12" Round Medium Grit Magnetized Steel



## ▶ SHARPENER - FOR KNIVES &amp; SCISSORS

CH UNEX

- Two sharpening profiles: one for knives, one for scissors.
- Long-lasting carbide cutting block.
- Protective handgrip.
- Sharpens straight and serrated blades.
- Blister carded.

ITEM NO.	DESCRIPTION
DS01005	Knife & Scissor Sharpener




## ▶ COMBINATION SHARPENING STONE

CH UNEX

- 8" long aluminum oxide.
- Fine and coarse sides.
- For sharpening high quality steel tools.

ITEM NO.	DESCRIPTION
812-2011	2-1/2" W x 8" L, 1-1/4" Thickness



## ▶ FIRE STARTER

CH UNEX

- Ideal for camping or survival kits.
- Works wet or dry.
- Generates extremely hot sparks.
- Used with some dry tinder, fires can be started very easily.
- Supplied with wrist lanyard and striking steel.
- 3" Blade, 4-1/4" overall.
- Carded.

ITEM NO.	DESCRIPTION
BG010662	Fire Starter



**▶ BINOCULARS**


- Fully adjustable interpupillary distance (distance between eyes.)
- Adjustable diopter setting and central focussing.
- Roll-down eyecups for use with glasses.
- All binoculars supplied with nylon carrying bag, neck lanyard, and lens cleaning cloth.
- Attractively boxed.



ITEM NO.	DESCRIPTION
BN-1050	10 x 50 Magnification

**▶ RIFLE SCOPE WITH MOUNTING RINGS**



- Large notched focus ring.
- Fast-acting octagonal notched magnification ring.
- See-through amber-shaded lens protector provides, not only protection but also reduced glare.
- Elevation and windage adjustments have very smooth, and positive click positions.
- Supplied with mounting rings.
- Boxed.



ITEM NO.	MAGNIFICATION
RS-3940	3 X 9 X 40

**▶ GUN TRIGGER LOCKS**


- Heavy alloy construction.
- Fast ratchet-action to lock onto weapon.
- Versatile to fit most guns.
- Mark-proof rubber cushions prevent scratching.
- Supplied with 2 keys.
- Carded.
- Available keyed-different and keyed-alike.
- Packing carton (12 pieces) converts to display box.
- Master carton: 72 Pieces.



ITEM NO.	DESCRIPTION	STD. PACK
UTL-KD	Gun Lock – Keyed Different	12
UTL-KA1	Gun Lock – Keyed Alike Group 1	12
UTL-KB	Keyblank for Unex Trigger Lock.	
UTL-KB1	Precut Key for UTL-KA1	
UTL-KB2	Precut Key for UTL-KA2	

**▶ GUN TRIGGER LOCK - COMBINATION TYPE**


- Heavy alloy construction.
- Ratchet action to fasten on trigger.
- Fits most guns.
- Mark-proof rubber cushions prevent scratching.
- Carded and UPC coded.
- Combination can be easily changed at any time.
- Master carton: 72 Pieces.


ITEM NO.	DESCRIPTION
M-802C	Combination Type Gun Trigger Lock





### ▶ CROWN CABLE GUN LOCK

- PVC-coated aircraft cable and lock body to protect against scratching.
- Used as a gun lock, cable can be inserted through loading port to the ejection port then locked.
- Packed in poly-bag with header.
- Master carton: 72 Pieces.



ITEM NO.	DESCRIPTION	STD. PACK
CBL-007	Cable Gun Lock And Bicycle Lock (Keyed Different)	12
CBL-007-KA3	Cable Gun Lock And Bicycle Lock (Keyed Alike)	12

### ▶ UNEX CABLE GUN LOCK - COMBINATION TYPE

- PVC-coated aircraft cable to protect against scratching.
- 15" cable.
- Cable can be inserted through loading port to the ejection port then locked.
- Resettable combination.
- 100 per master carton, 10 per shelf pack.
- Packed in clamshell hang-pack.



ITEM NO.	DESCRIPTION
352-24	Cable Trigger Gun Lock

### ▶ CHEST WADERS - OLIVE GREEN

- 420 Denier nylon with PVC backing.
- Double-stitched and heat tape seams.
- Quick-release buckle on suspenders and waist belt.
- Large chest pocket on inside.
- Reinforced knees.
- Molded PVC-treaded boot with 4mm neoprene lining and removable taxon insoles.
- Sizes marked on boot.

ITEM NO.	US SIZE
*NCW008-07	7
*NCW008-08	8
<b>*TO BE DISCONTINUED</b>	



**▶ HIP WADERS - OLIVE GREEN**

- 420 Denier nylon with PVC backing.
- Double-stitched and heat tape seams.
- Adjustable elastic belt loops.
- Reinforced knees.
- Molded PVC-treaded boot with 4mm neoprene lining and removable taxon insoles.
- Sizes marked on boot.

ITEM NO.	US SIZE
*NHW008-07	7
*NHW008-08	8
*NHW008-09	9
*NHW008-10	10
*NHW008-11	11
*NHW008-13	13
<b>*TO BE DISCONTINUED</b>	


**▶ WIRE - SNARE**


- Ideal for snaring rabbits and general fastening.
- Can also be used as a tie-down device.
- Available in 25' coils.
- Each roll header-carded.

ITEM NO	LENGTH	WIRE TYPE	AWG GAUGE	SIZE	DESCRIPTION
SWBR-25	25'	Brass	22	.025"	Brass Snare Wire
SWSS-25	25'	Stainless Steel	22	.025"	Stainless Steel Snare Wire



**A Abrasives**

– Cup brushes.....	77
– Cut off wheels.....	79
– Grinding wheels.....	76-78
– Wire wheels.....	76-78
Adhesives.....	29-35
Adjustable Wrenches.....	57
Adze.....	97
Anchor Shackles.....	158,159
Aquaseal.....	36
Auto Bulbs.....	1,2
Axe Mate Protectors & Sheaths.....	100

**Axes**

– Agdor.....	94,95
– Beaver brand.....	97
– Carpenters.....	93
– Competition.....	94,96
– Double bit.....	94,96
– Fire axes, spike.....	99
– Hand forged.....	93,94
– Hatchets.....	93, 97, 98
– Hultafors.....	93,94
– Mauls.....	94,96,100
– Miners.....	98
– Oxhead Iltis.....	95,96
– Pulaski.....	99
– Racing, competition.....	94,96
– Unex brand.....	98,99,100

**B Ball Mount.....21****Barricade**

– Fence.....	197
– Tape.....	184

**Bars**

– Crowbar.....	113
– Prybar.....	112
– Stripping.....	113
– Tove.....	112
– Winch.....	164
– Wrecking.....	111

**Battery**

– Booster cables & clamps.....	12,13
– Charger.....	8,9
– Maintainers.....	8
– Testers.....	8
– Terminals & adapters.....	12
– Terminal brush.....	12

Bearings.....	151-154
---------------	---------

Belt Punch Pliers.....	57
------------------------	----

**Benders**

– Rebar.....	44
--------------	----

Binoculars.....	212
-----------------	-----

**Blades**

– Band saw.....	87
– Bow saw.....	80
– Circular saw.....	76
– Hacksaw.....	86
– Holesaw.....	84
– Jig saw.....	86
– Meat saw.....	83
– Reciprocating.....	87
– Utility knife.....	66,67

**Blocks**

– Cable.....	150
– Chain.....	143
– Pillow blocks.....	151
– Rope.....	149
– Snatch, yarding.....	150

Boat Winches & Cable Strap.....	21
---------------------------------	----

Bolt Cutters & Parts, MCC.....	42-46
--------------------------------	-------

Booster Cables & Clamps.....	12,13
------------------------------	-------

Bow Saws & Blades.....	79,80
------------------------	-------

Brass & Stainless Snare Wire.....	214
-----------------------------------	-----

Brass Hammer.....	103
-------------------	-----

Brooms.....	170-176
-------------	---------

Brush Hooks.....	96
------------------	----

**Brushes and Brooms**

– Angle.....	170
– Battery terminal.....	12
– Boat.....	175,176
– Braces.....	173,174
– Car.....	15
– Corn.....	171
– Counter.....	176
– Cup brushes.....	77
– Deck.....	176
– Broom & mop handles.....	178,179
– Paint.....	186
– Parts cleaning.....	187
– Rig.....	176
– Roof & tar.....	175
– Scratch.....	187,188
– Scub.....	177
– Wash.....	175,176
– Whisk.....	170,171
– Wire brushes.....	76,77,78
– Stable.....	174

**Bulbs**

– Auto, motorcycle, snowmobile.....	1-2
-------------------------------------	-----

Bungee Cords.....	26,27
-------------------	-------

Bush Knife.....	209
-----------------	-----

**C Cable**

– Clamp Kit.....	14
------------------	----



- Accessories.....146,147
- Aircraft.....145
- Clips.....14,146
- Cutters.....43,44
- Locks.....213
- Pullers.....144
- Sheaves.....147,148,149
- Sleeves.....147
- Stops.....146
- Thimbles.....146
- Ties (white & black nylon).....170
- Calipers
  - Digital, vernier.....88,89
- Cargo Lashes**
  - Cargo lash ratchets.....28
  - Net.....28
- Cash Boxes.....132
- Casters.....24,139
- Caulking Guns.....63,64
- Chain Blocks.....143
- Chain Accessories**
  - Cold shuts.....158
  - Hooks.....147,162,163
  - Lap links.....157
  - Link locks.....158
  - Quick links.....157
  - “S” hooks.....156
- Chain Saw Files**.....75
  - Handles.....72,73
- Chain Vises.....50
- Chain Wrenches.....49
- Chalk Refills.....87
- Channellock Pliers.....55,56
- Chemicals.....29-38
- Chisel & Punch Sets.....61
- Circular Saw Blades.....76
- Clamps**
  - Battery booster cable.....13
  - Spring clamps.....12
  - Clamps booster.....12
  - C-clamps.....41,42
  - Hose.....18,19
- Cleaners
  - Hand.....186,187
- Clearance & Marker Lights.....4,5,6
- Cluthe**
  - Funnels.....138
  - Measuring containers.....140
- Cold Shuts.....158
- Combination Wrench – Sets.....58,59,60,61
- Concrete Wire Nippers.....43,48,55
- Cotter Pin Assortment.....169

- Coveralls – Disposable.....185
- Crow Bars – Chisel & wedge point.....113
- Cup Brushes.....77
- Cut-Off Wheels.....79
- Cutters**
  - Bolt & replacement jaws....42,43,45,46
  - Hydraulic hose.....44
  - Pipe, PVC.....45,50
  - Rebar, bender.....44
  - Steel strap.....44
  - Threaded rod cutters.....45
  - Tubing.....50
  - Wire cutters.....43
  - Wire rope.....43,46
- Cylinder guards.....126,127
- Cylinders**
  - Dummy.....124
  - Guard rings.....125
  - Hydraulic.....136,137
  - Space rings.....125
  - Thumb turns.....124
  - Guards.....126,127

- D** Dead Blow & Hammers.....104
- Dead Bolts & Latches.....122,123
- Deburring Set.....53
- Dial Gauge.....89
- Disposable**
  - Coveralls.....185
  - Door cylinder guards.....126,127
- Draw**
  - Bar.....22
  - Knife.....97
  - Pilot.....84
- Drill Bits**
  - Jobbers.....71
  - Prentice.....72
  - Sets.....71
  - Stub.....72
- Drill Press Vises.....41
- Drywall Screw Bit.....62
- Dust Pans.....177,178

- E** Extension Poles.....82
- E-Clip Assortment.....169
- Electrical Connectors & Adapters (Auto).9,10,11
- Electrical Tape**
  - Standard cord.....183
- Electricians Knife.....65,210
- Emergency Lights.....7,8
- Electrical Extension Cords.....181,182
- Electrical Plugs & Connectors.....181

Extractors	
– Screw.....	71
Eye Bolts.....	161

## **F** Fastener Assortments.....169

<b>Fence</b>	
– Pliers.....	56
– Safety.....	197

FiberFix.....	35,36
---------------	-------

File Card.....	187
----------------	-----

<b>Files</b>	
– Axe.....	74
– Chain saw.....	75
– File card.....	187
– Handles.....	72,73
– Machinist.....	73,74
– Mower.....	74
– Rasps.....	75

Fire Axes, Pulaski, Spike.....	99
--------------------------------	----

Fire Starter.....	211
-------------------	-----

Flagging Tape.....	185
--------------------	-----

Flanges.....	152
--------------	-----

<b>Flashlights</b>	
– LED aluminum.....	3
– Lantern, camping.....	3

Flush Bolts.....	124
------------------	-----

Forks.....	108
------------	-----

Funnels.....	137,138
--------------	---------

Fuses	
– Auto.....	13

## **G** Gasket Making Silicones.....33

<b>Gauges</b>	
– Dial.....	89

Glasses.....	195,196
--------------	---------

<b>Gloves</b>	
– Cotton.....	192
– Goggles.....	195
– General purpose.....	193
– Mechanics.....	193
– Nitrile.....	192-193
– PVC.....	192
– Work.....	191-193

Glue.....	38
-----------	----

Gojo – Hand cleaner wipes.....	186,187
--------------------------------	---------

Goop.....	37
-----------	----

Grease Guns & Accessories.....	140,169
--------------------------------	---------

Grease Nipples.....	169
---------------------	-----

Gun Locks.....	212,213
----------------	---------

## **H** Hacksaws & Blades.....79,82,83,86

Hair Pins.....	156,169
----------------	---------

Hammer Locks.....	158
-------------------	-----

## **Hammers**

– Blacksmith.....	102
– Brass, non-sparking.....	103
– Carpenters claw.....	104
– Club.....	102
– Deadblow.....	104
– Machinist (ball pein).....	103
– Rubber.....	104
– Sledge.....	101

Hand Cleaner, Gojo.....	187
-------------------------	-----

## **Handles**

– Broom.....	178,179
– Lever door.....	121,122
– Push paddle door.....	123

## **Handles, Striking Tool**

– Adze.....	106
– Axe.....	105-107
– File.....	72,73
– Hammer.....	106
– Hatchet.....	105
– Hookaroon.....	105
– Hultafors.....	93,94
– Maul.....	107
– Pick.....	107
– Post maul.....	107
– Pulaski.....	105,106
– Scraper.....	101
– Shovel.....	107
– Sledge.....	105,106

Hatchets.....	93,97,98
---------------	----------

Hearing Protectors.....	194
-------------------------	-----

Heat Shrink.....	14
------------------	----

Hi Lift Jacks.....	19,20
--------------------	-------

## **Hinges**

– Strap.....	129
--------------	-----

Hitch Pins & Clips.....	154,155,156
-------------------------	-------------

## **Hoists**

– Cable.....	144
– Chain, lever blocks.....	143
– Rope.....	144,145

Holesaws.....	84,85
---------------	-------

Hookaroons.....	99
-----------------	----

## **Hooks**

– Clevis & eye.....	147,162
– Carabiner.....	129
– Grab.....	162,163
– “S” hooks.....	156
– Slip.....	147,163
– Snap.....	164-166
– Spring zinc/stainless.....	160

## **Hose**

– Clamps.....	18,19
---------------	-------

- Cutters.....44
- Hydraulic Cylinders.....136
- Hydraulic Hose Cutters.....44
- Hydraulic Jacks.....135

**I**

- Ice Scrapers & Snow Brushes.....16
- Implement Light.....2,3,4
- Inspection Mirror.....67
- Inter-Lock Plates.....128

**J**

- J-B Weld.....29-36
- Jacks**
  - Hi-Lift jack & accessories.....19,20
  - Hydraulic bottle.....135
  - Hydraulic cylinders.....136
  - Trailer & accessories.....4,5,6
- Jig Saw Blades.....86

**K**

- Kevron Key Tags.....130,131
- Key Blanks.....115,117,120
- Key Cabinets.....131,132
- Key Caddy Starrett.....87,129
- Key Tags & Key Accessories.....129-131
- Knee Pads.....194

**Knives**

- Boning.....207
- Bush.....209
- Bolo.....210
- Cook’s.....207-208
- Draw.....97
- Electrician’s.....210
- Fillet, fishing.....207-208
- Folding pocket.....210
- Hunting.....209
- Kitchen, commercial.....208
- Machete.....207-210
- Paring.....209
- Skinning.....207
- Utility.....65,66

**MORA Knives**

- Bushcraft.....204
- Classic.....204
- Camping, companion.....201-203
- Companion H.D.....203
- Cook’s.....206
- Eldris.....205
- Electrician’s.....65
- Fillet, fishing.....206
- Hunting.....204,205
- Kansbol.....205
- Kitchen.....206
- Basic.....204

- Rescue.....203
- Skinning.....205
- Spark.....203
- Knob Protectors.....125,126

**L**

- Lap Links.....157
- Latch Paddles.....123
- Latch Protector.....128
- LED Clearance & Marker Lights.....4,5,6
- Letter & Number Stamps.....62
- Lever Guards.....125,126
- Lever Handles.....121,122

**Lights**

- Adaptors.....6
- Clearance & marker.....4,5,6
- Emergency.....7
- Flashlights.....3
- Off-road.....2
- Safety, flashing.....7,8
- String.....180
- Towing.....6
- Tractor LED, halogen.....2,3,4
- Trailer lights.....6,7
- Trouble.....179
- Turn, stop, tail, marker, clearance...4-6
- Work LED.....2,180

- Linch Pins.....156
- Link Locks.....158
- Load Binders.....163,164

**Locks**

- Deadbolts.....122
- Entry, passage, privacy.....121
- Gun locks.....212,213
- Padlocks.....115-120
- Trailer.....24,25

**M**

- Machete.....207-209
- Magnetic Base.....89
- Magnetic Pick-Up Tool.....67

**Magnetic**

- Mallet
  - Rubber.....104
- Marker Pole.....198

**Mauls**

- Splitting.....94,96,100,102

- Measuring Containers .....140
- Measuring Tools.....88,89
- Meat Saw & Blades.....83
- Mechanics Creeper Stool.....17,18
- Mechanics Glove.....193
- Mechanics Vise.....41

Micrometer	
– Outside.....	89
Mirror	
– Telescopic.....	67
Mops Yacht & Handle.....	177,178
Mortise – Cylinders, thumb turns, dummy cylinders.....	124

<b>N</b> Net – Cargo net.....	28
Number & Letter Stamps.....	62

<b>O</b> “O” Ring Kits – Rubber.....	169
Oilers & Accessories.....	140,141

<b>P</b> Paddles – Push-pull.....	123
-----------------------------------	-----

### **Padlocks and Key Blanks**

– Brass.....	115-120
– Disc style.....	121
– Keyed alike.....	116-119
– Keyed different.....	115,118,119,120
– Laminated.....	115-116
– Semi-assembled.....	119
– Re-key alike.....	120

### Paint

– Brushes.....	186
----------------	-----

### **Picks and Mattocks**

– Handles.....	107
– Heads only.....	111

Pick-Up Tool.....	67
-------------------	----

### Pillow Blocks

– Bearings.....	151
-----------------	-----

### **Pipe**

– Cutters, MCC, SuperEgo.....	45,50
– Threaders.....	51
– Vises.....	50
– Wrenches, SuperEgo.....	47,48

### Pipe Tool

– Parts.....	52,53
--------------	-------

### **Pliers**

– Box joint.....	49
– Concrete wire nippers.....	48
– End nippers.....	43,48,55
– Fence.....	56
– Nut buster.....	55
– Parallel action cutting.....	57
– Rescue.....	56
– Revolving punch plier.....	57
– Snap ring.....	56
– Tongue and groove.....	55

### **Protectors**

– Cylinders.....	127
------------------	-----

– Deadbolt.....	126
– Knob.....	125,126
– Latch.....	128
– Lever.....	125

Prentice Drills.....	72
----------------------	----

Pruning Saws.....	79-82
-------------------	-------

Pry Bars.....	112
---------------	-----

Pulaski Fire Axes.....	99
------------------------	----

### **Pullers**

– Cable.....	144
– Lever chain.....	143,144
– Ratchet.....	143,144
– Rope.....	144,145

Pulley Yoke.....	147
------------------	-----

### **Pulleys**

– Malleable iron.....	147,148
– Stainless.....	148,149

Pump Oilers.....	140
------------------	-----

### **Pumps**

– Lever pail.....	143
– Lever, rotary, syphon.....	141,142
– Lever barrel.....	142
– Air, hand.....	141,142
– Submersible.....	141
– Syphon.....	142

Punch & Chisel Sets.....	61
--------------------------	----

### **Punch**

– Revolving belt.....	57
– Wad punch.....	61

PVC Pipe Cutter, MCC.....	45
---------------------------	----

### **Q** Quick Links

– Plated steel & stainless steel.....	157
---------------------------------------	-----

Quick Pins.....	155
-----------------	-----

### **R** Rain Suits..... 197

### **Rakes**

– Bow.....	108
------------	-----

Ratchet Cable Puller.....	144
---------------------------	-----

### Rebar Cutter

– Bender.....	44
---------------	----

Rebar Wire.....	182
-----------------	-----

Rescue Tools, Channel Locks.....	56
----------------------------------	----

Retainer Ring Assortment.....	169
-------------------------------	-----

Rifle Scopes.....	212
-------------------	-----

Ring Bolts.....	161
-----------------	-----

Rings Welded.....	157
-------------------	-----

Rope Hoists.....	144
------------------	-----

Ratchet Chain Pullers.....	143,144
----------------------------	---------

Rivets.....	90
-------------	----

Rivet Guns.....	91
-----------------	----

Rope Ratchet Puller.....	145
--------------------------	-----

Rubber Tie-Downs.....25,26

**S** "S" Hooks.....156

**Safety**

- Fence.....197
- Flashing emergency lights.....7
- Glasses & goggles.....195,196
- Pins.....155
- Vests.....194

**Saws**

- Bandsaw blades.....87
- Bow saws & blades.....79,80
- Circular saw blades.....76
- Hacksaws & blades.....79,82,83
- Handsaws.....83
- Holesaws & arbors.....84,85,86
- Jigsaw blades.....86
- Meat saws & blades.....83
- Pruning saw.....79,80,81,82
- Reciprocating blades.....87
- Pull saw.....80
- Pruning saw.....82
- Extension pole.....82

Scopes

- Rifle.....212

**Scrapers**

- Heavy duty cast.....101
- Auto, ice.....15

Scratch Brushes.....187,188

**Screwdrivers**

- Drywall screwdriver bit.....62
- Open stock.....62

Screw Extractors

- Spiral & square.....71

Seal-All.....36

**Shackles**

- Anchor.....158,159
- D.....159
- Trawling.....159

**Sharpening**

- Steels.....211
- Stone.....211
- Wet stone.....94

Sheaths Axe.....100

Sheaves

- Stainless.....148,149
- Cast Iron.....147,148,150

Shock Cords.....26,27

Shovels.....109-111

Silicone Gasket Makers & Adhesives.....33

Sledge Hammers & Hammers.....101-104

Shoe Goo.....38

**Snaps**

- Bolt.....165
- Hooks.....164
- Leash.....165
- Swivel.....165,166
- Trigger.....165

Snatch Blocks.....150

Snap Ring Assortment.....169

Snow Brush & Ice Scraper.....15

Snow Fence.....197

Snow Shovels.....110

Sockets Sets - 3/4" drive.....60

Spacer Rings.....125

Splitting Mauls.....94,96,100,102

Split Pin Assortment.....169

Split Rings.....130

Spring Hooks

- Plated steel & stainless steel.....160

Squeegees.....16, 179

Stamps

- Number & Letter.....62

Starrett.....84-87

Splice Kit

- Quick.....14

Steels

- Sharpening.....211

Stop, Turn & Tail Light.....6

Strap Cutter.....44

Strap Wrench.....48

Stripping Bar.....113

Stub Drills.....72

Submersible Pumps.....141

SuperEgo.....47-55

Swagger Tool.....46

Swivels.....161,162,165,166

**T** Tap & Die Sets.....68,69,70

**Tape**

- Barricade.....184
- Flagging.....185
- Packing.....184
- PVC electrical.....183
- FiberFix.....34,35,36
- Reflective, trailer.....183
- Reflective, pet solas.....183
- FiberFix.....35,36
- Teflon.....184

Tapes

- Measuring.....88

Tarps, Blue, Camo, White.....199

Teflon Tape.....184

Test Equipment - Battery.....8,9



- Threaded Rod Cutter.....45  
 Threader Kits & Parts, SuperEgo.....51
- Tie Downs**
- Cargo lashes.....28
  - Shock cord fabric covered.....26,27
  - Ratchet.....28
  - Rubber, Snappi-Hooker.....25,26
  - Sport quick release.....27
- Tie Wire & Dispenser.....182  
 Tire Valve Stems.....17  
 Tove Bar.....112  
 Tow Straps
- Nylon.....27
- Towing Lights.....6  
 Tractor Lights.....2,3,4
- Trailer**
- Balls, couplers & bushings.....21,22
  - Bearing kits.....154
  - Couplers.....24
  - Draw bars.....22
  - Jacks & accessories.....23
  - Ball moont triple.....21
  - Light adaptors.....9
  - Lighting kit.....6,7
  - Locks.....24,25
  - Tape, reflective.....183
- Tramontina Knives.....207-210  
 Traffic Warning Triangles.....197  
 Trigger Locks.....212  
 Trouble Lights.....7  
 Tube Cutters.....50  
 Turn, Stop, Tail Light.....6  
 Turnbuckles.....160  
 Twist Drills & Kits.....71
- U** Utility Chain Wrench.....49  
 Utility Knives - Blades.....65-67
- V** Valve Stems.....17  
 Vests - Traffic.....194
- Vises**
- Bench.....41
  - Chain.....50
  - Drill-press.....41
  - Multi-purpose.....41
  - Pipe.....50
- W** Wad Punch Kits.....61  
 Waders Chest & Hip.....213
- Wedges**
- Plastic.....100
  - Splitting.....100
  - Wood & metal for axe handling.....108
- Welded Steel Rings.....157  
 Welding Compound.....29-35  
 Wheel Lug Nuts.....16  
 Winch Bar.....164
- Winches**
- Boat.....21
  - Electric 12V.....20
- Wire**
- Black annealed tie wire.....182
  - Brass snare wire.....214
  - Dispenser.....182
- Wire Nippers.....43,48  
**Wire Rope**.....145
- Accessories.....146,147
  - Cutters.....43,44
- Wire Wheel Brushes
- Steel.....76
- Wiring Accessories.....9,10,11  
 Work Lights.....2,3,4
- Wrecking Bars**
- Goose neck.....111
  - Tove, svedbro smide.....112
- Wrenches**
- Adjustable.....57
  - Chain & strap.....48,49
  - Combination.....58,59,60,61
  - Pipe.....47,48
  - Strap.....48
  - Tongue chain.....49
  - 4 way wheel.....17
  - Ratcheting.....61
- Y** Yarding Blocks.....150



## **Acknowledgment**

- Cover pages were inspired by an art piece designed by new7ducks/Freepik

# G. HJUKSTROM LTD.

WHOLESALE AUTOMOTIVE, INDUSTRIAL,  
HARDWARE, SAFETY, SECURITY &  
SPORTING PRODUCTS



## 2024 CATALOGUE

### Head Office:



19114, 95A Avenue, Surrey, BC, Canada

V4N 4P2

### Winnipeg Warehouse:



1510 Wall Street, Winnipeg, MB, Canada

R3E 2S4

### Division Office:



2, 71 Ilsley Avenue, Dartmouth, NS, Canada

B3B 1L5