



# G. HJUKSTROM LTD.

WHOLESALE AUTOMOTIVE, INDUSTRIAL,  
HARDWARE, SAFETY, SECURITY &  
SPORTING PRODUCTS



## 2025

## CATALOGUE

### G. HJUKSTROM LTD.



SALES@HJUKSTROM.COM



(604)882-8211



19114, 95A AVENUE, SURREY, BC



WWW.HJUKSTROM.COM

### G.H. FACTORY SALES



SALES@GHFACTORYSALES.COM



(902)468-1277



2, 71 ILSLEY AVENUE, DARTMOUTH, NS



WWW.GHFACTORYSALES.COM



**AUTOMOTIVE ..... 1 - 38**

**HAND TOOLS ..... 41 - 91**

**STRIKING TOOLS ..... 93 - 113**

**BUILDERS & SECURITY ..... 115 - 132**

**MATERIAL HANDLING ..... 135 - 166**

**MISCELLANEOUS ..... 169 - 190**

**SAFETY SUPPLIES ..... 191 - 199**


**OUTDOORS ..... 201 - 214**



**AUTO LAMPS FOR AUTOMOBILES, SNOWMOBILES & MOTORCYCLES**



ITEM NO.	VOLTAGE	RATING	BASE TYPE
53	12V	1CP	BA9S
67	12V	4CP	BA15S
90	12V	6CP	BA15D
623	24V	6CP	BA15S
624	24V	6CP	BA15D
1142	12V	21CP	BA15D
1156	12V	32CP	BA15S
1156NA	12V	32CP(Amber)	BA15S
1157A	12V	32W/4CP(Amber)	BAY15D
1251	24V	3CP	BA15S
1252	24V	3CP	BA15D
1816	13V	33A	BA9S
1891	12V	2CP	BA9S
1895	12V	2CP	BA9S
3057	12V	32/2CP	Plastic W
3157NA	12V	32/3CP(Amber)	Plastic W
3357	12V	40/3CP	S25 Wedge
4057	12V	32/2CP	S25 Wedge
4114	12V	32/3CP	
**A5225	12V	25/25W	P15D
7440	12V	21W	T20 Wedge
7443	12V	21/5W	T20 Wedge




\*\*A5225 - Suitable for Yamaha and Honda ATV's.

**HALOGEN LAMPS FOR AUTOMOBILES, SNOWMOBILE'S MOTORCYCLES & TRACTORS**



- Meets the conditions according to internationally agreed standards (I.E.C.).
- Resistance to vibration and shock.
- Stable colour temperature.
- High efficiency.
- Heat resistant.
- Longer life.

ITEM NO.	VOLTAGE	WATTAGE	BASE TYPE
*H-1-100	12V	100W	PK22S
*H-4-10055	12V	100/55W	
*H-4-10080	12V	100/80W	
*H-11-055	12V	55 W	PGJ 19-2
*9004	12V	65/45W	
*9004-2	12V	100/80W (High Wattage)	
*9005-2	12V	100W (High Wattage)	
*9005XS	12V	65W	P20D Straight
*9006-2	12V	80W (High Wattage)	
*9006XS	12V	55W	P20D Straight
*9007-2	12V	100/80W (High Wattage)	
*H-7-100	12V	100W	PX260



**\*TO BE DISCONTINUED, WHILE SUPPLIES LAST**

**► UTILITY WORK LIGHT - LED**

- Suitable for farm equipment, work trucks, boats and forklifts.
- Supplied with stainless steel mounting hardware.
- Individually boxed in colourful box.
- Water resistant aluminum body.
- Powder-coat paint.
- Recessed lens.
- Polarity safe.

ITEM NO.	SHAPE	DIMENSIONS W x H x D	VOLTAGE RANGE	BODY COLOUR	BEAM TYPE	NO. OF LEDS	LUMEN RATING	COLOUR TEMP	WATTS	LENS MATERIAL
1248-BL-8	Rect	6 x 3.75 x 1.75	9-110VDC	Black	Flood	8	1200	5000K	17W	Glass
*1348-RD-BLK	Round	4.5 x 1.5	10-30VDC	Black	Spot	6	800	6000K	18W	PMMA
1448-SQ-BLK	Square	4.5 x 4.5 x 1.5	10-30VDC	Black	Flood	5	650	6000K	15W	PMMA
1448-RD-BLK	Round	4.6 x 2.75	10-30VDC	Black	Flood	6	800	6000K	18W	PMMA
*1548-SQ-BLK	Square	4.5 x 4.5 x 2.75	9-48VDC	Black	Spot	7	2800	3500K	35W	PC
*1548-RD-BLK	Round	4.6 x 2.75	9-48VDC	Black	Spot	7	2800	3500K	35W	PC
*1648-SQ-BLK	Square	4.5 x 4.5 x 2.75	9-48VDC	Black	Flood	7	2800	3500K	35W	PC
*1648-RD-BLK	Round	4.6 x 2.75	9-48VDC	Black	Flood	7	2800	3500K	35W	PC
*1748-SQ-BLK	Square	4.5 x 4.5 x 2.75	9-48VDC	Black	Spot	7	2800	6000K	35W	PC
*1748-RD-BLK	Round	4.6 x 2.75	9-48VDC	Black	Spot	7	2800	6000K	35W	PC
*1948-O-BLK	Oval	4.75 x 3 x 3	9-48VDC	Black	Flood	2	800	5000K	20W	PC
*2048-O-BLK	Oval	4.75 x 3 x 3	9-48VDC	Black	Spot	2	800	Blue	6W	PC

**\*TO BE DISCONTINUED**

Note: 3500K colour temp=warm white, 6000K colour temp=daylight white. To calculate amp draw, divide wattage by voltage used (35W/12V = 2.91 amps).



1248-BL-8



1348-RD-BLK


 1948-O-BLK  
2048-O-BLK

 1548-SQ-BLK  
1648-SQ-BLK  
1748-SQ-BLK

 1548-RD-BLK  
1648-RD-BLK  
1748-RD-BLK


1448-RD-BLK



1448-SQ-BLK

**▶ FLASHLIGHT - LED ALUMINUM BODY**



- Highly efficient, 3 C cells will provide light for up to 10 hours.
- Has flasher mode when switch pushed halfway.
- Made from aircraft grade aluminum.
- CREE LED used as light source.
- Bright 190 lumen output.
- Push on/off switch.
- Clamshell carded.



**ITEM NO. DESCRIPTION**

\*LF1174 3 X C Cell Aluminum LED Flashlight

**\*TO BE DISCONTINUED**

**▶ LANTERN - CAMPING**



- 3 Long LED's which light at 50% or 100% also (total 300 lumens).
- Has 6 flashing red emergency LED's when required.
- Requires 3 AA batteries (not included).
- Stainless steel hanger hook.
- 6-1/2" overall height.
- Boxed.



**ITEM NO. DESCRIPTION**

XG-8002 Camping Lantern

**▶ TRACTOR (IMPLEMENT) LIGHT HALOGEN - ROUND**

- Universal adjustable plated mounting bracket.
- Beam spread: horizontal 75°, vertical 70°.
- Replaceable 12V-H3-55W bulb.
- Rubber body.



**ITEM NO. DESCRIPTION**

\*NEO-990 5" Rubber Tractor Light

**\*TO BE DISCONTINUED**

**▶ TRACTOR LIGHT - HALOGEN**

- Suitable for marine, off-road and machinery use.
- New flood and spot combination light pattern.
- Swivel rubber mount for flexible installation.
- Supplied with 12V-H3-55W bulb.
- Black ABS case with handle.
- Individually boxed.
- Size 7-1/4" x 4".



8724

ITEM NO.	SIZE
*8724	Halogen Tractor Light
*LENS-8724	Replacement Lens For Above
<b>*TO BE DISCONTINUED</b>	

**▶ TURN, STOP & TAIL LIGHTS - WITH REFLECTIVE OUTER RING**

ITEM NO.	SIZE	LENS COL.	BULB SIZE & QTY.	LENS MATERIAL
**MH-5800R	4" dia. x 2-1/16"	Red	12.8V 32/3 cp	Polycarbonate Sealed
**MH-5800A (2" wire)	4" dia. x 2-1/16"	Amber	12.8V 32/3 cp	Polycarbonate Sealed

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-5800R

**▶ STOP & TURN SIGNAL LIGHTS - LED**

- Sealed lens, polycarbonate body.
- 3 Wire plug-in.

ITEM NO.	SIZE	COLOUR	NO. OF LED'S
**MH-5553A	4" Round	Amber	10

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-5553A

**▶ CLEARANCE & MARKER LIGHTS - LED**

ITEM NO.	SIZE L X W X D	LENS COLOUR	NO. OF LEDS	LENS MATERIAL
*MH-1277A	2" dia.	Amber	9	Polycarbonate, Sealed
*MH-1277R	2" dia.	Red	9	Polycarbonate, Sealed

**\*TO BE DISCONTINUED**



MH-1277A



MH-1277R



**► CLEARANCE & MARKER LIGHTS**

ITEMNO.	SIZE L X W X D	LENS COLOUR	BULB SIZE & QTY.	LENS MATERIAL
**MH-1258R	2-1/2" x 1 1/4" x 3/4"	Red	194 x 1	Polycarbonate, Sealed
**MH-1260A	3-3/4" x 1 3/16" x 3/4"	Amber	194 x 2	Polycarbonate, Sealed
**MH-1288A	2-1/2" Dia. Reflective	Amber	194 x 1	Polycarbonate, Sealed

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-1258R



MH-1260A



MH-1288A

**► MARKER LIGHT - LED BAR LIGHT 12V DC**

- Stainless steel bar with 3 LED Lights (each light contains 6 LED's).
- Supplied on a card and UPC coded.
- Wires, screws and nuts supplied.
- Sealed lens, water resistant.
- Screw mounted.

ITEM NO.	SIZE_L X W X D	LENS COLOUR	NO. OF_LEDS	LENS MATERIAL
*TE2-0536A	16-3/4" x 1-3/16" x 1-1/4"	Amber	6 per Light	Polycarbonate

**\*TO BE DISCONTINUED**



**► CLEARANCE & MARKER LIGHT - LED**

- Screw mounted (screws & nuts supplied).
- Sealed lens.
- Waterproof.
- Carded.

ITEM NO.	SIZE_L X W X D	LENS COLOUR	NO. OF_LEDS	LENS MATERIAL
*TE2-0534A	3-1/4" X 1-1/4" X 7/8"	Amber	6	Polycarbonate, Sealed

**\*TO BE DISCONTINUED**



**▶ TURN, STOP & TAIL LIGHTS**

ITEM NO.	SIZE L x W x D	LENS COLOUR	BULB SIZE AND QTY.	BODY MATERIAL
*MH-23102	4-1/2" x 2-3/8", 2" wire double face	Amber /Red	1 x 1157	Black zinc diecast body, 1/2" stud mount
*MH-52002C	4-1/2" x 2-3/8", 2" wire single face	Clear	1 x 1157	Black zinc diecast body, 1/2" stud mount
<b>*TO BE DISCONTINUED</b>				


**▶ ACCESSORIES FOR MARKER, TURN, STOP & TAIL LIGHTS**

ITEM NO.	DESCRIPTION
**MH-12761	2" Dia. Rubber Grommet
<b>*TO BE DISCONTINUED</b>	
<b>*LIMITED QUANTITIES - NO BACK</b>	


**▶ WEATHERPROOF/SPLASHPROOF TRAILER LIGHT KIT**

- Kit contains: a pair of taillights + 25' trailer harness with connectors + 48" long truck connector + License plate bracket + mounting hardware.
- Combined functions as stop/tail/turn/backup light.
- 12V DC – With replaceable bulbs (#1157).
- IP65 Standard for use in wet conditions.

ITEM NO.	DESCRIPTION
TE2-1610	Trailer Light Kit


**▶ TRAILER LIGHTING KIT**


- Kit includes 2 combination Class A stop, tail, turn signal & rectangular marker lights with license plate bracket and license plate light, 2 side marker rectangular amber lights, 20' split Y harness with 4 colour coded wires.
- Suitable for all types of trailers.
- All lights are also reflective.
- Uses standard #1157 bulb.
- OEM replacement style.
- Spare bulbs available.
- Clamshell packaged.


ITEM NO.	DESCRIPTION
MH-5750	Trailer Light Kit



**▶ TOWING LIGHTS LED - MAGNETIC BASE**



- Ideal to provide tail, brake and signal lights on vehicles in tow.
- Black painted metal housing ensures long life.
- Strong magnetic base holds lights in place.
- 29-1/2' long power supply wire.
- 15 Bright LED's per light.
- 68" wire between lights.
- 4-1/2" light diameter.



**ITEM NO. DESCRIPTION**

TE2-0518D LED Magnetic Tow Lights

**▶ EMERGENCY LIGHT - ROUND STROBE (LARGE)**

- Suitable for temperatures -30°C to 60°C (-22°F to 140°F).
- Coiled lighter plug cord, expandable to 10', 12V DC.
- Flash rate 70-110/min., operating life 300 hours.
- Amber lens, 100,000 candle power.
- Dimensions: 4-3/4" diameter x 4" H.
- Impact resistant ABS base.
- Strong magnetic base.
- Solid-state circuitry.



**ITEM NO. DESCRIPTION**

TE2-0514 Amber Strobe Light - Boxed

**▶ FLASHING SAFETY LIGHTS - LED DISPLAY**



- Brighter than standard bulbs.
- Long lasting battery life.
- Requires 4 AA batteries.
- Clamshell packed.

ITEM NO.	DESCRIPTION	DIMENSIONS	LENS COLOUR	NO. OF LEDS	BATTERY TYPE	NO. OF FUNCTIONS
SH105	Rectangular with Clip & HD Magnet	2 x 2-3/4"	Red	5	2 x AA	6
SH501	Rectangular with Stand & HD Magnet	3-3/4" x 6-1/2"	Red	18	4 x AA	2
SH501A	Rectangular with Stand & HD Magnet	3-3/4" x 6-1/2"	Amber	18	4 x AA	2



SH501 & SH501A



SH105

### ▶ STROBE LIGHT - XENON FORKLIFT TYPE

- Conforms to CSA C22.2 and ANSI/UL requirements.
- Extra bulb included in attachment pack.
- Lens and replacement bulbs available.
- 5-1/4" High with screw down fixing.
- Suitable for 12V-80V DC.
- Flash rate 60-80/minute.
- Replaceable strobe.



ITEM NO.	DESCRIPTION
TE2-0527A	Strobe Light
BULB-0527A	Replacement Bulb for TE2-0527A
LENS-0527A	Amber Replacement Lens

### ▶ BATTERY LOAD TESTER

- Used to test batteries (6 or 12 volts), charging systems and starter motors.
- Heavy duty colour coded copper plated clamps.
- Suitable for 500-1000 cold cranking amps.
- Ventilated, black painted steel case.
- Tests completed in 30 seconds.
- Completely portable.
- Individually boxed.



ITEM NO.	DESCRIPTION
BT-260	Battery Tester

### ▶ BATTERY MAINTAINER 12 VOLT 0.75 AMP

- Supplied with alligator clips, ring terminal and quick connect fittings.
- Suitable for lead acid, wet maintenance free and gel batteries.
- Provides 0.75 AMP charging, ideal for seasonal vehicles.
- Input 120 VAC, output 0.75 AMP.
- Short circuit protected.
- Auto shut-off.
- cETL listed.



ITEM NO.	DESCRIPTION
TE4-0237	Battery Maintainer

### ▶ SMART BATTERY CHARGER - 6V/12V 4A

- For use with 12V lithium and 6V or 12V lead acid (including GEL & AGM) batteries.
- Fully protected against short-circuit, reverse polarity, overcharging & overheating.
- Input: 105-125V 60Hz AC, output: 6V or 12V DC (4A Max).
- Includes ring terminals and removable terminal clamps.
- Fully automatic - shuts off when battery is full.



ITEM NO.	DESCRIPTION
TE4-0249	Battery Charger 4A Smart

**▶ BATTERY CHARGER - 1.5 AMP OUTPUT**

- Protection against overcharge, short circuit.
- Suitable for 12V lead acid batteries.
- Water and shock resistant case.
- Attractively clamshell packaged.
- Automatic shut-off.
- LED indicators.



ITEM NO.	DESCRIPTION
TE4-0218A	1.5 Amp Charger (Maintainer)

**▶ BATTERY CHARGER - AUTOMATIC SHUT OFF - 6V/12V**

- 2 amp rating for smaller batteries - (motorcycles, ATV's & lawn mowers) and trickle charge.
- 55 amp rating for starting power (after several minutes of charging).
- Green indicator light to indicate complete charge.
- 6-1/2' power cord and 6 1/2' battery leads.
- 10 amp rating for normal charging.
- Automatic shut-off on 12V only.
- Polarity check light.
- cUL approved.



ITEM NO.	DESCRIPTION
JC-S106	Battery Charger Auto-Shut Off

**▶ L-SHAPED MOUNTING BRACKET**

- Used for mounting car side female 7-Way connectors under bumpers or frame.
- Packaged in poly bag with hanger card.
- Black powder coat finish.



ITEM NO.	DESCRIPTION
SH-W9394	Mounting Bracket For 7-Way Connector

**▶ TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

ITEM NO.	DESCRIPTION
SH-7082	7-Way Connector, Impact Resistant Plastic. Housing. "Rubber Seal" on Door (Car End). (Replaces #SH-C7092).



**▶ TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

**ITEM NO. DESCRIPTION**

SH-7081 7-way Connector, Impact Resistant Plastic Housing, Male End (Trailer End).


**ITEM NO. DESCRIPTION**

\*SH-C4013 4-Way Connector Set (Male/Female), Secure Locking Spring-Loaded Cover Which Locks In Male Plug, 1-3/8" OD Female Barrel 1-1/8" OD Male Barrel Chrome Plated.

**\*TO BE DISCONTINUED**


**ITEM NO. DESCRIPTION**

\*SH-A7264 6-Way Round To 4 Way Flat Adaptor, ABS Construction.

**\*TO BE DISCONTINUED**


**ITEM NO. DESCRIPTION**

\*SH-C7039 7-Way Round Pin Type, Die Cast Zinc Body, Trailer End Receiver With Spring Cable Guard, 1-1/2" Male Barrel Coated To Resist Corrosion.


**\*TO BE DISCONTINUED**



**▶ TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

ITEM NO.	DESCRIPTION
*SH-D5103	5-Way Flat To 5-Way Flat Trailer Connector 18 Gauge Wire 12" Long.
<b>*TO BE DISCONTINUED</b>	



ITEM NO.	DESCRIPTION
SH-A7274	7 Wire Round Center Pole Trailer End Converts 7 Wire to 4 Wire Flat.



ITEM NO.	DESCRIPTION
SH-A7275	7 Wire Round Center Pole Trailer End Converts To 5 Wire Flat End.




ITEM NO.	DESCRIPTION
SH-S2102-10G	2-Way Flat Connector Loop With 12", 10 Gauge Wires.
SH-S2102-14G	2-Way Flat Connector Loop With 12", 14 Gauge Wires.



SH-S2102-10G  
SH-S2102-14G

ITEM NO.	DESCRIPTION
SH-44140	4-Way rubber coated flat type connector with 12", 18 gauge wire leads.
SH-44141	4-Way rubber coated flat type connector with 48", 18 gauge wire leads.



SH-44140  
SH-44141

### ▶ TOP POST BATTERY TERMINALS

- Heavy duty lead bodies.

ITEM NO.	DESCRIPTION
----------	-------------

BT5A-1	Standard
BT5A-2	Standard
BT5A-10	Standard



### ▶ BATTERY TERMINAL BRUSH

- Includes brush for post and tapered brush for clamp cleaning.
- Sturdy nickel-plated metal body.

ITEM NO.	DESCRIPTION
----------	-------------

BTB-1	Battery Terminal Brush
-------	------------------------



### ▶ CLAMPS FOR BATTERY BOOSTER CABLES



- Available in red and black colours.
- Vinyl coated handles.
- Chrome plated.

ITEM NO.	DESCRIPTION
----------	-------------

32-D2BL	Black Booster Cable Parrot Jaw Clamp 500A
32-D2RD	Red Booster Cable Parrot Jaw Clamp 500A
32-800BL	Black Booster Cable Clamp 800A
32-800RD	Red Booster Cable Clamp 800A



32-800BL 32-800RD



32-D2RD  
32-D2BL

### ▶ SPRING CLAMPS

- Available in red and black colours.
- Vinyl coated handles.
- 7/16" jaw width.
- Chrome plated.

ITEM NO.	DESCRIPTION
----------	-------------

TT8-005BK	Black Cable Clamp
TT8-005RD	Red Cable Clamp





**▶ BOOSTER CABLE**



- Cable coatings are highly resistant to oils and chemicals.
- At -45°C remains tangle-free.
- Thermoplastic rubber.
- 100% copper strands.

ITEM NO.	DESCRIPTION	AMP RATING	WIRE SIZE	NO. OF WIRES	CABLE LENGTH
32-065A-3	Battery Booster Cable, Sleeve Packed.	150	10	65	10'
32-172D	Battery Booster Cable W/Parrot-Jaw Clamps, Boxed.	500	6	172	12'
32-259D	Battery Booster Cable W/Parrot-Jaw Clamps, Boxed.	500	4	259	16'
32-545D	Battery Booster Cable, Boxed.	800	2	413	25'



32-065A-3



32-172D  
32-259D



32-545D

**▶ FUSES - PLUG-IN TYPE**

- Supplied in multiple compartment plastic box.
- Standard size and mini.
- Suitable for up to 32V.

ITEM NO.	DESCRIPTION
TE5-0442	120 Piece Standard Size Plug-In Fuses, 20 Each-5A, 10A, 15A, 20A, 25A, 30A
TE5-0454	100 Piece Mini Size Plug-In Fuses, 20 Each-5A, 10A, 15 each-15A, 20A, 25A, 30A



TE5-0454



TE5-0442

## ▶ HEAT-SHRINK TUBING KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang-up hook.
- Operating temperature -55°C to 125°C.

ITEM NO.	DESCRIPTION
TE5-0500	185 Piece x 2-1/2" Heat Shrink Tubing Kit - Black Kit Consists Of: 65 - 1/16" (2mm) - 2-1/2" 45 - 1/8" (3mm) - 2-1/2" 25 - 3/16" (5mm) - 2-1/2" 20 - 1/4" (6mm) - 2-1/2" 15 - 3/18" (9mm) - 2-1/2" 15 - 1/2" (13mm) - 2-1/2"
TE5-0501	120 Piece x 2-1/2" Heat-Shrink Tubing Kit - Colour Coded Kit Consists Of: 40 - 22/18 Gauge 2-1/2" - Red 40 - 16/14 Gauge 2-1/2" - Blue 40 - 12/10 Gauge 2-1/2" - Yellow



TE5-0501



TE5-0500

## ▶ QUICK-SPLICE KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang-up hook.

ITEM NO.	DESCRIPTION
*TE5-0506	70 Piece Quick-Splice Kit Kit Consists Of: 15 - 22/18 Gauge - Red Connector 20 - 16/14 Gauge - Blue Connector 5 - 12/10 Gauge - Yellow Connector 15 - 16/14 Gauge - Quick Disconnects 15 - 16/14 Gauge - T-Taps

\*TO BE DISCONTINUED



## ▶ CABLE CLAMP KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang up hook.
- Ideal for mounting wires, cables and hoses.

ITEM NO.	DESCRIPTION
*TE5-0507	90 Piece Cable Clamp Kit Kit Consists Of: 2 - 1/4" Dia. Rubber Coated SS Cable Clamps 2 - 5/16" Dia. Rubber Coated SS Cable Clamps 2 - 3/8" Dia. Rubber Coated SS Cable Clamps 2 - 7/16" Dia. Rubber Coated SS Cable Clamps 22 - 1/8" Dia. Nylon Clamps - (12 Black, 10 White) 30 - 3/16" Dia. Nylon Clamps - (15 Black, 15 White) 30 - 1/4" Dia. Nylon Clamps - (15 Black, 15 White)

\*TO BE DISCONTINUED



**▶ ICE SCRAPERS & SNOW BRUSHES**

ITEM NO.	DESCRIPTION
XP-4571R	24" Heavy Duty 4" Ice Scraper & Brush.
XP-6530	Snow Brush W/Ice Scraper 25" X 5/8" X 7/8" Wood Handle. 2 Rows Of PVC Bristle With Ice Scraper On End.
XP-4528R	6' Aluminum Handle, Extendable 30" to 45" Scraper W/Adjustable Angle Brush And Squeegee.



XP-4571R



XP-6530



XP-4528R

**▶ SNOW BRUSHE & SCRAPER**

- Handle locks from 30" to 49" (extendable) with a total of 8 positions.
- Large 15" x 5-1/2" foam pad to minimize any scraping.
- Head locks into 7 positions to give required angle.
- Designed to remove snow from cars & trucks.

ITEM NO.	DESCRIPTION
XP-462002	Snow Brush & Scraper



**► SQUEEGEES - AUTOMOTIVE**

- Rubber wiping blade on reverse side of head.
- Threaded handles allow for easy storage.
- 10" nylon net-covered foam head.

ITEM NO.	DESCRIPTION
CT-613	10" ABS Squeegee With Telescopic Aluminum Handle Extends From 27" To 48". Has Rubber Grip With Hang-Up Hole. Replacement for #3940.
XP-390602 (Replaces #3940)	10" Squeegee With 20" Plastic Handle.



CT-613



XP-390602

**► WHEEL LUG NUTS**

- Standard hex nut sizes 13/16" or 3/4".
- Each nut clearly identified with size.
- Chrome plated to resist corrosion.
- Right-hand thread.
- Boxed 50 per box.
- Tapered edge.

ITEM NO.	WRENCH SIZE	WHEEL STUD SIZE
LM001-14150	13/16"	14mm x 1.5
LM023-12125	3/4"	12mm x 1.25
LM023-12150	3/4"	12mm x 1.5
LM023-7-16	3/4"	7/16"
LM023-1-2	3/4"	1/2"



**▶ 4-WAY WHEEL WRENCH**

- 11/16", 3/4", 13/16" and 7/8" wheel nut sizes.
- Chrome plated to resist rusting.
- Sizes embossed on each end.
- 20" overall width.

ITEM NO.	DESCRIPTION
3-1101	4-Way Wheel Wrench



**▶ TUBELESS TIRE VALVE STEMS**

- Plastic valve cap supplied.
- Sold 100/bag only.

ITEM NO.	OVERALL LENGTH	BASE SIZE
TR413	42.5 (1-1/16")	11.5mm
TR415	42.5 (1-1/16")	15.9mm
TR418	61.5 (2-7/16")	12mm x 1.5



**▶ MECHANIC'S CREEPER**

- 6 x 2-1/2" hard plastic wheels with ball bearing swivel base.
- Full 11" x 36" padded body support with built-in pillow.
- Heavy rectangular tube frame.
- Durable powder-coat paint.

ITEM NO.	DESCRIPTION
TR6451	6 Wheel Mechanic's Creeper
TR-WHEEL	Replacement Casters



## ▶ MECHANIC'S STOOL

- Handy 11-1/2" x 12-1/2" partitioned parts tray under seat.
- 14" x 8-1/2" padded seat.
- All steel construction.
- 15" overall height.
- 4 swivel casters.

ITEM NO.	DESCRIPTION
----------	-------------

TR6100	Mechanic's Stool
TR6100-01	Replacement Swivel Casters



## ▶ HOSE CLAMPS - STAINLESS BAND

- Band and housing made of 430 stainless steel.
- Tightening screw made of zinc-plated steel.
- Packed 10 pieces per box.
- Sold in boxes of 10 only.

NO. ITEM	SAE SIZE	BAND WIDTH		DIAMETER RANGE	
		INCH	MM	INCH	MM
HC-002	#2	5/16"	9mm	1/4" - 1/2"	6mm - 12mm
HC-004	#4	5/16"	9mm	5/16" - 5/8"	8mm - 16mm
HC-005	#5	5/16"	9mm	7/16" - 3/4"	11mm - 20mm
HC-006	#6	5/16"	9mm	1/2" - 3/4"	12mm - 23mm
HC-008	#8	5/16"	9mm	1/2" - 1"	13mm - 25mm
HC-010	#10	1/2"	12.7mm	9/16" - 1-1/16"	14mm - 27mm
HC-012	#12	1/2"	12.7mm	11/16" - 1-1/4"	17mm - 32mm
HC-016	#16	1/2"	12.7mm	11/16" - 1-1/2"	17mm - 38mm
HC-020	#20	1/2"	12.7mm	13/16" - 1-3/4"	21mm - 44mm
HC-024	#24	1/2"	12.7mm	1" - 2"	25mm - 51mm
HC-028	#28	1/2"	12.7mm	1-1/4" - 2-1/4"	32mm - 57mm
HC-032	#32	1/2"	12.7mm	1-1/2" - 2-1/2"	38mm - 63mm
HC-036	#36	1/2"	12.7mm	1-3/4" - 2-3/4"	44mm - 70mm
HC-044	#44	1/2"	12.7mm	2-1/4" - 3-1/4"	57mm - 82mm
HC-052	#52	1/2"	12.7mm	2-3/4" - 3-3/4"	70mm - 95mm
HC-064	#64	1/2"	12.7mm	3-1/2" - 4-1/4"	89mm - 114mm
HC-072	#72	1/2"	12.7mm	4" - 5"	102mm - 127mm
HC-088	#88	1/2"	12.7mm	5" - 6"	127mm - 152mm
HC-104	#104	1/2"	12.7mm	6" - 7"	152mm - 178mm



**▶ HOSE CLAMPS - ALL STAINLESS**

- Band and housing made of 304 stainless steel.
- Tightening screw made of 304 stainless steel.
- Packed 10 pieces per box.
- Sold in boxes of 10 only.

NO. ITEM	SAE SIZE	BAND WIDTH		DIAMETER RANGE	
		INCH	MM	INCH	MM
304-002	#2	5/16"	9mm	1/4" - 1/2"	6mm - 12mm
304-004	#4	5/16"	9mm	5/16" - 5/8"	8mm - 16mm
304-005	#5	5/16"	9mm	7/16" - 3/4"	11mm - 20mm
304-006	#6	5/16"	9mm	1/2" - 3/4"	12mm - 23mm
304-008	#8	5/16"	9mm	1/2" - 1"	13mm - 25mm
304-010	#10	1/2"	12.7mm	9/16" - 1-1/16"	14mm - 27mm
304-012	#12	1/2"	12.7mm	11/16" - 1-1/4"	17mm - 32mm
304-016	#16	1/2"	12.7mm	11/16" - 1-1/2"	17mm - 38mm
304-020	#20	1/2"	12.7mm	13/16" - 1-3/4"	21mm - 44mm
304-024	#24	1/2"	12.7mm	1" - 2"	25mm - 51mm
304-028	#28	1/2"	12.7mm	1-1/4" - 2-1/4"	32mm - 57mm
304-032	#32	1/2"	12.7mm	1-1/2" - 2-1/2"	38mm - 63mm
304-036	#36	1/2"	12.7mm	1-3/4" - 2-3/4"	44mm - 70mm
304-044	#44	1/2"	12.7mm	2-1/4" - 3-1/4"	57mm - 82mm
304-052	#52	1/2"	12.7mm	2-3/4" - 3-3/4"	70mm - 95mm
304-064	#64	1/2"	12.7mm	3-1/2" - 4-1/4"	89mm - 114mm
304-072	#72	1/2"	12.7mm	4" - 5"	102mm - 127mm
304-088	#88	1/2"	12.7mm	5" - 6"	127mm - 152mm
304-104	#104	1/2"	12.7mm	6" - 7"	152mm - 178mm



**▶ FIX-IT KIT FOR SERVICING HI-LIFT JACKS**

- Kit contains:
  - 2 CP-1 climbing pins.
  - 2 CP-2 cross pins.
  - 2 CP-3 climbing pin springs.
  - 1 SP-13 safety shear-pin.
  - 1 LT-1 lubrication tube.
  - 1 installation instructions.

ITEM NO.	DESCRIPTION
*HL-484-99-FK2	FIX-IT KIT


\* Other parts for HI-LIFT are available on request.



▶ **HI-LIFT JACKS, PREMIUM CAST & STEEL JACK MEETS ANSI REQUIREMENTS MADE IN U.S.A.**

- Manufactured of high stress steel and Class A Grade 1 castings.
- Safety shear-pin shears at 7000 lbs.
- Base plate of 28 square inches.
- Low pick-up of 4-1/2".

ITEM NO.	DESCRIPTION	LIFT
*HL-484	48" Premium Jack	37"
*PRICE INCLUDES TOP CLAMP CLEVIS		



▶ **ACCESSORIES FOR HI-LIFT**

ITEM NO.	DESCRIPTION
HL-484-99-LOC	"LOC" Rack For Locking Hi-Lift To Vehicle



▶ **WINCH - 2,000 lb. Capacity**

- Cable tension plate to ensure level winding, free spooling and power in and out.
- 50 feet of 5/32" aircraft cable with safety latch hook.
- 12 Volt DC permanent magnet motor .85 HP.
- 54 inch remote control cable in/out buttons.
- Overall dimensions: L11-1/2" x W 4" x H 4".
- Bolts and mounting plate included.
- Supplied with hand saver bar.
- Roller fairlead included.
- 68 inch power leads.

ITEM NO.	LINE PULL	LINE SPEED	WEIGHT	AMP DRAW
DJS-2000	0-2000 lbs.	10.5-4.2 f/min	11-1/2 lbs.	8-118



▶ **WINCH - 3,500 lb. Capacity**

- 50 feet of 7/32" aircraft cable with safety latch hook included.
- Overall dimensions: L 12-1/2" x W 4-3/4" x H 5-1/2".
- 12 Volt DC permanent magnet motor 1.3 HP.
- 10' leads on remote rocker switch (in/out).
- Supplied with hand-saver bar.
- Roller fairlead included.


ITEM NO.	LINE PULL	LINE SPEED	WEIGHT	AMP DRAW
DJW-3500	0-3500 lbs	26-5 f/min	28 lbs.	20-230





**▶ BOAT WINCHES - GENERAL PURPOSE**


- Internally lubricated drum bushing and pinion gear shaft bearing for long life and ease of operation.
- Reinforced frame gives extra strength.
- Smooth-turning roller grip handle.
- Stainless steel ratchet spring.
- Rust-resistant zinc finish.



ITEM NO.	DESCRIPTION
GH-1000	1,000 lb. Capacity
GH-2000	2,000 lb Capacity

**▶ BOAT WINCH - STRAP TYPE**

- Supplied with 2" strap and hook with safety latch.
- Rust-resistant zinc finish.
- 25' long strap.
- Single speed.



ITEM NO.	DESCRIPTION
T18	Boat Winch with Strap, 1800 lbs. Capacity
T18-01	Handle for T18
T18-02	Spring for T18
T18-03	Pawl for T18
T18-04	Strap/Hook Replacement for T18

**▶ TRAILER HITCH BALL BUSHINGS**

- Used to reduce diameter of hole in draw bar.

ITEM NO.	DESCRIPTION
220601	Hitch Ball Adaptor To Reduce Hole Size From 1" to 3/4"
220602	Hitch Ball Adaptor To Reduce Hole Size From 1-1/4" to 1"



**▶ BALL MOUNT - TRIPLE BALL**

- Accomodates 1-7/8" (2,000 lbs.), 2" (6,000 lbs.), 2-5/16" (10,000 lbs.) couplers.
- Solid steel 2" bar with 1-7/8", 2", 2-5/16" welded trailer balls.
- Black painted bar with chrome plated trailer balls.
- Uses 5/8" pin.

ITEM NO.	DESCRIPTION	WEIGHT
28-TRIBALL	Triple Ball Mount w/Chromed Balls	20 lbs.



**▶ TRAILER HITCH BALLS - CLAMSHELL PACKED**

- UPC labeled.

ITEM NO.	BALL AND THREAD SIZE	BOLT LENGTH	LOAD RATING
28-1B	1-7/8" x 3/4"	2"	2,000 lbs.
28-2B	1-7/8" x 1"	2"	2,000 lbs.
28-3B	2" x 3/4"	2"	3,500 lbs.
28-4B	2" x 1"	2"	6,000 lbs.
28-5B	2-5/16" x 1"	2"	6,000 lbs.


**▶ TRAILER HITCH BALLS**


- Solid steel, chrome plated.

ITEM NO.	BALL & THREAD SIZE	LOAD RATING
<i>External Thread:</i>		
28-1	1-7/8" x 3/4"	2,000 lbs.
28-2	1-7/8" x 1"	2,000 lbs.
28-3	2" x 3/4"	3,500 lbs.
28-4	2" x 1"	6,000 lbs.
28-4A	2 x 1-1/4"	8,000 lbs.
28-5	2-5/16" x 1"	6,000 lbs.
28-6	2-5/16" x 1-1/4"	12,000 lbs.
<i>External Thread with 2-1/2" Long Bolt:</i>		
28-1L	1-7/8" x 3/4"	2,000 lbs.
28-3L	2" x 3/4"	3,500 lbs.
28-4L	2" x 1", 3" Long Bolt	5,000 lbs.
<i>Internal Thread:</i>		
28-7	1-7/8" x 3/4"	2,000 lbs.
28-8	2" x 3/4"	3,500 lbs.


**▶ HITCH BALL MOUNTS / DRAW BARS**

- Black powdercoat finish.
- 5/8" lock pin required.

ITEM NO.	BOX SIZE	BALL SHANK DIA.	A LENGTH	B DROP	C RISE	CAPACITY/TW
BMC-3002	2" x 2"	1"	10-1/2"	2"	3/4"	5000/500 lbs.
BMC-3003	2" x 2"	1"	13"	3-1/4"	2-1/4"	5000/500 lbs.
BMC-3004	2" x 2"	1"	11-1/2"	6"	4-3/4"	5000/500 lbs.



BMC-3002



BMC-3003




BMC-3004

**▶ TRAILER JACKS**

ITEM NO.	MOUNTING BRACKET TYPE	RATED CAPACITY	LIFT	HANDLE
FJ-01-020	Tubular Swivel <b>Retracted Dimension (A) 11-3/4"</b> <b>Retracted Dimension (B) 16-3/4"</b>	2,000 lbs.	10"	Top Wind
FJ-02-520	Retaining Ring Swivel <b>Retracted Dimension (A) 14-1/2"</b> <b>Retracted Dimensions (B) 20-1/4"</b>	2,000 lbs.	15"	Top Wind 4




**FJ-02-520**




**FJ-01-020**

ITEM NO.	MOUNTING BRACKET TYPE	RATED CAPACITY	LIFT	HANDLE
TJ-701130	Double Lock Pin Swivel Jack Bolt on Mount <i>Supplied with grease fitting to grease gear.</i> <b>Retracted Dimension (A) 13-1/2"</b> <b>Retracted Dimension (B) 22-1/2"</b> <b>Wheel Height Dimension (C) 6 3/4"</b>	1,500 lbs.	10"	Side Wind Double 6" Wheel
*TJ-09-520	A-Frame Jack Bolt-on Mount <b>Retracted Dimension (A) 7-3/4"</b> <b>Retracted Dimension (B) 20"</b> <i>* Wheel or Foot may be required.</i>	2,000 lbs.	15"	Top Wind
*TJ-701057	A-Frame Jack Bolt-on Mount <b>Retracted Dimension (A) 10"</b> <b>Retracted Dimension (B) 20"</b> <i>* Wheel or Foot may be required.</i>	5,000 lbs.	15"	Top Wind
*TJ-701059	A-Frame Jack Bolt-on Mount <b>Dimension (A) 7-1/2"</b> <b>Dimension (B) 22-1/2"</b> <i>* Wheel or Foot may be required.</i>	2,000 lbs.	15"	Side Wind


**\*TO BE DISCONTINUED**



**TJ-06-01L**



**TJ-701130**



**TJ-701059**




**TJ-701-023  
TJ-09-520  
TJ-701057**

### ▶ CASTERS & FOOT PLATE

- For use with A-frame trailer jacks.


ITEM NO.	LIFT CAPACITY	ADDITIONAL LIFT
TJ-701070	1,000 lbs.	7"
ABS Caster with pin for TJ-701023, TJ-701058.		
TJ-701071	1,200 lbs.	7"
ABS Caster with pin for TJ-09-520, TJ-701057, TJ-701059.		
TJ-701072	2,000 lbs.	8-3/4"
Steel drop-leg for TJ-701056, TJ-701057, TJ-701059.		



### ▶ TRAILER COUPLERS - CHANNEL TYPE

- Smooth trigger mechanism for fast release and easy hook-ups.
- Zinc-plated locking mechanism.
- May be padlocked.
- Zinc-coated body.

ITEM NO.	BALL SIZE	CHANNEL SIZE	CLASS	LOAD RATING
TSZ-60A	1-7/8"	2"	II	2,000 lbs.
TSZ-60B	1-7/8"	2-1/2"	II	2,000 lbs.
TSZ-60C	1-7/8"	3"	II	2,000 lbs.
TSZ-60D	2"	2-1/2"	II	3,500 lbs.
TSZ-60E	2"	3"	II	3,500 lbs.
TSZ-60F	2"	2"	II	3,500 lbs.



### ▶ TRAILER COUPLER LOCK

- Weather-resistant cast body and chrome-plated locking pin.
- Locks coupler locking lever to deter theft.
- Supplied with 2 keys.
- Poly-bagged.

ITEM NO.	DESCRIPTION
TS-LOCK	Coupler Lock



**▶ TRAILER HITCH RECEIVER LOCKS**

- Supplied with weather-resistant protective cap.
- Chrome plated pin for weather resistance.
- Self-locking (can be locked without key).
- Supplied with 2 keys.
- Poly-bagged.



ITEM NO.	RECEIVERPIN DIA.	DESCRIPTION
5202-272LK	5/8"	2" x 2" Receiver, 3-1/2" Useable Length

**▶ RUBBER TIE DOWNS - SNAPPI HOOKER - MADE IN CANADA**

- Stamped with 50 lb. SWL as required by DOT.
- Straps stretch to 2-1/2 times original length.
- 100% High Quality EPDM Rubber.
- ISO 9001:2000 Quality Standards.
- Plated hooks to resist rust.
- Black.

ITEM NO.	SIZE
SH09	9"
SH15	15"
SH20	20"
SH30	30"



**▶ RUBBER TIE DOWNS - BLACK ADJUSTABLE SNAPPI HOOKERS - MADE IN CANADA**

- Injection-molded EPDM meaning no imperfections.
- Adjustable to allow several hook positions.
- 2-1/2 times safe stretch, non-cracking.
- Meets DOT requirements.

ITEM NO.	SIZE	NO OF ADJUST	DESCRIPTION
SH20ADJ	20"	3	Adjustable Tarp Strap
SH30ADJ	30"	4	Adjustable Tarp Strap



▶ **RUBBER TIE DOWNS - SNAPPI HOOKER COLD WEATHER MODEL - MADE IN CANADA**

- Injection molded EPDM meaning no imperfections.
- Meets DOT safe working load limit (no others do).
- Made to ISO9001/AS9100 quality certification.
- Stamped with 50 lb. SWL as required by DOT.
- 2-1/2 times safe stretch, non-cracking.
- Easily-identifiable blue colour.
- Operational to -40°C.



ITEM NO.	SIZE
SH09CO	9"
SH15CO	15"
SH20CO	20"
SH30CO	30"

▶ **TIE DOWNS - SHOCK CORD**

- Vinyl-dipped steel hooks.
- Fabric covered.
- Non-marking.




ITEM NO.	SIZE
BC-12	12"
BC-18	18"
BC-24	24"
BC-30	30"
BC-36	36"

▶ **RUBBER TIE DOWNS**

- Heavy duty EPDM to withstand ultraviolet rays.
- Complete with "S" hooks.
- Marked with WLL 45 lbs.


ITEM NO.	SIZE
PS-10	10"
PS-15	15"
PS-21	21"
PS-31	31"
PS-41	41"



**▶ SHOCK CORD**

- Fabric covered cord stretches to 175% of cut size.
- Make your own custom length tie-downs.
- Load Limit: 16 lbs. (7.25 kg).

ITEM NO.	DESCRIPTION
BC8-75M	5/16" (8 mm) Cord on 246' (75 m) Spool
BCHOOK-3.2	Hooks for 5/16" Cord (Sold in Bags of 100 Only)



**▶ FLAT NYLON (EMERGENCY) TOW STRAP**

- Ideal for emergency pulling.
- Stretches to absorb shock.
- Two drop-forged hooks.
- Strong nylon webbing.

ITEM NO.	SIZE	SWL
NS-20	2' X 25'	8,500 lbs.



**▶ TIE DOWN - SPORT TYPE QUICK RELEASE**

- Ideal for roof racks, motorcycles, etc.
- 2 PVC coated "S" hooks included.
- Heavy duty nylon web.

ITEM NO.	DESCRIPTION	APPROX. STRENGTH
PSTD-11	1" x 5-1/2'	2,000 lbs.
PSTD-12	1" x 10'	2,000 lbs.



### ▶ TIE DOWN - RATCHET TYPE

- Ideal for roof racks, motorcycles, boats.
- Heavy duty nylon web.
- Quick secure cinching.


ITEM NO.	SIZE	APPROX STRENGTH
PSTD-14	1" x 12'	2,000 lbs. with "S" Hooks
PSTD-16	1" x 16'	2,000 lbs. with "J" Hooks
PSTD-20	1-1/2" x 20'	4,000 lbs. with "J" Hooks



### ▶ HEAVY DUTY CARGO LASHES

- With heavy duty webbing, made with Terylene.
- Ratchet type.
- 30' x 2".

ITEM NO.	TYPE	APPROX. STRENGTH
PCL-21JHD	"J" Hook	10,000 lbs.
PCL-21FHD	Flat Hook	10,000 lbs.



PCL-21FHD



PCL-21JHD

### ▶ CARGO NET - EXPANDABLE

- Complete with 28 non-marking ABS hooks.
- Size 72" x 96". Fits standard PU truck box.
- Strong fabric-covered rubber cords.

ITEM NO.	DESCRIPTION
CN-7296	72" X 96" Cargo Net





**▶ PLASTIC BONDER™**

- Ideal on thermoset carbon fibre composites, thermoplastics, coated metals, concrete and more.
- Quick-setting two-part urethane adhesive system.
- Sets in 15 minutes, cures in 30 minutes.
- Has tensile strength of 3770 PSI.
- Supplied in 25 ml (1 oz) syringe.
- Very useful in auto body repair.
- Carded.

ITEM NO.	DESCRIPTION
JB50133	Plastic Bonder™ . Dries Tan.
JB50139	Plastic Bonder™ . Dries Black.



JB50133

JB50139

**▶ PLASTICWELD™**

- Can be sawed, drilled, sanded and painted.
- Bonds instantly, sets up in 20-25 minutes.
- Suitable for auto trim and bumpers.
- Works on most major plastic types.
- Works on fibreglass & vinyl siding.
- Supplied in 52 ml (2 oz) stick.
- Carded.

ITEM NO.	DESCRIPTION
JB8237	PlasticWeld™



**▶ PLASTICWELD™**

- Ideal for plastics, ABS, glass, PVC, vinyl, metal and most composites.
- Supplied in 25 ml (1 oz) syringe.
- Quick-setting epoxy.
- Strength 3900 PSI.
- Carded.

ITEM NO.	DESCRIPTION
JB50132	PlasticWeld™. Dries Off White.



**▶ SUPERWELD™ GLUE**

- Great for auto repairs, rubber, plastic, vinyl, leather, cloth.
- Dries in seconds.
- Brush-on cap.
- Carded.

ITEM NO.	DESCRIPTION
JB33106	SuperWeld™ Glue 6 g (0.2 oz)
JB33120	SuperWeld™ 20 g (0.7 oz)



### ▶ SUPERWELD EXTREME 15G

- Instant adhesive, formulated for maximum control applications.
- Great for plastics, leather, rubber, glass, metal, wood & more.
- No-drip gel formula is ideal for vertical surfaces.
- High strength, impact resistant super glue gel.
- Flexible bond for elastic applications.



ITEM NO.	DESCRIPTION
JB33400	15g (.53 oz) Tube on Card

### ▶ J-B KWIK™

- Great for household repairs, automotive applications, crafts and more.
- Once cured, can be shaped, filed, sanded, drilled and tapped.
- Sets in 6 minutes and cures dark grey in 4-6 hours.
- Withstands temperatures of up to 230°F.
- Fast-setting 2-part epoxy adhesive.
- Carded.



ITEM NO.	DESCRIPTION
JB8276	Kwikweld (2 oz.) Tubes

### ▶ KWIKWELD™

- Can be shaped, tapped, filed, sanded and drilled after curing.
- Good for house, auto, plumbing, marine & crafts.
- Quick-setting steel-reinforced epoxy.
- Sets in 6 minutes, cures in 4-6 hours.
- Strength 3127 PSI.
- Carded.

ITEM NO.	DESCRIPTION
JB50176	KwikWeld™. Dries Dark Grey, 25 ml (1 oz) Syringe
JB8271	2 X 141.8 g (2 x 5 oz) tubes PRO size



JB8271



JB50176

### ▶ MINUTEWELD™

- No mess, no waste cap screws on one way to eliminate accidental mixing and ensure it won't dry out.
- Clear, instant-setting two-part epoxy sets in 1 minute and cures in 1 hour.
- Tensile strength of 2300 PSI for a strong, permanent bond.
- Multi purpose plastics, ceramic, glass etc.
- Supplied in 25 ml (1 oz) syringe.
- Carded.

ITEM NO.	DESCRIPTION
JB50101	MinuteWeld™ Dries Clear



**▶ JB WELD PRO™**

- Useable on iron, steel, copper, aluminum, brass, pewter, wood, porcelain, ceramic, plastic.
- Each package includes 1 x 5 oz. tube of steel and 1 x 5 oz. tube of hardener.
- Can be drilled, machined or ground.
- Not affected by gas, oil or water.
- Repairs, fills, bonds.



ITEM NO.	DESCRIPTION
JB8281	JB Weld Pro -Blister Packed

**▶ PERMALOCK™ - THREADLOCKER**

- Choose between medium strength (removeable) or high strength (more permanent).
- Seals threads against leakage and prevents rust & corrosion.
- Temperature resistant to 300° F.
- Carded.

ITEM NO.	DESCRIPTION
JB24206	Blue Medium Strength Thread Locker 6ml (0.02 oz)
JB24236	Blue Medium Strength Thread Locker 36 ml (1.3 oz)
JB27106	Red High Strength. Permanent Thread Locker 6 ml (0.02 oz)
JB27136	Red High Strength. Permanent Thread Locker 36 ml (1.3 oz)



JB27106      JB27136      JB24206      JB24236

**▶ CLEARWELD™**

- Great for tile, most plastics, ceramic, glass, wood, metal and more.
- Tensile strength of 3900 PSI for a strong, permanent bond.
- Crystal clear epoxy sets in 5 minutes and cures in 1 hour.
- Suitable for tile, plastics, ceramic, glass, wood & more.
- Carded.

ITEM NO.	DESCRIPTION
JB50112	25 ml (1 oz) syringe
JB50114	14 ml dual syringe
JB50240	2 x 118 ml (4 oz) bottles



JB50112      JB50114      JB50240

**▶ HIGHHEAT™**

- Suitable for high heat areas, exhaust manifolds, mufflers, tailpipes, engine blocks up to 500°F.
- Can be drilled, tapped, machined and ground.
- Supplied in a 57 ml (2 oz) tube.
- 1 hour set time.
- Carded.

ITEM NO.	DESCRIPTION
JB8297	HighHeat™ Mastic Epoxy. Dries Grey



## ▶ HIGHHEAT™ EPOXY SYRINGE

- Fast-setting 2-part epoxy in a syringe.
- Sets in 1 hour and cures in 24 hours.
- Heat resistant to 550°F (288° C).
- Chemical and fuel resistant.
- Carded.



ITEM NO.	DESCRIPTION
----------	-------------

JB50197	HighHeat™ Epoxy 25ml Syringe
---------	------------------------------

## ▶ TANKWELD EPOXY

- Supplied in 57g (2oz) stick.
- Repairs all metals.
- Approved by NFS.
- Cures in 1 hour.
- Carded.



ITEM NO.	DESCRIPTION
----------	-------------

JB8217	Tankweld Epoxy 57g
--------	--------------------

## ▶ EXTREMEHEAT™

- Ideal for holes, cracks, exhaust manifolds, mufflers, outdoor grills.
- Metallic paste, contains no solvents or VOCs.
- Supplied in a 85 g (3 oz) container.
- Withstands 1000°F.



ITEM NO.	DESCRIPTION
----------	-------------

JB37901	ExtremeHeat™ Bonds & Fills
---------	----------------------------

## ▶ COLD WELD COMPOUND™

- Great for household repairs, automotive, plumbing and marine.
- 28 g (1 oz) Steel, 28 g (1 oz) hardener.
- Can be drilled, machined or sanded.
- Not affected by gas, oil or water.
- Repairs, fills, bonds.
- Carded.

ITEM NO.	DESCRIPTION
----------	-------------

JB50165	Cold Weld Compound Syringe
---------	----------------------------

JB8265-S	Cold Weld Compound
----------	--------------------



JB50165



JB8265-S

**▶ WATERWELD™**

- Useable on metals, wood, fiberglass, masonry, ceramics and many plastics.
- Ideal for plumbing, fuel tanks, tubs, showers, drains, pools.
- Sets in 25 minutes and cures in 1 hour.
- Works on wet or dry surfaces.



ITEM NO.	DESCRIPTION
JB8277	56g (12 oz.) Tube - Carded

**▶ MARINEWELD™**

- 2-part epoxy cold weld system for bonding different or similar surfaces.
- Ideal for aluminum, metal, composites, fibreglass etc.
- Sets in 4-6 hours, cures in 15-24 hours.
- Carded.



ITEM NO.	DESCRIPTION
JB8272	MarineWeld™. 56 g (2 oz) Resin/Hardener, Strength 5020 PSI, dries dark grey
JB50172	MarineWeld™ Syringe, 25ml, Strength 2350 PSI, dries white

JB8272

JB50172

**▶ SILICONE GASKET MAKERS RTV**

- 1 Hour set time.
- 100% Silicone.
- 85 g (3 oz).
- Carded.

ITEM NO.	DESCRIPTION
JB31310	Clear RTV Waterproof
JB31314	Red Hi-Temp Ideal for Engine Parts
JB31316	Blue All Purpose
JB31319	Black For Windows Weather Strip
JB32327	Grey Ultimate, for High Torque (Import)
JB32329	Black Ultimate, Resists Oil & Petroleum



JB31310

JB31314

JB31316



JB31319

JB32327

JB32329

## ▶ STEELSTICK™

- Tensile strength 4000 PSI and will withstand temperatures up to 350°F.
- Can be drilled, tapped, machined, ground, filed and painted.
- Hand-mixable, steel-reinforced, non-rusting epoxy putty.
- Works on metals, masonry, ceramic, wood and more.
- Sets in 3-5 minutes and cures in 1 hour.



ITEM NO.	DESCRIPTION
----------	-------------

JB8267-S	56 g (2 oz) - Carded
----------	----------------------

## ▶ EXHAUST SYSTEM SEALANT

- Heat-resistant paste used to seal gaps and connections within an exhaust system reassembly or repair.
- Non-shrinking, temperature resistant to 850° F.
- Used on mufflers, tailpipes, catalytic converters.
- Sets up in 30 minutes.



ITEM NO.	LENGTH
----------	--------

JB37903	85g Tube on Card
---------	------------------

## ▶ MUFFLER PATCH - TIGER PATCH KIT

- Comes with aluminum tape for long-term patch repair on mufflers & tailpipes.
- Withstands temperatures to 600°F (315°C).
- Cures with heat in 20 minutes.
- Epoxy-coated fiberglass wrap.
- Hardens strong as steel.



ITEM NO.	LENGTH
----------	--------

JB39205	2" x 24" Aluminum Tape Plus 2" x 36" Epoxy Heat Patch
---------	---

## ▶ MUFFLERSEAL™ MUFFLER CEMENT

- Metal-containing paste that prevents and seals leaks at seams and gaps of pipe and exhaust connection points.
- Paste dries to cement-like hardness that is heat-resistant to 850°F (454°C).
- Used on mufflers, pipe joints, exhaust systems.



ITEM NO.	LENGTH
----------	--------

JB37906	170g Tube
---------	-----------

**▶ FIBERWELD™ PERMANENT REPAIR CAST WRAP**

- High-strength one-time use fibreglass wrap impregnated with a specially formulated resin that adheres to a variety of surfaces.
- Hardens like steel in 15 minutes with a bond strength of 1500 PSI.
- Use for furniture, tool handles, equipment, pipes and more.

ITEM NO.	LENGTH
JB38236	2" x 36" Repair Cast with Gloves & 2" x 24" Securing Bandage



**▶ EXHAUST WELD FIBREGLASS REPAIR WRAP**

- Impregnated with a specially formulated resin for high temperature resistant repairs.
- Cures with or without heat to repair, seal & insulate the exhaust system.
- Withstands temperatures up to 1100°F.
- Works on entire exhaust system.

ITEM NO.	LENGTH
JB38572	Repair Tape 2" x 72" , A Pair Of Gloves. Aluminum Tape.



**▶ FIBERWELD™ PERMANENT REPAIR**

- High strength fibreglass wrap, impregnated with a specially formulated resin to repair pipes up to 1" in diameter.
- Activated by water, forms a strong, waterproof bond that hardens like steel in 15 minutes.
- Use on copper, cast iron, PVC, ABS, galvanized steel, rubber and more.

ITEM NO.	LENGTH
JB38248	2" x 48" Kit with Gloves



### ▶ **FIBERFIX® RIGID PATCH™**

- Use on gutters, garbage barrels, water tanks, boats, canoes, automotive body and more.
- includes 3 patch (1 each: 3"x3", 2"x8" and 5"x5").
- Sandable and paintable after curing.
- Peel and stick application.
- Boxed with hanger.



ITEM NO.	DESCRIPTION
*JB39000	Kit With 3 Patches
<b>*TO BE DISCONTINUED</b>	

### ▶ **AQUASEAL - REPAIR ADHESIVE FOR NEOPRENE**

- Urethane rubber compound for repair to all flexible neoprene products such as wet suits and rafts.
- Holes up to 1" can be repaired without patches.
- Unaffected by heat or solvents.



ITEM NO.	DESCRIPTION
AQUA-28	Aquaseal 28 ml Tube - Carded

### ▶ **SEAL-ALL - REPAIR KIT IN A TUBE**

- Bonds wood, metal, glass, plastic, rubber and fabric.
- Ideal for gas tank and plumbing repairs.
- Unaffected by gasoline, oil or alcohol.
- Seals, bonds, insulates, waterproofs.
- Dries in minutes.

ITEM NO.	DESCRIPTION
SEAL-22	29.7 ml (1 fl. oz.) Tube - Carded
SEAL-60	60 ml (2 fl. oz.) Tube - Carded





**▶ AUTOMOTIVE GOOP**

- Used to repair leather, rubber or vinyl.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
160034	Automotive Goop



**▶ PLUMBER'S GOOP**

- Can be used in place of silicone on PVC, porcelain, gutters, etc.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
150034	Plumber's Goop



**▶ AMAZING GOOP**

- All-round adhesive, repairs ceramics and pottery.
- Carded 29.5 ml tube.

ITEM NO.	DESCRIPTION
140034	Amazing Goop



**▶ MARINE GOOP**

- Weatherproof and UV resistant.
- Used as a sealant or adhesive.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
170034	Marine Goop



## ▶ HOUSEHOLD GOOP

- Mends, seals and protects; creates a tough flexible waterproof bond on rainwear, shoes and plumbing.
- It can repair worn insulation, cover rust spots, lock loose nuts-bolts and adheres to brick & cement.
- Replaces all other types of glue.
- Carded 109.4 ml tube.
- Dries clear.

ITEM NO.	DESCRIPTION
130034	Household Goop



## ▶ SHOE GOO

- Designed to repair shoes, can be used on leather, rubber, canvas and most composites.
- Carded 29.5 ml tube.

ITEM NO.	DESCRIPTION
110134	Shoe Goo



## ▶ CRAFT ADHESIVE

- Available in countertop display of 24.
- Industrial strength craft adhesive.
- Washer/Dryer safe.
- Photograph safe.
- 29.5 ml Tube.
- Waterproof.
- Dries clear.
- Paintable.
- Dries clear.

ITEM NO.	DESCRIPTION
230025	E6000 Craft Adhesive



## ▶ BENCH VISES



- Reliable, economical.
- Replaceable steel jaws.
- Suitable for most machine shops.


ITEM NO.	BASE TYPE	WIDTH OF JAW	OPENING	WEIGHT
V-0404	Stationary	4"	4"	21 lbs.
V-0505	Stationary	5"	5-1/2"	37 lbs.
V-0606	Stationary	6"	6"	65 lbs.
V-0808	Stationary	8"	9"	88 lbs.



## ▶ MULTI-PURPOSE BENCH VISE

- Head revolves 360 degrees to allow use of regular jaws or pipe jaws.
- Removable jaws.
- 3" x 3-1/2" anvil.


ITEM NO.	BASE TYPE	WIDE OF JAW	OPENING	WEIGHT
V2125	Swivel	5"	5"	65 lbs.



## ▶ DRILL PRESS VISES

- Cast iron body w/plated steel screw.
- Slotted base for easy mounting.
- For general drill press drilling.
- Replaceable jaws.

ITEM NO.	WIDTH OF JAW	OPENING	DEPTH	WEIGHT
DPV-6	6"	5-3/4"	1"	6.1 kg



## ▶ C-CLAMPS

- Inexpensive general purpose.
- Malleable iron construction.
- Zinc plated screw.
- Swivel button.

ITEM NO.	MAX. OPENING	WEIGHT EACH
141	1"	0.25 lb
142	2"	0.5 lb
143	3"	0.75 lb
144	4"	1.25 lbs
146	6"	2.0 lbs
148	8"	3.0 lbs



**▶ C-CLAMPS - HEAVY DUTY**

- Painted black, screw and handle are chrome plated.
- Replaces our CC series.
- Malleable Iron.

ITEM NO.	DESCRIPTION	THROAT DEPTH	WEIGHT EACH
AL302-2	2" Capacity C-Clamp	1"	0.5 lb
AL302-3	3" Capacity C-Clamp	1-11/16"	1 lb
AL302-4	4" Capacity C-Clamp	1-15/16"	1.75 lbs
AL302-6	6" Capacity C-Clamp	2-7/16"	2.25 lbs
AL302-8	8" Capacity C-Clamp	2-7/8"	2.75 lbs


**▶ BOLT CUTTER (OFFSET TYPE) - MADE IN JAPAN**


- 30 degree offset to allow flush cut and allow visual of item to cut.
- Angular jaws made of heat treated carbon steel.
- For use on soft-medium metals.
- Parts available.

ITEM NO.	DESCRIPTION
----------	-------------

- \*AC-0060 24" Offset Bolt Cutter
- \*ACE-0060 Replacement Jaws
- \*Not for Use on Grade 70 Transport Chain**


**▶ BOLT CUTTERS - MADE IN JAPAN**


- Jaws carefully heat treated for maximum strength and wear resistance.
- Drop-forged jaws made from carbon tool steel.
- 12" - 18" clipper cut: 24" - 42" center-cut jaws.
- High strength tubular handles with rubber grips.
- All purpose high quality bolt cutters.
- Replacement jaws available.
- Adjustable jaw.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
----------	--------	----------	-------------

- \*BC-0735 (Previously HP-002) 14" 1/4" (6mm) 2.25 lbs.
- \*BC-0745 (Previously HP-003) 18" 5/16" (8mm) 3.75 lbs.
- \*BC-0760 (Previously HP-004) 24" 3/8" (10mm) 6.0 lbs.
- \*BC-0775 (Previously HP-005) 30" 1/2" (13mm) 9.25 lbs.
- \*BC-0790 (Previously HP-006) 36" 11/16" (14mm) 14.0 lbs.
- \*BC-0710 (Previously HP-007) 42" 5/8" (16mm)

**\*Not for Use on Grade 70 Transport Chain**



**▶ MCC BOLT CUTTER (RATCHET TYPE) - MADE IN JAPAN**



- High strength tubular handles with rubber grip.
- Ratchet action allows using in restricted space.
- Cutting capacity 1/2" (19 HRC), 7/16" (36 HRC).
- Drop-forged jaws.



ITEM NO.	DESCRIPTION
RBC-3213	31" Ratchet Bolt Cutter
RBCE-3213	Replacement Jaws

**▶ MINI BOLT CUTTERS - MADE IN JAPAN**



- All purpose high quality bolt cutters.
- PVC-covered handles.
- Spring return handle.
- Heat treated jaws.

ITEM NO.	DESCRIPTION
MC-0020	Standard mini bolt cutter, capacity 4 mm soft steel (Previously HP-014)
SUSMC-02	Suitable for up to 4mm soft steel, made of stainless steel to prevent corrosion
ME-0020	End cutter design, capacity 3.5mm soft steel, 2mm HRC 20
MN-0022	40° Angle cutter, capacity 3.5mm maximum diameter or HRC 20



MC-0020



SUSMC-02



ME-0020



MN-0022

**▶ MCC WIRE ROPE CUTTERS - MADE IN JAPAN**



- Jaws designed specially for cutting wire rope.
- Same quality features as "MCC" Bolt Cutters.
- Bypass-style cutting jaws.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
WC-0260 (Previously HP-023)	24"	3/8"	5.0 lbs.
WC-0290 (Previously HP-025)	36"	5/8"	13.5 lbs.



**▶ STEEL STRAP CUTTER - MADE IN JAPAN**


- Specially designed to slip under and hold tight steel or plastic strapping and reduce spring action of cut strapping.

ITEM NO.	DESCRIPTION	CAPACITY
SC-0200 (Previously HP-030)	9" Strap Cutter	.035" (.9mm)
SC-0201 (Previously HP-031)	18" Strap Cutter	.047" (1.2mm)


**▶ MCC HYDRAULIC HOSE CUTTER & CABLE CUTTER - MADE IN JAPAN**


- Designed to cut aluminum or soft copper strands as well as reinforced hydraulic hose.
- By-pass blades create clean cuts and hook blade draws material into cutting area.
- Replacement jaws available.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
CC-0302	30"	1-3/16"	8.0 lbs.


**▶ MCC REBAR CUTTER & BENDER - MADE IN JAPAN**


- Quality tool specially designed for cutting and bending rebar and other soft steels.
- Maximum capacity 5/8" (13mm - 16mm).
- No adjustments required for rebar sizes.
- Suitable to cut Grade 40 and Grade 60.
- Replacement cutter jaws available.
- New heavier construction.

ITEM NO.	DESCRIPTION	WEIGHT EACH
SCB-16	Rebar Cutter Bender	38 lbs.
SCBE-16	Replacement Jaws	
CBE-0213	Replacement Jaws For CB-0213, (3/8" - 1/2")	



## ▶ MCC THREADED ROD CUTTER - MADE IN JAPAN

- Dies can be flipped over to allow double the usage.
- Does not damage threads (no thread repair).
- Designed to cut threaded mild steel.

ITEM NO.	DESCRIPTION	WEIGHT
*AB-3U	3/8" UNC Threaded Rod Cutter	8 lbs
*ABE-3U	3/8" Replacement Dies for AB-3U, AB-43U	
*AB-43U	3/8", 1/2" Threaded Rod Cutter	15 lbs
*ABE-4U	1/2" Replacement Dies	

**\*TO BE DISCONTINUED**

**(METRIC SIZES AVAILABLE)**



## ▶ BOLT CUTTERS

- Comfortable cushion-grip handles.
- Drop-forged high alloy steel jaws.
- Replaceable jaws.
- Adjustable jaws.

ITEM NO.	LENGTH	CAPACITY	WEIGHT EACH
*C11-18	18"	5/16" (8mm)	3.3 lbs.
*C11-24	24"	3/8" (10mm)	5.28 lbs.
*C11-36	36"	5/8" (16mm)	11.60 lbs.

**\*Not for Use on Grade 70 Transport Chain**



## ▶ PVC PIPE CUTTER - MADE IN JAPAN

- Suitable for PVC pipe, anti-shock PVC, PVC conduit & polyethylene gas pipe.
- V-groove shaped jaw holds pipe in place.
- Suitable for 1/4" - 1-5/8" PVC pipe.
- Replacement blades available.
- Alloy body saves weight.

ITEM NO.	DESCRIPTION
VC-0334	1-1/3" (34 mm) Cutting Capacity Ratcheting PVC Pipe Cutter
VCE-0334	Replacement Blade
VC-0342A	1-5/8" (42 mm) Cutting Capacity Ratcheting Pipe Cutter
VCE-0342	Replacement Blade
VC-0363	2-1/2" (63 mm) Cutting Capacity Ratcheting Pipe Cutter
VCE-0363	Replacement Blade




**▶ SPARE JAWS FOR MCC TOOLS - MADE IN JAPAN**


ITEM NO.	DESCRIPTION	WEIGHT EACH
BCE-0035 (Previously HE-124)	14" Bolt Cutter Jaws	1.0 lbs.
BCE-0045 (Previously HE-125)	18" Bolt Cutter Jaws	1.5 lbs.
BCE-0060 (Previously HE-126)	24" Bolt Cutter Jaws	2.25 lbs.
BCE-0075 (Previously HE-127)	30" Bolt Cutter Jaws	3.5 lbs.
BCE-0090 (Previously HE-128)	36" Bolt Cutter Jaws	5.0 lbs.
BCE-0010 (Previously HE-129)	42" Bolt Cutter Jaws	7.0 lbs.
WCE-0260 (Previously HE-138)	24" - 3/8" Wire Rope Cutter Jaws	2.0 lbs.
WCE-0290 (Previously HE-140)	36" - 5/8" Wire Rope Cutter Jaws	4.0 lbs.
CBE-0216 (Previously HE-149)	5/8" Cap. Rod Cutter/ Bender Jaws for Model CB-16, HP-131	6.5 lbs.
CCE-0302	30" Hose Cutter Replacement Jaws	3.0 lbs.



HOSE CUTTER



ROD CUTTER



BOLT CUTTER

**▶ SWAGER & CABLE CUTTER**

- For crimping soft metal (aluminum, copper) sleeves and stops.
- Crimping capacity 1/16" to 3/16" diameter.
- Heat-treated alloy joints.
- Length: 25-1/2".

ITEM NO.	DESCRIPTION
HWP-24	Swager and Cable Cutter





## ▶ HEAVY DUTY STEEL PIPE WRENCHES

- Forged carbon steel jaws, ductile steel housing.
- Precision milled teeth.

ITEM NO.	SIZE	DESCRIPTION
111-08	8"	Heavy Duty Pipe Wrench
111-12	12"	Heavy Duty Pipe Wrench
111-14	14"	Heavy Duty Pipe Wrench
111-18	18"	Heavy Duty Pipe Wrench
111-24	24"	Heavy Duty Pipe Wrench



## ▶ HEAVY DUTY ALUMINUM PIPE WRENCHES

- Lightweight and strong.

ITEM NO.	SIZE	DESCRIPTION
113-18	18"	Aluminum Handle Pipe Wrench
113-24	24"	Aluminum Handle Pipe Wrench



## ▶ ALUMINUM PIPE WRENCHES



- Manufactured to U.S. Specifications GGG-W-651 E Type II Class C.
- Monoblock handle in light aluminum alloy.

ITEM NO.	LENGTH	MAX PIPE SIZE
104-1000	10"	1-1/2"
104-1400	14"	2"
104-1800	18"	2-1/2"
104-2400	24"	3"
104-3600	36"	5"
104-4800	48"	6"



**▶ HEAVY DUTY STEEL PIPE WRENCHES**


- Lower jaw (heel jaw) forged and tempered, properly seated so as to prevent load on pin.
- Manufactured to U.S. Specifications GGG-W-651 E Type II Class A.
- Upper jaw (hook jaw) forged and dual heat-treated.
- Monoblock cast iron handle.

ITEM NO.	LENGTH	MAX PIPE SIZE
102-0800	8"	1"
102-1000	10"	1-1/2"
102-1200	12"	2"
102-1400	14"	2"
102-1800	18"	2-1/2"
102-2400	24"	3"
102-3600	36"	5"
102-4800	48"	6"


**▶ OFFSET ALUMINUM PIPE WRENCHES**

- Physical shape allows operation in narrow quarters where pipe is close to the wall and where small turning angle is available.
- Manufactured to US specifications GGG-W-651E Type II Class C.
- Monoblock handle of heat-treated light aluminum alloy.


ITEM NO.	LENGTH	MAX PIPE SIZE
105-1400	14"	2"
105-1800	18"	2-1/2"

\*Please note that SUPER-EGO 102, 104 and 105 Series jaws may be interchangeable with Ridgid (TM).


**▶ CONCRETE WIRE NIPPER**

- Long handles provide added leverage.
- Heat-treated cutting edges.
- PVC-coated handles.
- Drop-forged steel.

ITEM NO.	DESCRIPTION	LENGTH
507-0900	Concrete Wire Nipper	9"


**▶ STRAP WRENCH - NYLON STRAP**

- The ideal wrench for working on chrome-plated and plastic pipes.
- Commonly used in garages to remove oil filters, spindles, etc.

ITEM NO.	HANDLE LENGTH	MAX PIPE SIZE	STRAPLENGTH
108-12LO	12"	8"	35"





## ▶ BOX JOINT PLIERS

- Drop-forged from chrome vanadium steel.
- Handle design prevents finger pinch.
- Excellent ability for gripping pipe.
- Jaws remain parallel at all times.
- Can be operated with one hand.
- PVC-coated handles for comfort.
- Double-hardened jaws.
- Countertop display.



ITEM NO.	DESCRIPTION	CAPACITY
522-1000	10" Box Joint Pliers	1-1/4"

## ▶ UTILITY CHAIN WRENCH - REVERSIBLE

- Due to the special design of the teeth, allows the pipe to be tightened or released alternately without changing the position of the wrench.
- Specially designed for easy operation in tight corners where other wrenches cannot be used.
- Totally forged, with dual heat treatment.

ITEM NO.	HANDLE LENGTH	MAX PIPE SIZE	CHAIN
107-1200	12"	4"	17-1/2"



## ▶ TONGUE CHAIN WRENCHES

- Manufactured to U.S. Specifications GGG-W-651 E Type III Class A.

ITEM NO.	OVERALL HANDLE LENGTH INCLUDING JAW	PIPE SIZE CAPACITY	CHAIN LENGTH INCL. LINK
*103-3200	37"	4"	23"
*103-3300	44"	6"	32"
*103-3400	50-1/2"	8"	40-1/2"

\*FOB SURREY, BC ONLY



**TUBING CUTTERS - FOR COPPER, STAINLESS STEEL & PLASTIC**


- Industrial quality.

ITEM NO.	DESCRIPTION	MIN. CAP.	MAX CAP.
722	Mini	1/4"	7/8"
725	Standard	1/8"	1-1/8"
*726	Standard	1/2"	2"
*728	Mini-Max	1/8"	1-1/8"
735	Telescopic.	1/4"	1-3/8"
*750	Quick Action	1/4"	2-5/8"
*751	Quick Action.	2"	5"

Please note Item No. 725, 726, 735, 750 all include: 1 cutter for copper plus 1 cutter for plastic.

Note: Item #751 includes 1 cutter for plastic.

**\*FOB SURREY, BC ONLY**


**PIPE CUTTERS**


- To cut steel and cast iron pipes.

ITEM NO.	MINIMUM CAPACITY	MAXIMUM CAPACITY
701-0100	1/8"	1-1/4"
701-0200	1/8"	2"
710-0400	2"	4"


**PIPE VISES**

ITEM NO.	DESCRIPTION	CAPACITY
404-0600	Top Screw Chain Vise	1/4" - 6"
450-0200	Bench Yoke Vise	1/8" - 2"



**▶ ENCLOSED RATCHET THREADER KITS**

ITEM NO.	DESCRIPTION
600-2236	Enclosed Ratchet. 4 Threader Heads - 1/2", 3/4", 1", 1-1/4" N.P.T. Molded ABS Case.
600-2331	Enclosed Ratchet. 7 Threader Heads - 3/8", 1/2", 3/4", 1", 1-1/4", 1 1/2", 2" NPT with Adaptor Molded ABS Case.

\* Custom Kits Available From Open Stock.



**▶ SERIES 600 - ENCLOSED RATCHET THREADER - REPLACEMENT DIES & DROP HEADS WITH DIES**

**DROP HEAD WITH DIES**

ITEM NO.	SIZE
6002-N	1/4"
6003-N	3/8"
6004-N	1/2"
6005-N	3/4"
6006-N	1"
6007-N	1-1/4"
6008-N	1-1/2"
6009-N	2"

**REPLACEMENT DIES ONLY**

ITEM NO.	SIZE
6002-N40	1/4"
6003-N40	3/8"
6004-N40	1/2"
6005-N40	3/4"
6006-N40	1"
6007-N40	1-1/4"
6008-N40	1-1/2"
6009-N40	2"



**▶ RATCHET HANDLES & ADAPTORS - FOR SERIES 600 ENCLOSED RATCHET**



ITEM NO.	DESCRIPTION
600-0000	1/4" - 1-1/4" Ratchet
600-0100	1/4" - 2" Ratchet
600-0115	Reduction Adaptor Used With 600-0100 Ratchet Suitable For 1/4" - 1-1/4"



**▶ DEBURRING TOOL - MADE IN SPAIN**


- 3-1/4" overall length (includes 2-1/4" plastic handle).
- Full 360° rotation of deburring blade.
- Replacement blade available.



ITEM NO.	DESCRIPTION
750-0041	2 PC Deburring Set

**▶ HEEL JAWS & PINS**

ITEM NO.	FITS
102-0815	8"
102-1015	10"
102-1215	12" & 14"
102-1815	18"
102-2415	24"
102-3615	36"
104-4815	48"


**▶ HOOK JAWS (MOVING JAWS)**

ITEM NO.	FITS
102-0802	8"
102-1002	10"
102-1202	12"
102-1402	14"
102-1802	18"
102-2402	24"
102-3602	36"
104-4802	48"
105-1402	14" #105-1400
105-1802	18" #105-1800



\* Note: Series 102, 104, 112 Hook & Heel. Jaw & Nut are interchangeable with RIDGID™ Pipe Wrenches.

**▶ KNURL NUTS**


ITEM NO.	FITS	ITEM NO.	FITS
102-0804	8"	102-1804	18"
102-1004	10"	102-2404	24"
102-1204	12"	102-3604	36"
102-1404	14"	104-4804	48"



## ▶ SETS OF SPRINGS - FLAT & COIL

ITEM NO.	FITS	ITEM NO.	FITS
102-0813	8"	102-1813	18"
102-1013	10"	102-2413	24"
102-1213	12"	102-3613	36"
102-1413	14"	104-4813	48"
105-1405	14" Offset		
105-1805	18" Offset		



## ▶ CUTTER WHEELS FOR TUBING CUTTERS

ITEM NO.	FITS
735-0005	716, 722, 726, 728, 735 & 750 for Copper
735-0015	716, 722, 725, 726, 728 & 735 for Stainless
763-0122	726, 735, 750 for Plastic
*737-0005	751, 752 for Copper
*737-0122	750, 751, 752 for Plastic

**\*FOB SURREY, BC ONLY**



## ▶ REPLACEMENT CUTTER BLADE



ITEM NO.	DESCRIPTION
*568-0224	Fit For 568-0200
*568-6324	Fit For 568-6300

**\*TO BE DISCONTINUED**

## ▶ CUTTER WHEELS FOR PIPE CUTTERS FOR STEEL PIPE

ITEM NO.	FITS
701-0105	701 - 1-1/4"
710-0205	701 - 2"
710-0405	710 - 4"



## ▶ DEBURRING BLADE FOR COPPER

ITEM NO.	FITS
735-0014	735 Tube Cutter




**▶ CUTTER WHEEL PINS**


ITEM NO.	FITS	ITEM NO.	FITS
*701-0115	701-0100	*725-0006	725
*710-0215	701-0200	*735-0007	735, Old Style
*710-0415	710-0400	*735-0048	716, 722, 728, 735
*716-0014	716, 722, 726	*751-0007	750 (With Screw) Old Style
*751-0042	750 New Style		

**\*FOB SURREY, BC ONLY**


**▶ ROLLERS FOR TUBING CUTTERS & PIPE CUTTERS**

ITEM NO.	FITS	ITEM NO.	FITS
*701-0106	701-0100 - 1-1/4"	*750-0005	750 Large
*710-0206	701-0200 - 2"	*750-0006	750 Small
*710-0406	710-0400 - 4"	*751-0006	751
*735-0006	735		

**\*FOB SURREY, BC ONLY**


**▶ ROLLER PINS FOR TUBING CUTTERS & PIPE CUTTERS**

ITEM NO.	FITS
*701-0116	701-0100 - 1-1/4"
*710-0216	701-0200 - 2"
*710-0416	710-0400 - 4"
*725-0007	725
*735-0009	735
*750-0009	750
*751-0009	751

**\*FOB SURREY, BC ONLY**


**▶ REPLACEMENT PARTS FOR CHAIN VISE**

ITEM NO.	DESCRIPTION
404-0620	Chain Only - Fits: 404-0600
404-0602	Jaws Only - Fits: 404-0600





## ▶ REPLACEMENT PARTS FOR CHAIN WRENCH & STRAP WRENCH

ITEM NO.	DESCRIPTION
*103-3213	Chain Only - Fits 103-3200
*103-3314	Chain Only - Fits 103-3300
*103-3414	Chain Only - Fits 103-3400
106-1211	Chain Only - Fits: 107-1200
108-02L4	8" Capacity Strap Only - Fits: 108-12L0

**\*FOB SURREY, BC ONLY**



## ▶ CHANNELLOCK - MADE IN U.S.A




- All cutter jaws are perfectly mated and heat treated to hold their edge.
- All tongue and groove pliers are undercut to prevent slippage.

## ▶ TONGUE & GROOVE PLIERS

ITEM NO.	LENGTH	DESCRIPTION
*CH-424	4 1/2"	3 Adjustments, 1/2" Cap

**\*TO BE DISCONTINUED**



## ▶ NUTBUSTER PLIERS

ITEM NO.	LENGTH	DESCRIPTION
*CH-414	14"	4 Adjustments, 2" Cap

**\*TO BE DISCONTINUED**



**▶ REPLACEMENT TIP KIT**
**ITEM NO. DESCRIPTION**

\*CH-927T Replacement Tip Kit For CH-927 Snap Ring Plier

**\*TO BE DISCONTINUED**


**▶ RESCUE TOOLS**

- Designed to shut off gas valves, pry windows and doors, tighten & loosen up to 5" hose couplings.
- Laser heat-treated cutting edges to cut hard and soft wire.
- One hand usage, spring loaded handle.
- Made in the USA.

**ITEM NO. DESCRIPTION**

\*CH-86 9" Rescue Tool Multi-plier

**\*TO BE DISCONTINUED**


**▶ FENCE PLIER**

- Made of drop-forged alloy steel.
- Packed in plastic pouch.
- PVC coated handles.
- Polished head.

**ITEM NO. DESCRIPTION**

FP-1000 10" Fence Pliers




## ▶ PARALLEL ACTION SIDE-CUTTING PLIERS - MADE IN ENGLAND

- Compound action side cutter allows high tensile wire to be cut with little effort.
- Parallel jaws provide a positive grip on square or hexagonal components.
- Commonly used to cut bale wire in pulp mills.
- Sealed handles, knurled jaws.

ITEM NO.	DESCRIPTION
----------	-------------

- |                             |   |
|-----------------------------|---|
| *4950-200                   | 8" Parallel Action Pliers With Cutter                   |
| *4960-200                   | 8" Parallel Action Pliers With Cutter and Plastic Grips |
| <b>*FOB SURREY, BC ONLY</b> |   |



## ▶ REVOLVING PUNCH PLIER - MADE IN ENGLAND

- Used for leather, gaskets and other composite materials.
- 6 Punch sizes: 2.0, 2.5, 3.5, 3.9, 4.0, 4.5mm.
- Nickel-plated, knurled handles.
- Spring-loaded handles.
- Attractively carded.
- Brass anvil.

ITEM NO.	DESCRIPTION
----------	-------------

- |          |                    |
|----------|--------------------|
| 2230-200 | 8" Revolving Punch |
|----------|--------------------|



## ▶ ADJUSTABLE WRENCHES

- Jaw hardness up to HRC 45° - 50°.
- Chrome plated & heat-treated.
- Polished head.

ITEM NO.	OVERALL LENGTH	MAX OPENING
<b>Chrome Vanadium Steel:</b>		
91-06	6"	3/4"
91-08	8"	15/16"
91-10	10"	1-3/16"
91-12	12"	1-7/16"
91-15	15"	1-3/4"
91-18	18"	2-1/8"
<b>Alloy Steel:</b>		
91-24	24"	2-3/8"



**▶ COMBINATION WRENCHES - OPEN STOCK - SAE & METRIC**


- Raised panel long handle design (Indicated asterisk).
- Supplied with convenient hanger tag.
- Drop forged and hardened.
- Chrome vanadium steel.
- Chrome plated.
- Fully polished.

ITEM NO.	SIZE METRIC
*CW-06MM	6mm
*CW-07MM	7mm
CWM08	8mm
*CW-09MM	9mm
CWM10	10mm
*CW-11MM	11mm
CWM12	12mm
CWM13	13mm
*CW-14MM	14mm
*CW-15MM	15mm
CWM17	17mm
CWM18	18mm
CWM19	19mm
CWM20	20mm
CWM22	22mm
CWM24	24mm
CWM26	26mm
*CW-27MM	27mm
CWM30	30mm
CWM32	32mm

ITEM NO.	SIZE SAE
*CW-1-4	1/4"
*CW-5-16	5/16"
*CW-3-8	3/8"
CWS07	7/16"
CWS08	1/2"
CWS09	9/16"
*CW-5-8	5/8"
CWS11	11/16"
*CW-3-4	3/4"
CWS13	13/16"
*CW-7-8	7/8"
CWS15	15/16"
CWS16	1"
CWS17	1-1/16"
CWS18	1-1/8"
CWS20	1-1/4"



Note: Old versions



Note: Fully polished versions

## ▶ COMBINATION WRENCH SET - 14 PIECES



- Professional mechanics' quality.
- Heavy duty nylon pouch.
- Fully polished.
- Drop-forged.
- Heat treated.

ITEM NO.	DESCRIPTION
CWP14S (Replacement for CW-14S)	<b>Standard set containS:</b> 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4"
CWP14M (Replacement for CW-14M)	<b>Metric set contains:</b> 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 20mm, 22mm, 24mm



## ▶ JUMBO COMBINATION WRENCH SET - 6 & 10 PIECES



- Chrome vanadium steel.
- Long handle design.
- Chrome-plated.

ITEM NO.	SIZES
CW-6J (6 pc. set)	1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2" Supplied in plastic carry case
CW-10J (10 Pc. Set)	1-3/8", 1-5/16, 1-1/2", 1-7/16", 1-5/8", 1-11/16", 1-13/16", 1-3/4", 1-7/8", 2" Supplied in vinyl roll
CW-10JM (10 Pc. Set)	33mm, 34mm, 36mm, 38mm, 41mm, 42mm, 44mm, 46mm, 48mm, 50mm Supplied in vinyl roll



**▶ FLARE NUT WRENCH SET**


- Supplied in handy plastic rack with handle.
- Chrome vanadium steel.
- Polished finish.
- Drop forged.


**ITEM NO. DESCRIPTION**

\*FN-5S 5 Piece Flare Nut Wrench Set: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16".

\*TO BE DISCONTINUED

**▶ JUMBO WRENCHES (METRIC) - OPEN STOCK**

- Raised panel style and long handle design.
- Chrome vanadium steel.
- Chrome-plated.

ITEM NO.	SIZE	ITEM NO.	SIZE	ITEM NO.	SIZE	ITEM NO.	SIZE
CW-6J-1	1-3/8"	CW-6J-35	1-11/16"	CW-6J-33MM	33mm	CW-6J-42MM	42mm
CW-6J-05	1-5/16"	CW-6J-4	1-3/4"	CW-6J-34MM	34mm	CW-6J-44MM	44mm
CW-6J-2	1-1/2"	CW-6J-45	1-13/16"	CW-6J-36MM	36mm	CW-6J-46MM	46mm
CW-6J-15	1-7/16"	CW-6J-5	1-7/8"	CW-6J-38MM	38mm	CW-6J-48MM	48mm
CW-6J-3	1-5/8"	CW-6J-6	2"	CW-6J-41MM	41mm	CW-6J-50MM	50mm


**▶ 21 PC SAE SOCKET SET - 7/8" TO 2" SOCKETS - 3/4" DRIVE**


- Carbon steel sockets, ratchet, and extensions.
- 12 point sockets, 7/8" to 2".
- Set includes:
  - 16 sockets
  - 20" ratchet handle
  - 15" sliding "T" handle
  - 4" & 8" extension bars
  - Packed in metal case with handle.


**ITEM NO. DESCRIPTION**

CS-3421 3/4" Drive 21 Pc Socket Set

**▶ 25 PC SAE/METRIC - 3/8" DRIVE SOCKET SET**

- 6-Point sockets made from hardened and heat-treated chrome-vanadium steel with chamfered corners to reduce nut and bolt-head rounding.
- 45 Tooth ratchet and flex-handle made from 40CR tool steel and knurled for grip.
- Includes 10" ratchet handle, 10" flex handle, U-joint, 3" extension bar, 10" extension bar, 5/8" (16mm) spark plug socket and 13/16" (21mm) spark plug socket.
- Metal case with polystyrene insert to keep tools organized.
- Polished chrome finish for easy cleaning.


**ITEM NO. DESCRIPTION**

TK3825 3/8" Drive Socket Set, SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and Metric Sockets: 10 to 17mm.

## ▶ PUNCH & CHISEL SET

- High carbon steel, hardened & tempered.
- 12 pcs. in a vinyl roll.

### ITEM NO. INCLUDES

PC-12	4 - Flat Chisels - 1/2", 5/8", 3/4", 7/8" 2 - Taper Punches - 1/4", 3/16" 1 - Long Taper Punch - 3/16" 2 - Pin Punches - 1/4", 5/32" 1 - Center Punch - 3/8" 1 - Cape Chisel - 3/16" 1 - Concrete Chisel - 9/16"
-------	--



## ▶ WAD PUNCH KIT - MADE IN ENGLAND

- Includes wad punch handle and 9 interchangeable punches.
- Punches are heat treated and ground to a fine cutting edge.
- Replacement handle and punches available.
- Packed in a sturdy ABS organizer box.

### ITEM NO. PUNCH SIZES

1001-05	Includes 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1" and Item# 1000-04 Handle
---------	--

### REPLACEMENT PUNCHES

#### ITEM NO. PUNCH SIZES

1000-006	1/4"
1000-008	5/16"
1000-375	3/8"
1000-016	5/8"
1000-438	7/16"
1000-500	1/2"
1000-750	3/4"



## ▶ RATCHETING COMBINATION WRENCH SET - 7 PIECES

- Heat treated 31CrV3 tool steel.
- Heavy duty nylon pouch.
- 72 Tooth ratchet.
- Fully polished.

### ITEM NO. DESCRIPTION


RW7S	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
------	---



**▶ NUMBER & LETTER STAMP SETS**

- Dimension represents height of digit.
- Supplied in a plastic box.
- High carbon steel.

ITEM NO.	DESCRIPTION
*NUM-1-8	1/8" Number Set, 9 Piece 1 - 0
*LET-3-16	3/16" Letter Set, 27 Piece A-Z Plus
<b>*TO BE DISCONTINUED</b>	


**▶ DRYWALL SCREW BIT**

- For use with variable speed power drills.
- #2 Phillips bit fits most drywall screws.
- Sets screws at proper depth.

ITEM NO.	DESCRIPTION
*DSA-1	Drywall Screw Bit - Carded
<b>*TO BE DISCONTINUED</b>	


**▶ SCREWDRIVERS - OPEN STOCK**

- Hex shaped bolster for wrench assisted turning power.
- Classic black ABS plastic handle.
- Chrome vanadium steel.
- Bulk.

ITEM NO.	TIP	SIZE
**SD-S-001	Slot	3/8" x 8"
**SD-S-005	Slot	1/4" x 1 1/2" Stubby
**SD-S-007	Phillips	3/16" x 3"
**SD-S-008	Phillips	1/4" x 1 1/2" Stubby
**SD-S-S2	Robertson	#2 x 4" Red Handle
**SD-S-S3	Robertson	#3 x 4" Black Handle
**SD-S-T10	Torx™	T10 x 4"
**SD-S-T15	Torx™	T15 x 4"
**SD-S-T20	Torx™	T20 x 4"

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**





## ▶ CAULKING GUN

- Accepts all standard cartridges.
- Extra long trigger leverage.
- Smooth rod action.

ITEM NO.	DESCRIPTION
----------	-------------

*Requires trigger release to stop caulk flow:*

- |        |   |
|--------|---|
| SM-900 | Half-Open Type Cap. 1/10 Gallon (9" Cartridge.) "Smooth Rod Type" |
| SM-690 | Half-Open Type Cap. 1/10 Gallon (9" Cartridge.) "Ratchet Type"    |




## ▶ CAULKING GUN

- Revolving barrel 1/4 gallon half-open type caulking gun.
- Heavy duty cast handle and mechanism.
- Ladder hook type plunger handle.

ITEM NO.	DESCRIPTION
----------	-------------

- |           |  |
|-----------|--|
| WT-215JBR | Revolving 1/4 Gallon Half-Open Smooth Rod Caulking Gun |
|-----------|--|



## ▶ CAULKING GUN

- Open end cartridge holder can be used with wide nozzle.
- 1/4 gallon half-open type caulking gun.
- Spout cutter included.
- No-pinch finger guard.
- Puncture tool included.

ITEM NO.	DESCRIPTION
----------	-------------

- |                   |  |
|-------------------|--|
| *WT-230JBH (#315) | 1/4 Gallon Half-open Type Caulking Gun |
|-------------------|--|
- \*FOB SURREY, BC ONLY**



## ▶ CAULKING GUN

ITEM NO.	DESCRIPTION
----------	-------------

*Automatic pressure release stops caulk flow immediately:*

- |                                   |  |
|-----------------------------------|--|
| SK-200                            | Frame Type (Dripless) Cap. 1/10 Gallon (9" Cartridge)    |
| SK-800HD (Replacement for SK-800) | Frame Type (Dripless) Cap. HD 1/4 Gallon (13" Cartridge) |



**▶ CAULKING GUN**

- 1/10 gallon (9" cartridge) skeleton type frame.
- Trigger release to relieve pressure.
- Hex rod for positive grip.
- Riveted construction.
- Cast handle.



ITEM NO.	DESCRIPTION
----------	-------------

CG-800	1/10 Gallon Skeleton Type Caulking Gun
--------	--

**▶ CAULKING GUN**

- Heavy duty cast handle and smooth rod for smooth operation.
- Open end cartridge holder can be used with wide nozzle.
- Revolving parallel frame 1/10 gallon (9" cartridge).
- Thumb release to release pressure.




ITEM NO.	DESCRIPTION
----------	-------------

WT-215IH (#250)	1/10 Gallon Parallel Frame Caulking Gun Heavy Duty
-----------------	--

**▶ CAULKING GUN**

- Parallel frame dual 1/10 gallon (9") cartridge caulking gun.
- Heavy duty cast handle and mechanism.
- Smooth rod mechanism.



ITEM NO.	DESCRIPTION
----------	-------------

WT-296CT9	Dual 9" Cartridge Pro Caulking Gun
-----------	------------------------------------

**▶ CAULKING GUN**

- Supplied with plastic nozzle and plastic plunger for use when used without cartridge.
- Can be used with 600ml cartridge or can be filled.
- 15" enclosed type w/smooth rod operation.
- Revolving Anodized aluminum body.



ITEM NO.	DESCRIPTION
----------	-------------

WT-250XL	15" Aluminum 2 Way Caulking Gun
WT-250TN	Plastic Cone Nozzle For WT-250XL
WT-250XL-07	Threaded Collar For WT-250XL
WT-250PD2	Push Disc For WT-250XL

WT-250PD2

**▶ ELECTRICIAN'S KNIFE - MADE BY MORA IN SWEDEN**

**MORAKNIV®**

- Blade is hardened to 57HRC for max sharpness & sharpness retention.
- Blade made of 12C27 Sandvik stainless steel.
- Plastic handle with non slip rubber grip.
- Supplied with belt clip sheath.

**ITEM NO. DESCRIPTION**

\*12201-BK 1-1/4" Blade Electricians Knife with Double Ground Stripping Blade Allows RH and LH

\*12798-BK 1-3/4" Blade Without Stripping Groove

**\*TO BE DISCONTINUED**



**▶ UTILITY KNIFE - PLASTIC HANDLE & BLADES**

- Rubber insert on handle assures positive grip.
- Positive thumb-screw blade lock.
- Snap-off blade design.
- Blister carded.

**ITEM NO. DESCRIPTION REPLACEMENT BLADES**

TH-2001BC Standard Design 6-3/4" x 1-3/4 x 3/4" LCB-50



**▶ UTILITY KNIFE - (PLASTIC HANDLE & BLADES)**

- Plastic handle with push-button blade advance and safety lock.
- Individually sleeved.
- Snap-off blade design.

ITEM NO.	DESCRIPTION	REPLACEMENT BLADES
LC-499	Slim Design 5" X 5/8"	
LC-500	Standard Design 6" X 1-1/4" X 3/4"	LCB-50
LC-501	Standard Design 6" X 1-1/4" X 3/4" With Metal Chamber For Extra Blades	LCB-50
LC-502	Heavy Duty Design 6-1/4" X 1-1/2" X 3/4". Automatic Locking Blade	LCB-50



LC-499



LC-500    LC-501



LC-502

**▶ REPLACEMENT BLADES**

ITEM NO.	DESCRIPTION
LCB-50	Replacement Blades (10 Blades Per Pack, 24 Packs Per Inner & 288 Packs Per Master) To Fit LC-500, LC-501, LC-502



## ▶ UTILITY KNIFE BLADE REPLACEMENT - HOOK TYPE

- Can be used to cut flooring or strapping.
- Fits all standard size utility knives.
- 10 blades per tube.

ITEM NO.	DESCRIPTION
----------	-------------

**SK5-10	Replacement Hook Blade
----------	------------------------

**\*TO BE DISCONTINUED**

**\*FOB DARTMOUTH, NS ONLY**



## ▶ TELESCOPIC INSPECTION MIRROR AND MAGNETIC PICK UP TOOL

- Telescopic handle from 7" to 13" (16-1/2" extended overall length).
- PVC coated handles for comfort.
- Plated parts to prevent rusting.
- One multi-angle ball joint.

ITEM NO.	DESCRIPTION
----------	-------------

406-PT	Carded Telescopic Magnetic Pick Up Tool (Approx. 12 Oz. Capacity Lift)
--------	--



## ▶ MAGNETIC SWEEPER - ROLLER TYPE



- Quick release drops picked up items in one pull.
- Supplied with 1-1/2" x 6" rubber tread-wheels.
- Extendable handle from 31-1/2" to 44-1/2".
- Ideal for parking lots and construction sites.
- With hanger hole.
- Pull force 35 lbs.
- Boxed.

ITEM NO.	DESCRIPTION
----------	-------------

QJ8012-24	24" Magnetic Sweeper
-----------	----------------------



**▶ 40 PC. TAP & DIE SET - TUNGSTEN STEEL SAE**


- High quality tungsten steel, heat treated and tempered for Rockwell hardness 58° - 61° "C" scale.
- Combination NC, NF and NPT.
- Round dies.
- One tap and one die of the following sizes:

ITEM NO.	DESCRIPTION
TD-40	SAE 40 Pc. Tap And Die Set

NOM. SIZE	T.P.I.	NOM. SIZE	T.P.I.
#4	- 40	5/16"	- 18
#6	- 32	5/16"	- 24
#8	- 32	3/8"	- 16
#10	- 32	3/8"	- 24
#10	- 24	7/16"	- 14
#12	- 24	7/16"	- 20
1/4"	- 20	1/2"	- 13
1/4"	- 28	1/2"	- 20
		1/8"	NPT



**Note:** Also contains: 1 long-handle adjustable tap wrench, 1 "T" handle, 1 die handle, 1 screwdriver, 1 screw pitch gauge, 1 handy molded carry case.

**▶ 40 PC. TAP & DIE SET - TUNGSTEN STEEL METRIC**


- Same as TD40 but with the following metric sizes for each tap & die:

ITEM NO.	DESCRIPTION
TD-40M	Metric 40 Pc. Tap And Die Set

NOM SIZE	T.P.MM.	NOM. SIZE	T.P.MM.
M3	- 0.5mm	M7	- 1.0mm
M3	- 0.6mm	M8	- 1.0mm
M4	- 0.7mm	M8	- 1.25mm
M4	- 0.75mm	M10	- 1.25mm
M5	- 0.8mm	M10	- 1.5mm
M5	- 0.9mm	M12	- 1.5mm
M6	- 0.75mm	M12	- 1.75mm
M6	- 1.0mm	1/8"	- NPT
M7	- 0.75mm		



**Note:** Also contains: 1 long-handle adjustable tap wrench, 1 "T" handle, 1 die handle, 1 screwdriver, 1 screw pitch gauge, 1 handy molded carry case.



## ▶ 41 PC. TAP & DIE SET - SAE - MADE IN JAPAN BY SKC

- High quality tungsten steel, heat treated and tempered for Rockwell hardness 58° - 61° C scale.
- Combination NC, NF and NPT.
- Round dies.



ITEM NO.	DESCRIPTION
----------	-------------

850R	SAE 41 Pc. Tap And Die Set
------	----------------------------

- One tap and one die of the following sizes:

NOM. SIZE	T.P.I.	NOM. SIZE	T.P.I.
#4	- 40	5/16"	- 18
#6	- 32	5/16"	- 24
#8	- 32	3/8"	- 16
#10	- 32	3/8"	- 24
#10	- 24	7/16"	- 20
#12	- 24	7/16"	- 14
1/4"	- 20	1/2"	- 20
1/4"	- 28	1/2"	- 13
		1/8"	- NPT

**Note:** Also contains; 2 tap wrenches, 1 long handle tap wrench, 1 die handle, 1 screwdriver & 1 screw pitch gauge. Packed in sturdy, molded, plastic case.

## ▶ 41 PC. TAP & DIE SET - METRIC - MADE IN JAPAN BY SKC



ITEM NO.	DESCRIPTION
----------	-------------

851M	Metric 41 Pc. Tap And Die Set
------	-------------------------------

- Same as 850R but with the following metric sizes for each tap & die:

NOM. SIZE	T.P. (MM)	NOM. SIZE	T.P. (MM)
M3	- 0.6	M3	- 0.5
M4	- 0.75	M4	- 0.7
M5	- 0.9	M5	- 0.8
M6	- 1.0	M6	- 0.75
M7	- 1.0	M7	- 0.75
M8	- 1.25	M8	- 1.0
M10	- 1.5	M10	- 1.25
M12	- 1.75	1/8"	- NPT




**▶ 45 PC. TAP & DIE SET - SAE & METRIC - MADE IN JAPAN BY SKC**

- Tungsten steel heat treated & tempered to RHC 58° - 61°.
- Contains 2 tap wrenches, 2 die stocks and 1 screwdriver.
- Set designed with sizes that are most commonly used.
- Packaged in metal case with ABS plastic tray.
- Round dies.


**ITEM NO. DESCRIPTION**

895	SAE 45 Pc. Tap & Die Set, Combination NC and NF.
895M	METRIC 45 Pc. Tap & Die Set, Combination Metric Coarse & Fine.

- One tap and one die of the following sizes:

NOM. SIZE	NC T.P.I.	NOM. SIZE	NF T.P.I.	METRIC COARSE & FINE	
1/4"	- 20	1/4"	- 28	M 6 x 1.0	M 6 x 0.75
5/16"	- 18	5/16"	- 24	M 8 x 1.25	M 8 x 1.0
3/8"	- 16	3/8"	- 24	M 10 x 1.50	M 10 x 1.25
7/16"	- 14	7/16"	- 20	M 12 x 1.75	M 12 x 1.5
1/2"	- 13	1/2"	- 20	M 14 x 2.0	M 14 x 1.5
9/16"	- 12	9/16"	- 18	M 16 x 2.0	M 16 x 1.5
5/8"	- 11	5/8"	- 18	M 18 x 2.5	M 18 x 1.5
3/4"	- 10	3/4"	- 16	M 20 x 2.5	M 20 x 1.5
7/8"	- 9	7/8"	- 14	M 22 x 2.5	M 22 x 1.5
1"	- 8	1"	- 14	M 24 x 3.0	M 24 x 1.5


**▶ 110 PC. TAP & DIE SET - METRIC & SAE - MADE IN JAPAN BY SKC**

- High quality tungsten steel, heat treated & tempered to RHC 58° - 61°.
- Combination of NC and NF, and metric coarse and fine.
- 3 different tap wrenches & 2 die wrenches.
- Packed in metal case with handle.
- Round dies.

**ITEM NO. DESCRIPTION**

110-CFM	SAE & Metric 110 Pc Tap And Die Set
---------	-------------------------------------

- Contains one taper tap, one bottoming tap, and one die of the following sizes:

NOM. SIZE	T.P.I.	NOM. SIZE	T.P.I.	METRIC & NPT	T.P (MM)
#4	40	3/8"	16	M6	1.0
#6	32	3/8"	24	M8	1.25
#8	32	7/16"	14	M10	1.5
#10	24	7/16"	20	M10	1.0
#12	24	1/2"	13	M11	1.5
#10	32	1/2"	20	M12	1.25
1/4"	20	9/16"	12	M12	1.75
1/4"	28	9/16"	18	M14	1.25
1/4"	24	5/8"	11	M18	1.5
1/4"	18	5/8"	18	1/8"	NPT
5/16"	18	3/4"	10	1/4"	NPT
5/16"	24	3/4"	16		







## ► SCREW EXTRACTOR SETS - MADE IN JAPAN BY SKC

- 5 pcs. in plastic case:
  - #1 - for 1/8" - 1/4" screw.
  - #2 - for 1/4" - 5/16" screw.
  - #3 - for 5/16" - 7/16" screw.
  - #4 - for 7/16" - 9/16" screw.
  - #5 - for 9/16" - 3/4" screw.
- High carbon steel.



ITEM NO.	DESCRIPTION
1815	Spiral Flute
1815-SQ	Square Flute

## ► TWIST DRILL SETS

ITEM NO.	DESCRIPTION
D-290	- 29 Pc TiN coated HSS Jobber drill set in metal drill index. - 1/16" to 1/2" in 64ths.



## ► TWIST DRILLS

- Excellent cutting performance and high durability.
- Fine heat treated cutting edge.
- **Minimum order per pack.**
- High speed steel.
- Jobber length.
- Straight shank.



ITEM NO.	SIZE	QTY PER PACK	ITEM NO.	SIZE	QTY PER PACK
800-01	1/16"	10	800-15	9/32"	5
800-02	5/64"	10	800-16	19/64"	5
800-03	3/32"	10	800-17	5/16"	5
800-04	7/64"	10	800-18	21/64"	5
800-05	1/8"	10	800-19	11/32"	5
800-06	9/64"	10	800-20	23/64"	5
800-07	5/32"	10	800-21	3/8"	5
800-08	11/64"	10	800-22	25/64"	5
800-09	3/16"	10	800-23	13/32"	5
800-10	13/64"	10	800-24	27/64"	5
800-11	7/32"	10	800-25	7/16"	5
800-12	15/64"	10	800-26	29/64"	5
800-13	1/4"	10	800-27	15/32"	5
800-14	17/64"	5	800-28	31/64"	5
			800-29	1/2"	5

**▶ SILVER & DEMING (PRENTICE) DRILLS - 1/2" SHANK**

- High speed steel.

ITEM NO.	SIZE	ITEM NO.	SIZE
958	25/32"	950	17/32"
959	13/16"	951	9/16"
960	27/32"	952	19/32"
961	7/8"	953	5/8"
962	29/32"	954	21/32"
963	15/16"	955	11/16"
964	31/32"	956	23/32"
965	1"	957	3/4"


**▶ SILVER & DEMING (PRENTICE) 5 PC. DRILL SET**

- Set includes 9/16", 5/8", 3/4", 7/8", 1".
- Packed in wooden box.
- High speed steel.
- 6" Overall length.

ITEM NO.	DESCRIPTION
PD-5	5 Pc. Prentice Drill Set


**▶ STUB DRILL - DOUBLE END**

- High speed steel, nitrate finish.
- Packed in 10's.

ITEM NO.	DESCRIPTION
804-125	1/8" x 2"


**▶ FILE HANDLES**

- Durable plastic handles to fit chain saw files and most tanged files.

ITEM NO.	TANG SIZE	LENGTH
*908-S	Small	4" - 102mm
*TO BE DISCONTINUED		


**908-S**


## ▶ FILE HANDLE

- Includes 5 different inserts to accept a variety of file tangs.
- Durable plastic handle.

ITEM NO.	LENGTH
JKMFH-51	File Handle Kit



## ▶ FILES - BY JK FILES

- Measurement of a file is from end on file to shoulder not including tang.
- Bastard cut used where aggressive removal of material is required.
- Smooth cut used for a more finished or polished effect.

### ▶ FLAT FILES - BOXED

- Machinist's file (tapered sides, 2 cut edges).

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-01	8"	Flat	Bastard	12
JK100-02	10"	Flat	Bastard	12
JK100-03	12"	Flat	Bastard	6
JK100-05	8"	Flat	Smooth	12
JK100-06	10"	Flat	Smooth	12



### ▶ HALF ROUND FILES - BOXED

- Machinist's file.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-08	8"	Half Round	Bastard	12
JK100-09	10"	Half Round	Bastard	12
JK100-10	12"	Half Round	Bastard	6



### ▶ ROUND FILES - BOXED

- Machinist's file.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-12	8"	Round	Bastard	12
JK100-13	10"	Round	Bastard	12



**▶ TRIANGULAR FILES - BOXED**

- Machinist's file.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-15	6"	Triangular	Smooth	12


**▶ SAW FILES - BOXED**

- Mill saw file (parallel sided 2 cut edges).

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-17	6"	Flat	Bastard	12
JK100-18	8"	Flat	Bastard	12
JK100-19	10"	Flat	Bastard	12
JK100-20	12"	Flat	Bastard	6


**▶ FILES - HANDI-FILE**

- 1 side single, 1 side double cut, 1 edge cut, 1 edge uncut.
- 8" File with handle 11-1/2" overall.
- Rectangle shape.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-21	8"	Flat	Single Double	12


**▶ MOWER FILES - BOXED**

- Mower (axe) file (parallel sided 2 cut edges).

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-22	8"	Flat	Second	12


**▶ FARMERS OWN (AXE) FILES - BOXED**

- File with uncut edges.

ITEM NO.	LENGTH	SHAPE	CUT	BOX PACK
JK100-23	8"	Flat	Second	12



## ▶ CHAINSAW FILES - BOXED

- Chainsaw files (round).
- Minimum order: 6 PCS.



ITEM NO.	LENGTH	DIA.	SHAPE	CUT	BOX PACK
JK100-24	6"	1/8"	Round	Double	12
JK100-25	8"	5/32"	Round	Double	12
JK100-26	8"	11/64"	Round	Double	12
JK100-27	8"	3/16"	Round	Double	12
JK100-28	8"	13/64"	Round	Double	12
JK100-29	8"	7/32"	Round	Double	12
JK100-30	8"	1/4"	Round	Double	12

## ▶ FLAT CHAINSAW FILES - BOXED

- Chainsaw file (rounded uncut edges).
- Minimum order: 12 PCS.
- Files are 6" cut area.



ITEM NO.	OVERALL LENGTH	SHAPE	EDGES	BOX PACK
JK100-32	8" Reg Duty	Flat	Rounded	12

## ▶ HORSESHOE RASPS - TANGED

- 17" overall length including tang.
- Both edges cut.



ITEM NO.	DESCRIPTION	BOX PACK
*JK100-40	Horse Rasp	6
*TO BE DISCONTINUED		

## ▶ SHOE RASPS

- Two-cut edges.
- 6 Per box.



ITEM NO.	DESCRIPTION	BOX PACK
*JK100-41	14" Multi-Cut Shoe Rasp	6
*TO BE DISCONTINUED		

**▶ WIRE WHEEL BRUSHES - DISPLAY BOX**

- 6 each 2" plus 3" cup brushes and 6 each 1-1/2" plus 3" wire wheel brushes.
- All brushes are brass-coated steel wire.
- Includes 24 pieces with 1/4" shank.



ITEM NO.	DESCRIPTION
WW-24	24 Piece Wire Brush Assortment

**▶ WIRE WHEEL BRUSH SETS**

- Used for removal of rust, paint or dirt build-up.
- 1/4" drill arbor, to be used with all hand drills.
- Brass-coated crimped steel wire.
- Attractively blister carded.

ITEM NO.	DESCRIPTION
WW-03	Consists Of One Each: 2" Wheel, 2" Cup and 1" End Brush
WW-05	Consists Of One Each: 2" & 3" Wheel, 2" & 3" Cup and 1" End Brush



WW-03



WW-05

**▶ CIRCULAR SAW BLADES**


- Plastic tooth protector on each blade.
- Individual cello-wrapped in bulk box.
- Carbide tip.

ITEM NO.	BLADE DIA.	BLADE THICKNESS	NO. TEETH	ARBOR SIZE	MAX. MAT. RPM
TCT725-24	7-1/4"	1.5mm	24T	5/8"	8000
TCT725-40	7-1/4"	1.5mm	40T	5/8"	8000
TCT725-60	7-1/4"	1.5mm	60T	5/8"	8000
*TCT800-24	8"	1.5mm	24T	5/8"	7000
TCT825-24	8-1/4"	1.5mm	24T	5/8"	7000
TCT825-40	8-1/4"	1.5mm	40T	5/8"	7000
TCT1000-28	10"	1.8mm	28T	5/8"	5000
TCT1000-40	10"	1.8mm	40T	5/8"	5000
TCT1000-60	10"	1.8mm	60T	5/8"	5000
TCT1000-80	10"	1.8mm	80T	5/8"	5000
TCT1200-80	12"	1.8mm	80T	1"	6500

\*TO BE DISCONTINUED



## ▶ CUP BRUSHES - CRIMPED WIRE TYPE

- Crimped brushes are less aggressive offering more flexibility.
- For light or medium rust removal and deburring.
- For angle grinders.
- Blister carded.



ITEM NO.	DIA.	THREAD SIZE	WIRE SIZE	WIRE TYPE	LIST TRIM LENGTH	LIST MAX. RPM
*CC075-10125	3"	M10 x 1.25	0.012"	Brass Coated Steel	1-1/6"	12,500
*CC075-10150	3"	M10 x 1.50	0.012"	Brass Coated Steel	1-1/16"	12,500
CC075-5811	3"	5/8" - 11NC	0.012"	Brass Coated Steel	1-1/16"	12,500
CC100-5811	4"	5/8" - 11NC	0.012"	Brass Coated Steel	1-1/8"	8,500
CC125-5811	5"	5/8" - 11NC	0.012"	Brass Coated Steel	1-5/16"	6,500
CC150-5811	6"	5/8" - 11NC	0.012"	Brass Coated Steel	1-5/16"	4,500

\*TO BE DISCONTINUED

## ▶ CUP BRUSHES - KNOTTED WIRE TYPE

- More aggressive to remove rust, scale and other contaminants.
- For heavy duty cleaning and resurfacing.
- For angle grinders.
- Blister carded.



ITEM NO.	DIA.	BANDED	ARBOR THREAD SIZE	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX RPM.
*KC065-10125	2-1/2"	NO	M10 x 1.25	0.020"	Tempered Steel	3/4"	12,500
*KC065-10150	2-1/2"	NO	M10 x 1.50	0.020"	Tempered Steel	3/4"	12,500
*KC080-14200	3-1/2"	YES	M14 x 2.00	0.020"	Tempered Steel	1"	8,500
KC065-5811	2-1/2"	NO	5/8" - 11NC	0.020"	Tempered Steel	3/4"	12,500
KC080-5811	3-1/2"	YES	5/8" - 11NC	0.020"	Tempered Steel	1"	8,500
KC100-5811	4"	YES	5/8" - 11NC	0.020"	Tempered Steel	1"	8,500
KC125-5811	5"	YES	5/8" - 11NC	0.020"	Tempered Steel	1"	6,500

\*TO BE DISCONTINUED

## ▶ WIRE WHEEL BRUSHES - KNOTTED WIRE TYPE

- For heavy duty work in corners and angles.
- For angle grinders.


ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX. RPM.
KW100-5811	4"	5/8" - 11NC	1/2"	0.020"	Tempered	3/4"	11,000
KW125-5811	5"	5/8" - 11NC	9/16"	0.020"	Tempered	1-1/8"	10,000
KW150-5811	6"	5/8" x 11NC	9/16"	0.020"	Tempered	1-7/16"	9,000



**► WIRE WHEEL BRUSHES - CRIMPED WIRE TYPE**

- Supplied with plastic adaptors to convert arbor hole size to 1/2", 5/8", 3/4", 7/8", 1".
- Medium to heavy duty brush applications.
- For bench grinders.
- Blister carded.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX.RPM.
CW150-18	6"	1/2" - 1-1/4"	3/4"	0.012"	Brass Coated Steel	1-1/8"	6,000
CW150-25	6"	1/2" - 1-1/4"	1"	0.012"	Brass Coated Steel	1-1/8"	6,000
CW200-20	8"	1/2" - 1-1/4"	13/16"	0.012"	Brass Coated Steel	1-5/16"	4,500
CW200-25	8"	1/2" - 1-1/4"	1"	0.012"	Brass Coated Steel	1-5/16"	3,000


**► TAPERED BRUSHES - CRIMPED WIRE TYPE**


- Best for medium to heavy duty work in corners and angles.
- For angle grinders.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX RPM.
*TCW10-10125	4"	M10 x 1.25	3/8"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW10-10150	4"	M10 x 1.50	3/8"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW10-14200	4"	M10 x 2.00	3/8"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-10125	4"	M10 x 1.25	13/16"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-10150	4"	M10 x 1.50	13/16"	0.012"	Brass Coated Steel	13/16"	12,500
*TCW20-14200	4"	M10 x 2.00	13/16"	0.012"	Brass Coated Steel	13/16"	12,500
<b>*TO BE DISCONTINUED</b>							


**► DISK CLEANERS - KNOTTED WIRE TYPE**

- For heavy duty work in corners and angles.
- For angle grinders.

ITEM NO.	DIA.	ARBOR THREAD SIZE	FACE WTH.	WIRE SIZE	WIRE TYPE	TRIM LTH.	MAX. RPM.
TKW-5811	4"	5/8" x 11NC	1/2"	0.020"	Tempered Steel	7/8"	12,000
*TKW-10125	4"	M10 x 1.25	1/2"	0.020"	Tempered Steel	7/8"	12,000
*TKW-10150	4"	M10 x 1.50	1/2"	0.020"	Tempered Steel	7/8"	12,000
*TKW-14200	4"	M10 x 2.00	1/2"	0.020"	Tempered Steel	7/8"	12,000
<b>*TO BE DISCONTINUED</b>							





## CUT-OFF WHEELS - DEPRESSED CENTRE


- White aluminum oxide abrasive with resinoid bond.
- Used for cutting steel and stainless steel.
- Reinforced to handle extra stress.
- WA36SBF Specification.



ITEM NO.	DIA.	THICKNESS	ARBOR	GRIT	USE	MAX. RPM
14056458	4"	3/32"	5/8"	36	Steel/SS	15,000
14556478	4-1/2"	3/32"	7/8"	36	Steel/SS	13,300
15056478	5"	3/32"	7/8"	36	Steel/SS	12,200

## CUT-OFF WHEELS - FLAT

- White aluminum oxide abrasive with resinoid bond.
- Used for cutting steel and stainless steel.
- Reinforced to handle extra stress.
- T41 WA60SBF specification.



ITEM NO.	DIA.	THICKNESS	ARBOR	GRIT	USE	MAX. RPM
34536478	4-1/2"	3/64"	7/8"	60	Steel/SS	13,300
35036478	5"	3/64"	7/8"	60	Steel/SS	12,200

## FOLDING CAMP/PRUNING SAW - MADE IN SWEDEN



- Large threaded knob for locking & unlocking blade position.
- Can be used with most recip blades with universal shank.
- Positive lock in folded and unfolded position.
- Aggressive teething for fast clear-cutting.
- Lanyard provided for easy hanging.
- Ideal for camping or backpacking.
- Plastic handle with rubber grip.
- Easy blade replacement.
- 8" Overall blade length.
- Carded.



ITEM NO.	DESCRIPTION
138-34	Folding Saw
1034-2006	Blade for 138-24

## 12" HACKSAW/BOWSAW - MADE IN EUROPE



- Blades can be adjusted at any angle to allow cutting in tight spaces.
- Supplied with wood blade and 24T bi-metal hacksaw blade.
- Combination saw for wood and metal.

ITEM NO.	DESCRIPTION
G-12	12" Combination Hacksaw/Bowsaw
G10H12	Replacement Blade



**▶ BOW SAWS - MADE IN EUROPE**


- Supplied with 3/4" hard point long-lasting raker tooth blade made from Swedish Steel.
- Painted with orange stove enamel to prevent rusting.
- Oval, high frequency welded tube construction.



ITEM NO.	LENGTH
14730SH21 (Previously 40021)	21"
14030BH24 (Previously 40024)	24"
14030BH30 (Previously 40030)	30"
14030BH36 (Previously 40036)	36"

**▶ REPLACEMENT BLADES**

- 3/4" raker tooth bow saw blades made from Swedish Steel.
- Induction hardened to provide long lasting sharpness.



ITEM NO.	LENGTH
G30SH21 (Previously 41021)	21" x 3/4"
G30BH24 (Previously 41024)	24" x 3/4"
G30BH30 (Previously 41030)	30" x 3/4"
G30BH36 (Previously 41036)	36" x 3/4"
G30BH42 (Previously 41042)	42" x 3/4"

**▶ PULL SAW**


- Blade thickness: 0.6 mm, approx. 13.5 TPI.
- Blade length: 10.5" (265 mm).
- Rubber grip for secure grip.
- Cuts on pull stroke.



ITEM NO.	DESCRIPTION
265	10-1/2" Pull Saw

▶ **PRUNING SAW WITH HOLSTER**



- Professional curved 14" blade.
- Extremely sharp 3-edge teeth.
- Two component handle.

ITEM NO.	DESCRIPTION
232H14PS	14" Pruning Saw with Holster



▶ **PRUNING SAW WITH TUBULAR HANDLE**



- Tubular handle can be hand-held or mounted to 400EX or 550EX extension pole.
- Professional curved 14" blade.
- Extremely sharp 3-edge teeth

ITEM NO.	DESCRIPTION
233H14	14" Pruning Saw with Tubular Handle



▶ **FOLDABLE PRUNING SAW**



- Hollow-ground blade ejects sawdust plus reduces friction.
- Blade can be fixed in 3 different angles.
- 6 TPI hardpoint blade, 10" long.

ITEM NO.	DESCRIPTION
345-34	10" Foldable Pruning Saw



▶ **10" PRUNING SAW WITH HOLSTER**



- Specially developed with extra-thin 0.8 mm blade.
- Extra fine 8TPI 3-edge teeth.
- Two component handle.

ITEM NO.	DESCRIPTION
344H10PS	10" Pruning Saw with Holster



### ▶ 12" PRUNING SAW WITH HOLSTER

- Hollow-ground blade ejects sawdust & reduces friction.
- Rounded nose helps to get into tight spaces.
- Precision ground 3-edge teeth.
- Two-component handle.

ITEM NO.	DESCRIPTION
343H12PS	12" Pruning Saw with Holster



### ▶ 14" SAMURAI PRUNING SAW



- Tubular handle can be hand-held or mounted to 400EX or 550EX extension pole.
- Hook at front end to prevent blade from sliding out of cut.
- Handle also has push knife to clear small branches.

ITEM NO.	DESCRIPTION
350LH	14" Samurai Pruning Saw



### ▶ PRUNING SAW EXTENSION POLES



- Low weight facilitates handling and reduces fatigue.
- Oval aluminum tube with patented locking device.
- Fits models with tubular handle.
- Available in two lengths.

ITEM NO.	DESCRIPTION
400EX	Aluminum Extension Pole 2 m-4 m
550EX	Aluminum Extension Pole 2 m-5.5 m



### ▶ HACKSAW FRAME - MADE IN EUROPE



- 16 x 10 mm rectangular steel frame with aluminum handle.
- Compact frame fits in any toolbox.
- Includes 24T bi-metal blade.
- 90° Blade mounting option.

ITEM NO.	DESCRIPTION
10BI24	12" Adjustable Hacksaw



## ▶ HACKSAW FRAME - ECONOMY

- Tubular oval steel frame construction blade included.

ITEM NO.	DESCRIPTION
614	Adjustable 10"-12"



## ▶ HANDSAWS - MADE IN SWEDEN

- Universal toothing (U7) for both cross-cutting and rip-cutting.
- Durable, long lasting electronically hardened teeth.
- Handle made from strong, long lasting ABS.
- Each blade protected by vinyl blade guard.
- Blades made from Swedish steel.

ITEM NO.	DESCRIPTION
G-319H	22" X 8 TPI Handsaw With Teflon-coated Blade To Reduce Friction
G-325H	22" X 8 TPI Handsaw With 45° - 90° Angles Indicated On Handle



## ▶ MEAT SAW

- HD plated rectangular frame.
- 4-3/4 " tension handle.

ITEM NO.	DESCRIPTION
TOP-N001-19	Meat Saw w/StainlessSteel Blade
TOP-N001-19B	19-1/2" x 5/8" Stainless Steel Blade For Above



## ▶ MEAT SAW BLADE

- Fits any 21" Bow Saw.
- Hardened teeth.
- Stainless steel.

ITEM NO.	DESCRIPTION
G5021	21" Stainless Steel Meat Saw Blade



**▶ STARRETT BIMETAL DUAL PITCH HOLESAWS (DEEP CUT)**


- Dual-pitch high speed steel teeth welded to tough alloy body and cap.
- Design allows huge improvements in chip flow.
- New box pack has viewing window in corner.
- Suitable for cutting wood, metal and steel.
- 8% cobalt for greater performance.
- Display available for all blades.
- 2" cutting depth.

ITEM NO.	SIZE	ITEM NO.	SIZE	ITEM NO.	SIZE
FCH0058	5/8"	DCH0200	2"	DCH0414	4-1/4"
DCH0034	3/4"	DCH0216	2-1/16"	DCH0438	4-3/8"
DCH2532	25/32"	DCH0218	2-1/8"	DCH0412	4-1/2"
DCH1036	13/16"	DCH0214	2-1/4"	DCH0434	4-3/4"
DCH0078	7/8"	DCH0256	2-5/16"	DCH0500	5"
DCH1056	15/16"	DCH0238	2-3/8"	DCH0514	5-1/4"
DCH0100	1"	DCH0212	2-1/2"	DCH0512	5-1/2"
DCH0116	1-1/16"	DCH0296	2-9/16"	DCH0600	6"
DCH0118	1-1/8"	DCH0258	2-5/8"	DCH160M	6-5/16"
DCH0136	1-3/16"	DCH0234	2-3/4"	DCH168M	6-5/8"
DCH0114	1-1/4"	DCH0278	2-7/8"	DCH177M	6-31/32"
DCH0156	1-5/16"	DCH0300	3"	DCH210M	8-9/32"
DCH0138	1-3/8"	DCH0318	3-1/8"		
DCH0176	1-7/16"	DCH0314	3-1/4"		
DCH0112	1-1/2"	DCH0338	3-3/8"		
DCH0196	1-9/16"	DCH0312	3-1/2"		
DCH0158	1-5/8"	DCH0358	3-5/8"		
DCH1116	1-11/16"	DCH0334	3-3/4"		
DCH0134	1-3/4"	DCH0378	3-7/8"		
DCH1136	1-13/16"	DCH0400	4"		
DCH0178	1-7/8"	DCH0418	4-1/8"		


**▶ PILOT DRILLS**

- Clamshell packed.

ITEM NO.	DESCRIPTION
KA014CE	For All Arbours, 4" Long HSS
*KXA014C	For All diamond Grit Arbours, 4" Carbide Tip
<b>*TO BE DISCONTINUED</b>	



KA014CE



KA014

## ▶ DISPLAY COMPONENTS

**Starrett®**

- Designed to be used with hooks to hang product.
- Available at no charge with Starrett stock order.

ITEM NO.	DESCRIPTION
PKG5519	12" X 24" Display Board with Backing
PKG5522	24" Header with Graphics
PKG5523	24" Graphics Sign Only
PKG5524	12" Header with Hardware
PKG5525	12" Graphics
PKG5526	Brochure Holder
PKG5529	7" Hook To Be Used on PKG5519



## ▶ HOLESAW KITS - BI-METAL DUAL PITCH

**Starrett®**

- Supplied in blown plastic case.

ITEM NO.	DESCRIPTION
KDC06034	Locksmith Kit Contains 1 each: 7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2-1/8" A1E and A10E Arbors, A12 Arbors, Adaptor Pilot Drill
KDC09051	Maintenance Kit Contains 1 each: 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2" A1E, A2E Adaptors, A15-12" Extension, A12 Arbor Adaptor A014CE Pilot Drill



**▶ ARBOURS - PARTS**


- Arbours supplied with pilot drill.

ITEM NO.	CLAM OR BOXED	DESCRIPTION	EQUIV MORSE #'S
A4-E	B	Fits 9/16" - 1-3/16" 1/4" Hex Shank	M34, M44
A1-E	C	Fits 9/16" - 1-3/16" 11/32" Hex Shank	MK24K
A10-E	C	Fits 1-1/4" - 8-9/32" 11/32" Hex Shank Quick Hitch	M55P
A2-E	C	Fits 1-1/4" - 8-9/32" 7/16" Hex Shank Quick Hitch	M35PS
KA19	C	Oops Arbour 13/16" - 1-3/16" for Hole Enlargement	
*XA1	B	Arbour with Carbide Tipped Pilot Drill 11/32" Shank Fits 9/16" - 1-3/16"	
KA15	C	Fits 3/8" Chuck 12" Extension	
KA5	C	Fits 1/2" Chuck 12" Extension	
KA7	C	Ejector Spring	
KA12	C	Arbor Adaptor-To Create Larger Thread	

**\*TO BE DISCONTINUED**


A1-E



A4-E



A10-E, A2-E



KA7



KA12



KA15, KA5



KA19

**▶ HACKSAW BLADES**


- Bimetal blade and carbon steel blades are suitable for mild steel, copper, brass, aluminum and like materials.
- All hacksaw blades packed in tubes of 10 blades.



ITEM NO.	DESCRIPTION
----------	-------------

***Bimetal***

KBS1218-10 12" X 18T 10 Blades per Tube

KBS1224-10 12" X 24T 10 Blades per Tube

KBS1232-10 12" X 32T 10 Blades per Tube

***Carbon Steel***

KGF1218-10 12" x 18T 10 Blades per Tube

KGF1224-10 12" X 24T 10 Blades per Tube

KGF1232-10 12" X 32T 10 Blades per Tube

**▶ BIMETAL JIG SAW BLADES**


- Resists breakage, cuts faster and lasts longer than conventional blades.
- All blades have unified shanks which fit most machines.
- Incorporate the Starrett unique process technology.
- Blades are 2 per card.



ITEM NO.	DESCRIPTION
----------	-------------

\*BU3DC-2 3" X 5/16" X 0.60" Dual Cut (Teeth Cut both Directions)

**\*TO BE DISCONTINUED**



## ▶ BI METAL RECIPROCATING SAW BLADES

- Packed 5 blades per pack.



ITEM NO.	DESCRIPTION	TPI	APPLICATON
B66-5	6" X 3/4" X 0.035"	6	General Power
B618-5	6" X 3/4" X 0.035"	18	General Power
BT123-5	12" x 3/4" x 0.050"	3	Tapered General Purpose
BT12610-5	12" x 1" x 0.063"	6-10	Tapered General Purpose
BTR91014-5	9" x 1" x 0.063"	10-14	King Cut Fire, Rescue
BTR121014-5	12" x 1" x 0.063"	10-14	King Cut Fire, Rescue
SB6-A	6" x 3/4" x .035"	5 piece set (6, 10, 14, 18, 24 TPI)	

## ▶ CHALK REFILLS

- Bottle supplied with easy handling no-spill cap.

ITEM NO.	DESCRIPTION
*SC4BLU	4 lb. Bottle Removeable, Blue Colour
*SC4RED	4 lb. Bottle Removeable, Red Colour
*SUC4BLK	4 lb. Bottle Removeable, Black Colour
SUC8BLK	8 oz Bottle Permanent, Black Colour
<b>*TO BE DISCONTINUED</b>	



## ▶ PORTABLE BANDSAW BLADES

- Uses triple-tempered M-42 cobalt high speed steel with fatigue-resistant back.
- Fits B & D, Greenlee, Milwaukee, Ridgid, Rockwell, Portor Cable, Skill, Unitec.
- Twin tooth design allows better cutting and longer lasting.
- Uses Starrett's bimetal unique technology.
- Sold in 3 blades per pack.

ITEM NO.	DESCRIPTION	TPI
*BM14	1/2" x 0.020" x 44-7/8"	14S
*BM18	1/2" x 0.020" x 44-7/8"	18W
*BM1014	1/2" x 0.020" x 44-7/8"	10-14P
<b>*TO BE DISCONTINUED</b>		



## ▶ KEY CADDY

- Supplied with 21" stainless steel chain and key ring.
- Heavy duty diecast case.
- Belt clip fastener.

ITEM NO.	DESCRIPTION
SK1	Starrett Key Caddy



**▶ POWER RETURN MEASURING TAPE - ISO 9002 CERTIFIED**

- Easy to find fluorescent orange ABS case.
- Includes wrist lanyard and belt clip.
- 16" markings indicated.
- Triple-riveted end hook.
- Individually carded.



ITEM NO.	LENGTH	MARKINGS	WIDTH
MT-16ME	16' (5 M)	English/Metric	3/4"
MT-25ME	25' (7.5M)	English/Metric	1"
MT-25EE	25'	English Only	1"

**▶ FIBREGLASS MEASURING TAPE - OPEN REEL**

- Markings in 1/8" THS (Standard) and 2mm (Metric).
- One side metric, one side standard measure.
- Large strong steel claw for positive fastening.
- Durable plastic body with folding handle.



ITEM NO.	LENGTH	WIDTH
JGWF-303	100 ft (30 M)	1/2"
JGWF-503	164 ft (50 M)	1/2"
JGWF-1003	330ft (100 M)	1/2"

**▶ VERNIER CALIPERS - STEEL**


- Surfaces are ground and lapped to promote smooth slide operation.
- Easy to read black numbers on satin chrome surface.
- Inside, outside & depth measurements.
- High quality steel, chrome hardened.
- 6" (150mm) metric and inch scale.
- Supplied with case.
- Screw lock.

ITEM NO.	DESCRIPTION
7910	0.05mm - 1/128" Vernier Scale
7912	0.02mm - 1/1000" Vernier Scale



## ▶ ELECTRONIC DIGITAL CALIPER

- Data output capability for interface with host computer or printer.
- Pushbutton control to convert metric to inches.
- Inside, outside & depth measurements.
- 1.5 V long-life battery included.
- "0" reset in any position.
- Supplied with case.
- 0" - 6" or 150mm.
- Graduated slide.
- LCD readout.
- Large display.
- Auto off.



ITEM NO.	DESCRIPTION
----------	-------------

M-4306YF	0" - 6" Digital Caliper
----------	-------------------------

## ▶ OUTSIDE MICROMETERS

- Locking screw included.
- Supplied with case.
- Precision ground.

ITEM NO.	DESCRIPTION
----------	-------------

*MC-01	0" - 1" Cap. 0.0005" Graduation
--------	---------------------------------

*MC-01M	(METRIC) 0-25mm Capacity 0.01mm Graduation
---------	--

\*TO BE DISCONTINUED



## ▶ MAGNETIC BASE

- Specially designed base with "V" groove, has two machined surfaces to allow clamping to straight and round surfaces.
- Designed to support dial indicators, and other precision measuring devices.
- Powerful alnico permanent magnet.
- Lever type on/off switch.
- 60 kg. holding strength.

ITEM NO.	DESCRIPTION
----------	-------------

MB-B	Magnetic Base
------	---------------



## ▶ DIAL GAUGE

- Precision ground hand chrome plated stem, and contact point.
- Satin chrome-plated case, back mounting.
- Easy to read face.

ITEM NO.	DESCRIPTION
----------	-------------

200-111	1" Travel 0.001" Reading
---------	--------------------------



**RIVETS**

- Coated steel mandrels.
- Dome head type.

ITEM NO.	DESCRIPTION	RIVET BODY SIZE	GRIP RANGE	RIVET MAT.	MANDREL MAT.	DRILL SIZE	PKG.
SRAS42	Aluminum Steel Rivet	1/8" (3.2mm)	1/16"-1/8"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRAS43	Aluminum Steel Rivet	1/8" (3.2mm)	1/8"-3/16"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRAS44	Aluminum Steel Rivet	1/8" (3.2mm)	3/16"-1/4"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRAS46	Aluminum Steel Rivet	1/8" (3.2mm)	5/16"-3/8"	Aluminum	Coated Steel	.129-.133 #30	Poly bag 100
SRSS42	Steel/Steel Rivet	1/8" (3.2mm)	1/16"-1/8"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS43	Steel/Steel Rivet	1/8" (3.2mm)	1/8"-3/16"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS44	Steel/Steel Rivet	1/8" (3.2mm)	3/16"-1/4"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS46	Steel/Steel Rivet	1/8" (3.2mm)	5/16"-3/8"	Steel	Coated Steel	.129-.133 #30	Poly bag 100
SRSS62	Steel/Steel Rivet	3/16" (4.8mm)	1/16"-1/8"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS64	Steel/Steel Rivet	3/16" (4.8mm)	3/16"-1/4"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS66	Steel/Steel Rivet	3/16" (4.8mm)	1/4"-3/8"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS68	Steel/Steel Rivet	3/16" (4.8mm)	3/8"-1/2"	Steel	Coated Steel	.192-.196 #11	Poly bag 100
SRSS66LF	Steel/Steel Rivet	3/16" (4.8mm)	1/4"-3/8"	Steel	Coated Steel	.192-.196 #11	Boxed 250

SRHR-705KIT: REPLACEMENT JAW SET



SS & AS SERIES



SS42



AS44



SRSS66LF



SRSS66 LARGE FLANGE

**RIVET GUN**

- Packaged in display card hang pack.
- Perfect for DIY market.
- Wrench included.
- 2-jaw design.

ITEM NO.	WEIGHT	LENGTH	DESCRIPTION	CAPACITY			
				2.4mm (3/32")	3.2mm (1/8")	4.0mm (5/32")	4.8mm (3/16")
SRHR-702	530 g	255mm	Aluminum	✓	✓	✓	✓
			Steel	✓	✓	✓	✗
			Stainless Steel	✓	✓	✓	✗
SRHR-705	525 g	255mm	Aluminum	✓	✓	✓	✓
			Steel	✓	✓	✓	✓
			Stainless Steel	✓	✓	✓	✓



SRHR-702



SRHR-705



## HATCHETS & AXES - PREMIUM AXES BY HULTAFORS - MADE IN SWEDEN



- Each box has sleeve with history, facts and warranty information.
- Handles are fastened with 1 wood wedge and 1 round metal wedge.
- All axe heads have curved back for holding when carving.
- Handles are American hickory with linseed oil treatment.
- **Each axe includes treated leather sheath.**
- Each axe packed in individual box.
- Heads are hand-forged.

ITEM NO.	DESCRIPTION	NAME	HEAD WEIGHT (g)	HEAD WEIGHT (LBS)	HANDLE LENGTH
HF841760	Mini Hatchet	Agelsjon	50	1.10	9"
HF842760H	Replacement Hickory Handle	Fits Agelsjon			9"
HF841701	Hatchet	Hultan	500	1.10	16"
HF842701H	Replacement Hickory Handle	Fits Hultan			16"
HF840766S	Spare Sheath	Fits Hultan & Agelsjon			
HF841770	Forest Axe	Aby	700	1.54	24"
HF842770H	Replacement Hickory Handle	Fits Aby			24"
HF841780	Forest Axe	Dvardala	700	1.54	17"
HF842771H	Replacement Hickory Handle	Fits Dvardala			17"
HF840776S	Spare Sheath	Fits Dvardala & Aby			
HF841710	Hunting Axe	Ekelund	850	1.87	20"
HF842710H	Replacement Hickory Handle	Fits Ekelund			20"
HF840716S	Spare Sheath	Fits Ekelund & Quarfot			
HF841720	Felling Axe	Quarfot	850	1.87	26"
HF842720H	Replacement Hickory Handle	Fits Quarfot			26"



Aby



Hultan Ekelund Quarfot



Dvardala



Agelsjon

## PREMIUM CARPENTER AXE "STALBERG" - MADE IN SWEDEN



- Handles are fastened with 1 wood wedge and 1 round metal wedge.
- Each box has sleeve with history, facts and warranty information.
- All axe heads have curved back for holding when carving.
- Handles are American hickory with linseed oil treatment.
- **Each axe includes treated leather sheath.**
- Each axe packed in individual box.
- Heads are hand-forged.

ITEM NO.	DESCRIPTION
HF841730	Premium Carpenter's Axe
HF842730H	Replacement Hickory Handle
HF840736S	Spare Sheath



**► PREMIUM SPLITTING AXE “HULT” - MADE IN SWEDEN**


- Each axe includes treated leather sheath, packed in individual box and has sleeve with history, facts and warranty information.
- 30” long straight handle made from American hickory with linseed oil treatment.
- Handles are wedged with 1 wood wedge and 1 round metal wedge.
- All axe heads have curved back for holding when carving.
- Specially shaped head is hand forged.
- 3.3 lbs (1.5kg).



ITEM NO.	DESCRIPTION
HF841740	Premium Splitting Axe
HF842740H	Replacement Hickory Handle
HF840746S	Spare Sheath

**► PREMIUM COMPETITION - DB THROWING AXE - WETTERHALL - MADE IN SWEDEN**


- Supplied with 30” total length hickory handle and leather sheath.
- 8” Tip-to-tip cutting edge to cutting edge.
- Hand forged 3.5 lb/1600 gram/DB head.
- 6” Polished cutting edges.



ITEM NO.	DESCRIPTION
HF841750	Double Bit Throwing Axe
HF842750H	Replacement Hickory Handle
HF840756S	Sheath for Double Bit Axe (2 Pce)

**► ARVIKA BRAND AXES - BY HULTAFORS RACING AXE - MADE IN SWEDEN**


- Commonly used in competition and shake splitting.
- Complete with a 32” hickory handle.
- Arvika - highly polished head.

ITEM NO.	DESCRIPTION	HEAD WEIGHT	REPLACEMENT HANDLE
*HF840511 (Replacement for 40-32REG)	Arivka Axe w/32” Hickory Handle	4-1/2 lb.	204-40

**\*LIMITED AVAILABILITY**


**► SHARPENING STONE - MADE IN SWEDEN**


- To be used with water for best results.
- Offers 2 grits; 180 grit and 600 grit.
- Instruction book included.
- 3” diameter x 1” thick.
- Leather case.

ITEM NO.	DESCRIPTION
HF840792	Sharpening Stone





## ▶ ILTIS OX-HEAD BRAND AXES - MADE IN GERMANY



- Special analysis axe steel, hardened from blade edge to the axe eye by newly developed treatment, guarantees longest durability and excellent cutting effect.
- The blade, which is scientifically designed, extraordinarily thin & almost parallel, reduces the weight but doubles the performance.
- The blade of Iltis axes, however, being more flexible, reduces the danger of breaking considerably, compared to so-called rigid axes.
- Easier renewal of the edge due to the favourable cross-cut, based on the almost parallel blade.
- Sharpening before chopping is eliminated, because Iltis axes are shipped drawn, ready for use.
- Science proves that the blade of axe is distorted with each stroke.
- American hickory handles.

## ▶ ORIGINAL PATTERN - SINGLE BIT WIDE BLADE



ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX-1002	2-1/2 lbs.	28"	302-1002 Euro Eye



## ▶ YANKEE PATTERN - SINGLE BIT



ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
*OX-2001	1-3/4 lbs.	24"	303
OX15H-0807	1-3/4 lbs.	28"	302

Complete with Vinyl Sheath (OX15H-0807)

**\*LIMITED QUANTITY**



OX-2001



OX15H-0807

## ▶ RACING AXE - MADE IN SWEDEN



- Tasmanian - painted head.
- Complete with smooth or rough grip hickory handle.
- Commonly used in competition and shake splitting.

ITEM NO.	HEAD WEIGHT	DESCRIPTION	REPL. HANDLE
HF840500	4-1/2 lb.	Tasmanian Axe w/Rough Grip Hdle	205-RGT
HF840500-REG	4-1/2 lb.	Tasmanian Axe w/Smooth Grip Hdle	204-40



Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC warehouse only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ OX HEAD COMPETITION AXE - DOUBLE BIT THROWING AXE - MADE IN GERMANY**


- 6" width double blade tip to blade tip, 10-3/4" blade centre to blade centre.
- Tempered to maximum hardness without becoming too hard.
- **Supplied with leather blade protectors.**
- Satin brushed finish.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX18-1200	3 lbs.	28" Hickory	208


**▶ COMPETITION AXE - MADE IN GERMANY**


- Leather blade guard sheath supplied.
- Supplied with 32" hickory handle.
- Polished head weighs 6.5 lbs.
- 7-1/2" cutting edge.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX440-H2708	6-1/2 lbs	32"	HDL-440
HDL-440	32" Replacement Hickory Handle		


**▶ SPLITTING MAULS - MADE IN GERMANY**


- Extra wide splitting angle and blade width.
- Supplied with ash handle.
- High quality steel.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
OX-1250	3 lbs.	20"	HDL-1250
OX-5000	5-1/2 lbs.	31"	HDL-5000


**▶ BRUSH HOOK - MADE IN GERMANY**


- 28-1/2" overall length 8" length cutting edge.
- Sharpened on hook side and back side.
- Supplied with genuine hickory handle.
- Tempered blade.

ITEM NO.	DESCRIPTION	REPL HANDLE
OX-0905	28-1/2" Brush Hook	HDL-0905





## ▶ CARPENTER'S ADZES - HEAD ONLY - MADE IN GERMANY

ITEM NO.	HEAD WEIGHT
----------	-------------

### Straight Pattern:

\*H56-51      2-2/3 lbs.

\*Requires #215, 32" (800mm) Ash Handle



## ▶ DRAW KNIVES - MADE IN GERMANY

- Forged steel with wood handles.

ITEM NO.	DESCRIPTION
----------	-------------

P-7      4-1/2" Handles, 10" Cutting Edge, Straight Edge

P-7CB      3-1/2" Handles, 9" Cutting Edge, Curved Blade



## ▶ BEAVER BRAND HATCHET

- Head fastened with round steel wedge and wood wedge.
- Popular throwing axe hatchets.
- Hickory handles.

ITEM NO	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
90-150	1-1/2 lbs.	15"	212



## ▶ BEAVER BRAND AXES

- Head fastened with round steel wedge and wood wedge.
- Supplied with hickory handles.

ITEM NO	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
91-175	1-3/4 lbs.	26"	200-SG
93-250	2-1/2 lbs.	28"	302



Please specify **"\*GRIP"** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC warehouse only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ SINGLE BIT “MINERS” - RAFTING AXE, STRAIGHT HANDLE**


- Straight high-grade American hickory handle.
- Yankee pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
*16-350	3-1/2 lbs.	28"	206

\***FOB SURREY, BC ONLY**


**▶ SINGLE BIT AXES - FACTORY INSTALLED FIBREGLASS HANDLES**


- Strong Fibreglass core with polypropylene outer housing.
- Rubber hand-grip for comfort and safety.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
FA-25	2-1/2 lbs.	28"
FA-35	3-1/2 lbs.	36"


**▶ HATCHETS, CAMPING AXES**


- Hardwood handle.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
2015	1-1/4 lbs.	14"


**▶ HATCHETS, CAMPING AXES**


- Strong Fibreglass core with polypropylene outer housing.
- Rubber handgrip for comfort and safety.
- Fibreglass handle.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
FA-15	1-1/2 lbs.	15"



## ▶ PULASKI FIRE AXES



- Straight high-grade American hickory handle.
- Yankee pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

### With Wood Handle:

- Pinned for safety.

100-350	3-1/2 lbs.	36"	402
---------	------------	-----	-----

### With Fibreglass Handle:

100-350FG	3-1/2 lbs.	34"	N/A
-----------	------------	-----	-----



## ▶ FIRE AXES WITH SPIKE



- Yankee pattern.
- Wood handle.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

97-450	4-1/2 lbs.	36"	304
--------	------------	-----	-----

98-600	6 lbs.	36"	305A
--------	--------	-----	------

### With Fibreglass Handle

98-600FG	6 lbs.	36"	
----------	--------	-----	--



## ▶ HOOKAROOD



- Heads drilled for pin.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

### With Hickory Handle:

15-36	2 lbs.	36"	304
-------	--------	-----	-----



## ▶ SINGLE BIT YANKEE PATTERN WIDE MAUL HEAD



- All 3-1/2 lb Unex brand axes are pinned.
- Wide maul head.
- Yankee Pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

*10-250	2-1/2 lbs.	21"	301
---------	------------	-----	-----

11-250	2-1/2 lbs.	28"	302
--------	------------	-----	-----

*10-350	3-1/2 lbs.	21"	301
---------	------------	-----	-----

*11-350	3-1/2 lbs.	28"	302
---------	------------	-----	-----

*12-350	3-1/2 lbs.	24"	303
---------	------------	-----	-----

*22-350	3-1/2 lbs.	32"	204
---------	------------	-----	-----

23-350	3-1/2 lbs.	36"	304
--------	------------	-----	-----

### \*FOB SURREY, BC ONLY



Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles for an additional charge. Surrey BC warehouse only. Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ SPLITTING MAULS FOR WOOD SPLITTING**


- Standard axe eye.
- Oregon pattern.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPLACEMENT HANDLE
<b>With Hickory Handles:</b>			
4806	6 lbs.	36"	236
4808	8 lbs.	36"	236


**▶ AXE PROTECTORS & HOLDERS**
**AXE MATE™**

- Bright orange velcro strap allows secure holding power yet quick release of axe.
- Durable one-piece polypropylene construction resists cold and heat.
- Pre-drilled for easy fastening to ATV, snow mobile, truck or wall.
- Drain holes are built into **AXE MATE** to allow drainage of water.
- Axe handle fastens into flexible tab to secure handle.

Manufactured and Registered Trademark by  
G Hjukstrom Ltd

ITEM NO.	DESCRIPTION
AM-250	For Most Axes up to 2-1/2 lbs. Supplied with Belt Loop.
AM-350	For Most Axes up to 3-1/2 lbs.


**▶ AXE SHEATHS**

- Made with belt loops to fasten onto belt.
- Constructed of durable split leather.
- Reinforced with rivets.
- Snap-down flap.
- Header card.

ITEM NO.	DESCRIPTION
S-3000	Designed To Fit Most 2-1/2 Lb. Axes
S-3901	Designed To Fit Most 1-1/4 To 1-1/2 Lb. Hatchets
S-1002	Designed To Fit Ox-1002 (Wide Blade). Most 3-1/2 Lb. Axes, And Arvika.


**▶ FELLING & BUCKING WEDGE**

- Made of tough polypropylene.
- Packed 10 per carton.
- Double taper design.

ITEM NO.	DESCRIPTION
46378	7" Long x 3" Wide Wedge (yellow)
46386	10" Long x 3" Wide Wedge (yellow)



## ▶ SCRAPER - STEEL

- Ideal for scraping ice or removing roofing material.
- Large 4" blade with single bevel 14" overall length.
- Handle socket accepts standard shovel handle.



ITEM NO.	DESCRIPTION	HANDLE REQUIRED
SC-HDL	Scraper w/48" Handle	HDL-04
SC-04	Steel Scraper Head Only	
HDL-04	Handle for SC-04	

## ▶ SLEDGE HAMMERS WITH AMERICAN HICKORY HANDLES



- Assembled in our warehouse.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL. HANDLE
----------	-------------	---------------	--------------

### Standard Sledge Hammers:

*1060-041	4 lbs.	18"	224-55
*1060-042	4 lbs.	28"	226
*1060-06	6 lbs.	32"	227-SR
*1060-08	8 lbs.	36"	229
*1060-10	10 lbs.	36"	229
*1060-12	12 lbs.	36"	229
*1060-16	16 lbs.	36"	232
*1060-20	20 lbs.	36"	232

\*FOB SURREY, BC ONLY



## ▶ SOFT FACE SLEDGE HAMMERS

- Made of softer grade steel as required by Workers Compensatio Board for certain applications.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL HANDLE
----------	-------------	---------------	-------------

*1065-041	4 lbs.	18"	224-55
*1065-042	4 lbs.	28"	226

\*FOB SURREY, BC ONLY



## ▶ SLEDGE HAMMERS - FACTORY INSTALLED FIBREGLASS HANDLE



- Unaffected by moisture and temperature, will not shrink or swell.
- Strong plastic-coated fibreglass core.
- Will not be harmed by chemicals.
- Will not conduct electricity.
- Stronger than wood.
- Homeowner grade.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
----------	-------------	---------------

FSH-041	4 lbs	15"
FSH-042	4 lbs	24"
FSH-06	6 lbs	36"
FSH-08	8 lbs	36"
FSH-10	10 lbs	36"



**▶ CLUB HAMMER**

- Quality steel head.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
----------	-------------	---------------

**Hardwood Handle:**

799-250	2 1/2 lbs.	12"
---------	------------	-----

**Factory Installed Fibreglass Handle:**

FST-1250	2 1/2 lbs.	10"
----------	------------	-----


**▶ BLACKSMITH HAMMERS**


- Head of high quality steel.
- Professional.

ITEM NO.	HEAD WEIGHT	REPL HANDLE
----------	-------------	-------------

**With 18" American Hickory Handle:**

3500-3	3 lbs.	224-53
--------	--------	--------

**3500-4	4 lbs.	224-53
----------	--------	--------

**With 16" Fibreglass Handle:**

FMH-1500	3 lbs.	
----------	--------	--

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**


**▶ SPLITTING MAULS - FIBREGLASS HANDLE**


- Supplied with 36" epoxy fastened handle.
- Rubber grip handle for more secure grip.
- Poly-coated Fibreglass core.
- Stronger than wood.

ITEM NO.	DESCRIPTION
----------	-------------

FSM-06	6 lb Fibreglass Handle Maul
--------	-----------------------------

FSM-08	8 lb Fibreglass Handle Maul
--------	-----------------------------



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".



## ▶ BALL PEIN MACHINIST'S HAMMERS - AMERICAN HICKORY HANDLES



- Complete with UNEX hickory handles.
- Polished sides.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH	REPL. HANDLE
*HJ-3008	1/2 lbs.	12"	217
*HJ-3012	3/4 lbs.	12"	217
*HJ-3016	1 lbs.	14"	218
*HJ-3024	1-1/2 lbs.	16"	275
*HJ-3032	2 lbs.	16"	275
*HJ-3040	2-1/2 lbs.	18"	224-53

\*FOB SURREY, BC ONLY



## ▶ BALL PEIN MACHINIST'S HAMMERS - FIBREGLASS HANDLE



- Polished surfaces.
- Rubber grip.

ITEM NO.	HEAD WEIGHT	HANDLE LENGTH
4016-FG	1 lbs. (16 oz.)	13"
4024-FG	1-1/2 lbs. (24 oz.)	14"
4032-FG	2 lbs. (32 oz.)	15 1/2"
4040-FG	2-1/2 lbs. (40 oz.)	16 1/2"



## ▶ HAMMERS - BRASS (NON-SPARKING) - HEADS BY ABC HAMMERS

- Ideal for mining, gas plants, maintenance, tool & die makers and many other areas where non-sparking is required.
- American hickory handles wedged with specially made brass wedges.
- Yellow brass - 406 heads made in USA.

ITEM NO.	HEAD & HANDLE WEIGHT	HEAD DIAMETER	HAND LELENGTH	HANDLE	DESCRIPTION
**BRH-05	5 lbs	1 7/8"	18"	224-55	Same As Above
**BRH-10	10 lbs	2 1/2"	36"	229	Brass Hammer W/Hickory Handle And Rectangular Head

\*TO BE DISCONTINUED  
\*FOB SURREY, BC ONLY



## ▶ HAMMERS - BRASS (NON-SPARKING) - FIBREGLASS HANDLES

ITEM NO.	HEAD & HANDLE WEIGHT	HEAD DIAMETER	HANDLE LENGTH	DESCRIPTION
**BRH-10FG	10 lbs	2 1/2"	34"	Brass Hammer W/Fiberglass Handle & Rectangular Head

\*TO BE DISCONTINUED  
\*FOB SURREY, BC ONLY



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

**▶ CARPENTER'S CLAW HAMMERS**


ITEM NO.	DESCRIPTION
6720T	16 oz. Tubular Steel Handle with Rubber Grip.
6722F	16 oz. Fibreglass Handle with Rubber Grip.
6722W	16 oz. Hardwood Handle (Replacement Handle #221).



6720T



6722F



6722W

**▶ DEADBLOW HAMMERS**


- Head is loaded with shot to eliminate rebound and increase strike force.
- Shockless, non-sparking and non-marring face.
- Strong unicast urethane construction.

ITEM NO.	DESCRIPTION	WEIGHT
DB-200	Deadblow Hammer	2 lbs.
DB-300	Deadblow Hammer	3 lbs.


**▶ RUBBER MALLET - WHITE RUBBER**


- Hardwood handle.
- Non-marking.

ITEM NO.	DESCRIPTION	HANDLE LENGTH
WM-16	16 oz. White Rubber Mallet	11-1/2"
WM-24	24 oz. White Rubber Mallet	12"


**▶ RUBBER MALLET - BLACK RUBBER**

- 12" hardwood handle.

ITEM NO.	DESCRIPTION	HANDLE LENGTH
C-001	16 oz. Rubber Mallet	12"



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ DOUBLE BIT AXE HANDLES



- Items 208 and 209 are made of American hickory.
- Items HDL-1250 and HDL-5000 are made of ash-wood.



ITEM NO.	LENGTH	GAUGED TO FIT
208	28"	OX18-1200, 18-350, OX-1200, OX-3000
209	36"	18-350, 100-350
OX-Head Maul Handles		
HDL-1250	20"	OX-1250
HDL-5000	32"	OX-5000

## ▶ SINGLE BIT AXE HANDLES



- American hickory.



ITEM NO.	LIST LENGTH	GAUGED TO FIT
200-SG	26" - Boy's Axe	91-175
204	32"	22-350
204-40	32"	40-32 (HF840500-REG)
*205-RGT	32" - Rough Grip (Serrated) Handle	40-32 (HF840500)
*205-33	36" Handle	33-28
*206	28" - Miners Straight Std. Eye	48-28, 16-350
212	15" Handle	90-150
301	21" - Std. Eye	10-250, 10-350
302	28" - Std. Eye	OX-2001, OX-2002, 11-250, 11-350
302-1002	28" - Euro Eye	OX-1002 (H10-1200)
303	24" - Std. Eye	OX-1001
304	36" - Std. Eye	23-350, 97-450, 98-600, 15-36
305A	36" Std. Eye, Ash-wood	98-600

**\*FOB SURREY, BC ONLY**

## ▶ HICKORY SLEDGE HAMMER HANDLES



- American hickory replacement handles for Sledges, gauged to fit our heads.



ITEM NO.	DESCRIPTION & EYE SIZE	GAUGED TO FIT
224-55	18" Sledge - 7/8" x 1-1/8"	4 lbs.
226	28" Sledge - 7/8" - 1-1/8"	4 lbs.
227-SE	32" Sledge - 1" x 1-1/4"	6 lbs.
229	36" Sledge - 1" x 1-1/4"	8 - 10 lbs.
232	36" Sledge - 1 1/4" x 1-1/2"	16 - 20 lbs.

Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC only.

\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1-1/4".

\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1-1/4".

**▶ PULASKI AXE HANDLES**


ITEM NO.	DESCRIPTION
402	36" Hardwood Handle


**▶ HAMMER HANDLES**

- American hickory replacement handles for Standard American Eye.


**Machinist's - Ball Pein:**

ITEM NO.	DESCRIPTION & EYE SIZE	GAUGED TO FIT
217	12" - 3/4" x 7/16"	8 - 12 oz.
218	14" - 29/32" x 17/32"	16 - 20 oz.
275	16" - 1-3/16" x 19/32"	24 - 32 oz.
224-53	18" - 1-3/16" x 11/16"	32 - 48 oz.

**Carpenter's Hammer and Club Hammer Handles - Adze Eye:**

221	14" - 9/16 x 1-1/16" Eye Size	6722W
-----	-------------------------------	-------

**▶ BLACKSMITH'S HAMMER HANDLES**


- American hickory.



ITEM NO.	DESCRIPTION	GAUGED TO OUR HEAD NO.
224-53	18" Handle	3500-3, 3500-4

**▶ HOOKAROOON HANDLE**

- American hickory.



ITEM NO.	DESCRIPTION	GAUGED TO OUR HEAD NO.
304	36" Handle	15-36, 23-350

**▶ ADZE HANDLE**


- Top grade ash.

ITEM NO.	LENGTH	GAUGED TO OUR HEAD NO.
215	32" Handle	H56-51, H56-52



Please specify **\*\*GRIP\*\*** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey, BC only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ POST MAUL HANDLE



- American hickory.



ITEM NO.	LENGTH	GAUGED TO OUR HEAD NO.
----------	--------	------------------------

*238	36" - Round Eye	#14 (H14)
------	-----------------	-----------

\*TO BE DISCONTINUED

## ▶ SPLITTING MAUL HANDLES - SEE ALSO FIBREGLASS HANDLES

- American hickory.

ITEM NO.	DESCRIPTION	GAUGED TO OUR HEAD NO.
----------	-------------	------------------------

229	36" - Sledge, Std. Eye	6216, 6218
-----	------------------------	------------

236	36" - Straight Handle Axe Eye	4806, 4808
-----	-------------------------------	------------



## ▶ PICK HANDLES

- American hickory.

ITEM NO.	DESCRIPTION	GAUGED TO FIT OUR HEAD NO.
----------	-------------	----------------------------

242	36" - Clay, Rock, Cutter, Pick, Railroad, # 6 Eye	2004-600 2004-500 2005-600 2037-500 2045-500
-----	---	--

*244	36" - Pick Mattock, #10 Eye	2045-250
------	-----------------------------	----------

\*FOB SURREY, BC ONLY



## ▶ SHOVEL HANDLES - ASH

- Top grade Ash.

ITEM NO.	DESCRIPTION
----------	-------------

245	24" - Steel "D" Type with rivets
-----	----------------------------------

246	48" - Shovel Handle
-----	---------------------



**▶ WOOD WEDGES FOR AXES AND SLEDGES**


- For assembly of axes and hammers.

ITEM NO.	DESCRIPTION
449-D	66mm - 2-5/8" W x 1/2" H x 2-7/8" L

**▶ METAL WEDGES - TRIANGULAR**


- For assembly of hammers and axes.

ITEM NO.	DESCRIPTION
450-3	1/2" x 1-1/4" (for Small Hammers)
450-4	3/4" x 1-1/4" (for Axes & Medium Sledges)
450-5	1" x 1-1/4" (for Large Sledges)


**▶ METAL WEDGES - ROUND**


- For assembly of hammers and wedges.
- Reduces risk of splitting.

ITEM NO.	DESCRIPTION
*451-0	15/32" Diameter x 1/2" Long - for Smaller Hammers and Axes
451-1	19/32" Diameter x 19/32" Long - for Larger Hammers and Axes



**\*FOB SURREY, BC ONLY**

**▶ FORKS & RAKES**


- Steel heads.

ITEM NO.	HEAD MATERIAL	TYPE	HANDLE LENGTH/TYPE
F-017L	Steel	5 Forged Tine Fork, Tines 13", Fork width 8"	48" Ash
F-018Y	Steel	4 Forged Tine Fork	28" Ash, D-Grip
R002-14-2FL	Steel	14 Tine Bow Rake	60" Fibreglass Pinned



R002-14-2FL

F-018Y

F-017L

## ▶ SHOVELS - ASH WOOD HANDLES



- Supplied with ash-wood handles.

ITEM NO.	BLADE MAT.	TYPE	BLADE LENGTH	HANDLE LENGTH	STEP POSITION
PCL-P	Steel Hollow Back	Square Blade	11-3/4" x 9-1/2"	48"	Rear
PRY-P	Steel Hollow Back	Round Blade	11-3/4" x 8-3/4"	28"	Rear
PCY-P	Steel Hollow Back	Square Blade	11-3/4" x 9-1/2"	28"	Rear
PRL-P	Steel Hollow Back	Round Blade	12" x 8-3/4"	48"	Rear
*PRL-P-2	Steel Hollow Back	Round Blade	11-3/4" x 9-1/2"	48"	Front
*PCL-P-2	Steel Hollow Back	Square Blade	11-1/2" x 9"	48"	Front
PDS-P	Steel Hollow Back	Drain Spade	14-1/2" x 5-1/2"	48"	Front

**\*FOB SURREY, BC ONLY**



## ▶ SHOVELS - FIRE

- Red painted blade and handle tip.
- Lacquered wood handle.

ITEM NO.	BLADE MATERIAL	TYPE	BLADE LENGTH	HANDLE LENGTH	STEP POSITION
*RFS-P	Steel Hollow Back	Round Blade	11-3/4" x 9-1/2"	45"	Front

**\*FOB SURREY, BC ONLY**



**▶ SHOVELS - FIBREGLASS HANDLES**


- Supplied with tubular fibreglass handles for light weight and strength.
- Cushion grip for comfort on straight handles.

ITEM NO.	BLADE MAT.	TYPE	BLADE SIZE	HANDLE LENGTH
81518	Steel Hollow Back	Round Blade	12" x 8-3/4"	48"
82519	Steel Hollow Back	Square Blade	12" x 9-1/2"	48"
97518	Steel Hollow Back	Round Blade	12" x 8-3/4"	28"
97519	Steel Hollow Back	Square Blade	12" x 9-1/2"	28"
97526	Steel Hollow Back	Drain (Track) Shovel	14-1/2" x 5-1/2"	28"


**▶ ALUMINUM SHOVELS - SCOOPS**


- Supplied with tubular fibreglass handles for light weight and strength.
- Aluminum blades are riveted to handle.
- Ribbed blade to add extra strength.
- Cushion grip on 48" for comfort.

ITEM NO.	TYPE	BLADE SIZE	HANDLE LENGTH
511172	Scoop#8	13" x 17-1/2"	28"
197701	Scoop#14	15" x 20"	28"
511171	Scoop#8	13" x 17-1/2"	48"
192702	Scoop#14	15" x 20"	48"
197700	Scoop#6	11-3/4" X 16"	28"
192701	Scoop#6	11-3/4" X 16"	48"





## ▶ SHOVELS - COLLAPSIBLE

- Overall collapsed length 27", extended 34-1/2".
- 10" width x 13-1/2" long plastic scoop.
- Aluminum telescoping handle.



ITEM NO.	DESCRIPTION
XP-389808	Collapsable Shovel

## ▶ PICK & MATTOCK - Heads Only

ITEM NO.	DESCRIPTION	OUR HANDLE NUMBER
2004-500	5 lb. Clay Pick	242
2004-600	6 lb. Clay Pick	242
2005-600	6 lb. Rock Pick	242
2037-500	5 lb. Cutter Mattock	242
*2045-250	2-1/2 lb. Pick Mattock	244
2045-500	5 lb. Pick Mattock	242

**\*FOB SURREY, BC ONLY**



2037-500



2004-500  
2004-600



2045-250  
2045-500



2005-600

## ▶ WRECKING BARS - GOOSE NECK

- Made from hexagonal stock.


ITEM NO.	LENGTH	WEIGHT
371-12	12" x 1/2"	0.75 lbs.
371-18	18" x 5/8"	2.00 lbs.
371-24	24" x 3/4"	3.50 lbs.
371-30	30" x 3/4"	4.50 lbs.
371-36	36" x 3/4"	5.00 lbs.



**▶ TOVE BARS - MADE IN SWEDEN**

- The wrecking bar is forged in specially alloyed steel, and the whole bar is tempered and annealed to handle extremely high loads. The steel alloy and handcrafting give the wrecking bar sprung properties, which enable it to stand up to extreme loads without deforming or breaking.
- Both ends of the bar are thinly ground and have wide, polished tips for ease of insertion under boards, while minimising damage to the surface providing the fulcrum.
- The wrecking bar's nail claw is angled at 90 degrees to the shaft, giving the claw good access even right up against a wall or a ceiling.
- The nail claw has a precision angled V-slot design to allow nails to be pulled regardless of their size and head shape.
- A handcrafted wrecking bar offers superior durability compared with a pressed wrecking bar.
- The sides of the shaft are octagonal, which gives a better grip than if it was round.
- Available in five lengths – 11, 20, 25, 28 and 36 inches.

ITEM NO.	LENGTH	WEIGHT
25-11	11"	1 lb.
25-20	20"	2.5 lbs.
25-25	25"	3.0 lbs.
25-30	28"	3.75 lbs.
25-36	36"	5.0 lbs.


**▶ PRY BARS**

- One end straight point, one end bent chisel point.
- Made from hexagonal stock.
- Carbon steel.

ITEM NO.	LENGTH	WEIGHT
101-24	24" x 3/4"	3 lbs.
101-36	36" x 3/4"	4.5 lbs.



## ▶ CROW BARS - CHISEL POINT

- Point tapered on one side.
- Carbon steel.

ITEM NO.	LENGTH	WEIGHT
CP-12	51"	12 lbs.
CP-14	54"	14 lbs.
CP-16	57"	16 lbs.
CP-18	60"	18 lbs.



## ▶ CROW BAR - WEDGE POINT

- Tapered on both sides.
- Carbon steel.

ITEM NO.	LENGTH	WEIGHT
*WP-18	60"	18 lbs.

\*FOB SURREY, BC ONLY



## ▶ STRIPPING BAR



- Polished claw tips and prying tip.
- Designed for stripping forms.
- Full 1" octagon stock.
- 48" overall length.

ITEM NO.	DESCRIPTION	WEIGHT
SB-12	48" HD Stripping Bar	1.2 lbs.





**▶ BRASS PADLOCKS - CARDED GOLD LEE**



- Hardened steel shackle.
- Limited key changes.
- Supplied with 3 keys.
- Keyed different.
- Solid brass case.
- Double-locking.



ITEM NO.	CASE SIZE	STD. PACK
9010-KD	30 mm. (1-1/4")	12
9015-KD	40 mm. (1-1/2")	12
9020-KD	50 mm. (2")	12

**▶ KEY BLANKS FOR BRASS PADLOCKS**

ITEM NO.	DESCRIPTION
9015-KB	Key Blanks For 9010 And 9015 Padlocks
9020-KB	Key Blanks For 9020 Padlocks



**▶ LAMINATED STEEL PADLOCKS**



- Steel case with brass plug & pins.
- Hardened steel shackle.
- Supplied with 2 keys.
- Key blanks available.
- Limited key changes.
- Double-locking.



**KEYED DIFFERENT - Carded**

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
LP30-KD	30 mm. ( 1-1/4")	5/8"	12
LP40-KD	40 mm. (1-1/2")	1"	12
LP50-KD	50 mm. (2")	1"	12

**▶ KEYBLANKS FOR LAMINATED PADLOCKS**

ITEM NO.	DESCRIPTION
LP30-KB-4	Key Blanks for LP30 4 Pin
LP50-KB	Key Blanks for LP40 and LP50 Padlocks



\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**▶ LAMINATED STEEL PADLOCKS - CONTINUED**

**KEYED ALIKE - Boxed**

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD. PACK
LP30-KA3	30 mm. (1-1/4")	5/8"	24
*LP30-KA4	30 mm. (1-1/4")	5/8"	24
LP40-KA1	40 mm. (1-1/2")	1"	12
*LP40-KA2	40 mm. (1-1/2")	1"	12
*LP40-KA4	40 mm. (1-1/2")	1"	12
LP50-KA1	50 mm. (2")	1"	12
*LP50-KA2	50 mm. (2")	1"	12

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**


**▶ MICOTA PADLOCKS - BRASS CASE**

- All 330 series padlocks are double-locking with heel and toe-locking mechanism.
- Rubber gasket around shackle to reduce moisture.
- Moisture drain hole on bottom of padlock.
- Available Keyed Alike or Keyed Different.
- Regular shackle or long shackle available.
- Uses Yale key blanks in most cases.
- Hardened steel shackles.
- Solid brass construction.

**▶ MICOTA PADLOCKS - KEYED DIFFERENT**

- Regular length shackle KD

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
*36020-KDC	20mm. (3/4")	1/2"	10
*33030-KDC	30mm. (1-1/4")	5/8"	10
*33060-KDC	60mm. (2-3/8")	1-3/16"	10

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**


**▶ MICOTA PADLOCKS Keyed Different - CONTINUED**

- Long shackle KD.
- Clam pack.

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE
**330490-KDC	40mm. (1-1/2")	3-1/2"
**330590-KDC	50mm. (2")	3-1/2"

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**▶ MICOTA PADLOCKS - KEYED ALIKE**

- Regular length shackle KA boxed.

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
**33040-KA6	40mm. (1-1/2")	15/16"	10
**33050-KA1	50mm. (2")	1-5/32"	10
**33060-KA1	60mm. (2-3/8")	1-3/16"	10

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ MICOTA PADLOCKS - KEYED ALIKE**

- Long Shackle
- Boxed.

ITEM NO.	CASE SIZE	SHACKLE CLEARANCE	STD PACK
**330464-KA1	40mm. (1-1/2")	2-1/2"	10
**330464-KA2	40mm. (1-1/2")	2-1/2"	10
**330490-KA1	40mm. (1-1/2")	3-1/2"	10
**330490-KA2	40mm. (1-1/2")	3-1/2"	10
**330564-KA1	50mm. (2")	2-1/2"	10
**330564-KA2	50mm. (2")	2-1/2"	10
**330590-KA1	50mm. (2")	3-1/2"	10
**330590-KA2	50mm. (2")	3-1/2"	10



\*\* Please note - 33040-KA1 is Keyed Alike to 330464-KA1 & 330490-KA1, 33050-KA1 is Keyed Alike to 330564-KA1 & 330590-KA1  
 \*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**

**▶ KEYBLANKS FOR MICOTA PADLOCKS**

ITEM NO.	DESCRIPTION
33030-KB	Fits 30mm Padlock
33040-KB	Fits 40-45mm Padlock
33050-KB	Fits 50-60mm Padlock



**▶ BRASS PADLOCKS**


- Double-locking bolt (except 20 & 25mm).
- Long shackle available on 1-1/2" and 2".
- Stainless spring and pin for bolt.
- Stainless spring for shackle.
- Stainless spring for pin.
- Nickel-plated brass key.
- Standard Yale keyways.
- Hardened steel shackle.
- Keyed alike groups.
- Brass cylinder plug.
- Solid brass body.
- Pick resistant.


**▶ PADLOCKS - KEYED DIFFERENT - CARDED**


ITEM NO.	CASE WIDTH	STD. PACK
10120-KD	3/4" (20mm)	12
10125-KD	1" (25mm)	12
10130-KD	1-1/4" (30mm)	12
10140-KD	1-1/2" (40mm)	12
10150-KD	2" (50mm)	6

\*Note: 3/4" and 1" single-locking only.


**▶ PADLOCKS - KEYED ALIKE**


- Individually boxed.

ITEM NO.	CASE WIDTH	STD. PACK
10330-A	1-1/4" (30mm)	12
10330-B	1-1/4" (30mm)	12
10440-C	1-1/2" (40mm)	12
10440-D	1-1/2" (40mm)	12
10440-G	1-1/2" (40mm)	12
10440-H	1-1/2" (40mm)	12
10550-E	2" (50mm)	6
10550-F	2" (50mm)	6
10550-I	2" (50mm)	6
10550-J	2" (50mm)	6





**▶ PADLOCKS - KEYED DIFFERENT**



- Long Shackle
- Boxed.

ITEM NO.	CASE WIDTH	SHACKLE	STD. PACK
10440-LS65	1-1/2"	2-1/2"	12
10440-LS90	1-1/2"	3-1/2"	12
10440-LS140	1-1/2"	5-1/2"	12
10550-LS65	2"	2-1/2"	12
10550-LS90	2"	1/2"	12



**▶ PADLOCKS - KEYED ALIKE**



- Long Shackle
- Boxed.

ITEM NO.	CASE WIDTH	SHACKLE	STD. PACK
*10440-C-LS65	1-1/2"	2-1/2"	12
*10440-C-LS90	1-1/2"	3-1/2"	12
*10440-D-LS90	1-1/2"	3-1/2"	12
*10440-C-LS140	1-1/2"	5-1/2"	12
*10550-E-LS65	2"	2-1/2"	12
*10550-E-LS90	2"	3-1/2"	12



\*Note: Above padlocks are Keyed Alike to standard length padlocks with same letter code.

**▶ BRASS PADLOCKS**



- Over 3,000 combinations to prevent key interchanges (not selected in groups).
- Ideal for self storage units.
- Stainless steel springs.
- Hardened shackle.
- Heel-toe locking.

ITEM NO.	DESCRIPTION
10140-KD5	40 mm Brass Padlocks KD




**▶ CROWN PADLOCKS - SEMI ASSEMBLED**



- Springs, top pins, pin hole plug, and two keyblanks.
- Ideal for Locksmiths to set up own keying system.
- Supplied with shackle and plug assembled.
- Individually boxed.
- Boxed in 12's.

ITEM NO.	CASE WIDTH	STD. PACK
**10130-SA	1-1/4" (30mm.)	12

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ SEMI ASSEMBLED PARTS**


ITEM NO.	DESCRIPTION
*10130-Y8	Crown Keyblanks - 4 Pin - Yale 8 Keyway. Fits 30mm & 40mm Crown Padlocks, 270 Disc locks (70 mm).
*10150-Y9B	Crown Keyblanks - 5 Pin - Yale 9B Keyway. Fits 50mm Crown Padlocks.
**10130-99-001	Brass Bottom Pins No. 1
**10130-99-002	Brass Bottom Pins No. 2
**10130-99-003	Brass Bottom Pins No. 3
**10130-99-004	Brass Bottom Pins No. 4
**10130-99-005	Brass Top Pins
**10130-99-006	Brass Pin Hole Plugs
**10130-99-007	Stainless Steel Springs for 10130-SA Padlocks
**10150-99-001	Stainless Steel Springs for 10150-SA Padlocks

**\* Note: Minimum order on above parts - 100 pieces.**  
**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**


**▶ PADLOCKS - RE-KEYABLE**

- Supplied "O" bitting or keyed different with 2 keys.
- Re-keyable to Weiser and Schlage specifications.
- Brushed chrome-plated brass body.
- Supplied with 1" clearance shackle.
- Molybdenum shackle.
- Ball bearing locking.

ITEM NO.	DESCRIPTION
PLB45-1-SLG-KO	45 mm Padlock Satin Chrome, Schlage Keyway "O" Bitting
PLB45-1-WR-KO	45 mm Padlock Satin Chrome, Weiser Keyway "O" Bitting
PLB45-1-SLG-KD	45 mm Padlock Satin Chrome, Schlage Keyway KD
PLB45-1-WR-KD	45 mm Padlock Satin Chrome, Weiser Keyway KD
PL-SHACKLE-1-MA	1" Shackle For PLB45 Padlock
PL-SHACKLE-2-MA	2" Shackle For PLB45 Padlock
PL-SHACKLE-3-MA	3" Shackle For PLB45 Padlock


**▶ DISC STYLE PADLOCKS - KEYED ALIKE (BOXED)**


ITEM NO.	CASE SIZE	DESCRIPTION	STD. PACK
*270-KA3	70mm (2-3/4" Dia)	Disc Padlock KA	12 (Boxed)

**\*Item #10130-Y8 fits for the 270 series Disc Locks.**



**▶ DISC STYLE PADLOCKS - KEYED DIFFERENT**



- Hardened chrome-plated shackle.
- Attractively clamshell packed.
- Stainless steel outer case.
- Keyed different.



ITEM NO.	CASE SIZE	DESCRIPTION	STD. PACK
270-KD	70mm (2-3/4" Dia)	Disc Padlock Keyed Different	12
10130-Y8	Keyblank Fits 270 Padlock		

**▶ LEVER DOOR LOCKS - SPARTAN BRAND**

- 4 way latch suitable for 2-3/8" - 2-3/4" back set and for drive-in or mortise face plates.
- Manufactured to meet ANSI specs for grade 3.
- Suitable for 1-3/8" - 2" thick doors.
- Box-packed.

**Note: Special Order on Quotation Only**

**▶ ENTRANCE LOCKSETS - LEVER HANDLE TUBULAR TYPE**

- Weiser keyway.
- Easily rekeyable.

ITEM NO.	FUNCTION	FINISH	HANDLE DESIGN
6411SC	Entrance	Satin Chrome	Straight Lever



**▶ PRIVACY SETS - LEVER HANDLE TUBULAR TYPE**

- Emergency key opening from outside.
- Turn-button locking.

ITEM NO.	FUNCTION	FINISH	HANDLE DESIGN
6412SC	Privacy	Satin Chrome	Straight Lever



**▶ PASSAGE SETS - LEVER HANDLE TUBULAR TYPE**

ITEM NO.	FUNCTION	FINISH	HANDLE DESIGN
6413SC	Passage	Satin Chrome	Straight Lever



**▶ DEADBOLTS - SPARTAN BRAND**

- Supplied with HD security strike with extra-long screws.
- 4-way bolt, adjustable for 2-3/8" - 2-3/4" back-set.
- Drive-in or mortise faceplate.
- Crush-resistant cylinder rings.
- Weiser keyway.
- Boxed.



ITEM NO.	DESCRIPTION	FINISH	PACKAGE
*7301SC-B	Single Cyl Deadbolt	Satin Chrome	Boxed

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation Only**

**▶ COMBO LOCKSET - ENTRANCE SET & SINGLE CYLINDER DEADBOLT COMBINATION - SPARTAN BRAND**

- Deadbolt has heavy duty security strike with extra-long screws included.
- Both deadbolt and entrance lock are keyed alike.
- Deadbolt has crush resistant cylinder rings.
- Suitable for 1-3/8" - 1-3/4" thick doors.
- Adjustable back-sets 2-3/8" - 2-3/4".
- Drive-in or mortise faceplates.
- Clamshell packaged.
- Weiser keyway.



ITEM NO.	DESCRIPTION	FINISH
6771SC-D101	Combo Entrance Set/Single Cylinder Deadbolt	Satin Chrome Finish

**Replacement for item #6871SC-2**

**▶ LEVER HANDLES FOR 4510 DEADLATCH**

- Reversible cam included.

ITEM NO.	DESCRIPTION
4560-AL	Aluminum Finish

**Note: Special Order on Quotation Only**



**▶ DEADLOCKS - THROWBOLT**

- 31/32" and 1-1/8" back set.
- Supplied with 4 keys.
- Adams Rite Cutout.
- Aluminum finish.
- With faceplate.



**ITEM NO. DESCRIPTION**

1850A-2 Adams Rite Cutout 1-1/8" Backset

**Note: Special Order on Quotation Only**

**▶ DEADLATCHES**

- Metal latch bolt with plastic insert.
- Includes strike and faceplate.
- 31/32" and 1-1/8" backset.
- Adams Rite cutout.



**ITEM NO. DESCRIPTION**

4510A-1 31/32" Backset With Aluminum Finish

**Note: Special Order on Quotation Only**

**▶ LATCH PADDLES FOR 4510 DEADLATCH**

- Suitable for 1-3/4" door thickness.
- Aluminum and duranodic finish.
- Push label not attached.
- Reversible handing.
- Supplied with cam.

**ITEM NO. DESCRIPTION**

4590-AL Left or Right available, Aluminum Finish

4590-DU Left or Right available, Duranodic Finish

**Note: Special Order on Quotation Only**



**▶ FLUSH BOLT - LEVER TYPE**

- Supplied with 10" steel threaded rod, nylon bolt, nylon guide and mounting screws.
- Zinc die-cast face and lever mechanism.
- Mortise flush bolt for aluminum doors.


ITEM NO.	FACE SIZE	FINISH	BACKSET	MOUNTING HOLE C-C	BOLT THROW
5506-AL	4-7/32" x 15/16"	Sprayed Aluminum	1/8"	5-1/4"	5/8"


**▶ MORTISE THUMB TURNS AND DUMMY CYLINDERS**

- 1" Solid Brass

ITEM NO.	DESCRIPTION
4010-AL	Dummy Cyl., Aluminum Finish
4010-DU	Dummy Cyl., Duronodic Finish
4015-AL	Thumb Turn, Aluminum Finish

**Note: Special Order on Quotation**


**▶ MORTISE THUMB TURNS - CAPTIVE KEY**

- For security reasons thumbturn can be removed when all staff have left the building.
- Allows thumbturn to be in cylinder during work hours.
- 1-1/8" length.

ITEM NO.	DESCRIPTION
*CM118-WRE	Weiser Keyway Captive Mortise Cylinder Satin Chrome Finish
*CM-KEY-SC	Key Blank For Above Supplied with Release Key

**\*FOB SURREY, BC ONLY**  
**Note: Special Order on Quotation**



**▶ CYLINDER SPACER RINGS**




- Made of aluminum.
- Available in 3 sizes.
- Aluminum finish.
- Packed 10/pack.



ITEM NO.	DESCRIPTION
*AR354-03	3mm Aluminum Spacer Ring
*AR354-06	6mm Aluminum Spacer Ring
*AR354-12	12mm Aluminum Spacer Ring
<b>*FOB SURREY, BC ONLY</b>	

**▶ CYLINDER GUARD RINGS**

- Available in 2 sizes to accommodate 1" - 1-1/8" cylinders.
- Supplied with wave washer.
- Sold in bags of 10 pieces.
- Satin chrome rings.



ITEM NO.	DESCRIPTION
*BR431-113-SC-V	Satin Chrome Guard Rings 1/4" Inside Step
*BR431-147-SC-V	Satin Chrome Guard Rings 3/8" Inside Step
<b>*FOB SURREY, BC ONLY</b>	
<b>Note: Special Order on Quotation</b>	

**▶ KNOB PROTECTOR - HEAVY DUTY (USED FOR CUT-OFF EVER HANDLES)**

- Large 3-9/16" opening on back to accommodate large escutcheons.
- Supplied with bolts, template and hole marking set screws.
- Made of solid brass to resist attack.
- Satin chrome finish.



ITEM NO.	DESCRIPTION
*KP802-26D	Heavy Duty Knob Protector, Satin Chrome Finish
<b>*FOB SURREY, BC ONLY</b>	
<b>Note: Special Order on Quotation</b>	

**▶ LEVER PROTECTOR (USED FOR CUT-OFF EVER HANDLES)**

- Large 3-9/16" opening on back to accommodate large escutcheons.
- Supplied with bolts, template and hole marking setscrews.
- Made of solid brass to resist attack.
- Satin chrome finish.



ITEM NO.	DESCRIPTION
*KPA02-BLK	Lever Protector Matte Black Painted
<b>*FOB SURREY, BC ONLY</b>	

**▶ KNOB PROTECTOR**

- Black hammer-tone finished aluminum.
- 2-1/16" screws supplied.
- Complete with screws.
- Large 3-1/8" capacity.


**ITEM NO. DESCRIPTION**

\*KPA-01 Aluminum Alloy Knob Protector

**\*FOB SURREY, BC ONLY**

**▶ KNOB PROTECTOR WITH PULL**

- Designed to fit 3-5/16" rosette and 5/8" thickness.
- Supplied with carriage bolts.
- Heavy aluminum body.
- Powder coat finish.

**ITEM NO. DESCRIPTION**


\*KPA03 Knob Protector

\*KPA03-1-5 Spacer 7/32" Thick Accepts 3-5/16" Rosette


\*KPA04 Lock Guard Exit Only with Screws

**\*FOB SURREY, BC ONLY**


**Note: Special Order on Quotation**



KPA04



KPA03-1-5



KPA03

**▶ DEADBOLT CYLINDER GUARD**

- Supplied with plated carriage bolts with acorn nuts.
- Included are 2 backplates.
- Individually boxed.
- 1-1/16" depth.

**ITEM NO. DESCRIPTION**

\*LP007-G Deadbolt Cylinder Guard

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**





**MORTISE CYLINDER GUARDS**



- Used to prevent plier attack to mortise cylinders.
- 1/4" deep recess to accommodate cylinder face.
- Made of corrosion resistant alloy.
- Attractively carded.

ITEM NO.	DESCRIPTION
*MP01-SC-V	1-5/8" X 4" 4-Hole Model With 4 Rivet Fastening. Satin Chrome Finish
*MP01-10B-V	1-5/8" X 4" 4-Hole Model With 4 Rivet Fastening. Dark Bronze Finish
*MP02-SC-V	1-1/2" X 4-1/2" Narrow Style 2-Hole Model With 1 Rivet And 1 Thru-Bolt. Satin Chrome Finish
*MP02-10B-V	1-1/2" X 4-1/2" Narrow Style 2-Hole Model With 1 Rivet And 1 Thru-Bolt. Dark Bronze Finish

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**



MP01

MP02

**DOOR CYLINDER GUARDS - FOR ALUMINUM DOORS**

- Prevents pulling and twisting of cylinders by covering cylinder except for keyway area.
- Supplied complete with 1/2" face and 1 x 1/8" spacer & thru-bolts.
- Overall dimensions 1-3/4" W x 8-1/4" L x 1/2" thick.
- Available in aluminum and 10B (DU) finish.
- Made of aluminum alloy.

ITEM NO	DESCRIPTION
*MP04-AB-SC	Cylinder Guard for Abloy Cylinders, Aluminum Finish
*MP04-AB-DU	Cylinder Guard for Abloy Cylinders, 10B Finish
*MP04-ST-SC	Cylinder Guard for Standard Mortise Cylinders, Aluminum Finish
*MP04-ST-DU	Cylinder Guard for Standard Mortise Cylinders, 10B Finish
*MP04-18-SC	1/8" Spacer for MP04, Aluminum Finish
*MP04-18-DU	1/8" Spacer for MP04, 10B Finish

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**



MP04-AB-SC FRONT

MP04-AB-SC BACK

MP04-ST-SC FRONT

MP04-STD-SC BACK

MP04-18-SC SPACER

**▶ LATCH PROTECTOR / INTERLOCK PLATE**

- Supplied with non-removable security screws.
- Steel construction.
- Carded.

ITEM NO.	DESCRIPTION
*LP001-PBV	Brass Latch Protector - 11" Length (Offset Type)
*LP004-10B-V	Duronodic Latch Protector - 12" Length ("U" Type)
*LP004SCV	Satin Chrome Latch Protector - 12" Length ("U" Type)
*LP004WHTV	White Latch Protector - 12" Length ("U" Type)

\*FOB SURREY, BC ONLY

Note: Special Order on Quotation


**▶ LATCH PROTECTORS - FOR WOOD OR METAL DOORS**

- Supplied with 2-1/4" bolts with chrome acorn nuts.
- Lock protection for out-swinging doors.
- Covers strike plate.

ITEM NO.	DESCRIPTION	FINISH	STD. PACK
804-CAD	11" x 3"	Aluminum	6
804-DU	11" x 3"	Duronodic	6


**▶ LATCH PROTECTORS - FOR ALUMINUM DOORS**

- Lock protection for aluminum out-swinging doors.
- 12" x 3-1/2" heavy gauge steel.
- Covers strike plate.
- Carded.

ITEM NO.	SIZE	FINISH
LG-111-AL	12" x 3-1/2"	Aluminum
LG-111-DU	12" x 3-1/2"	Duronodic



**▶ KEY CADDY**

- Supplied with 21" stainless steel chain and key ring.
- Heavy duty die-cast case.
- Beltclip fastener.



ITEM NO.	DESCRIPTION
SK1	Starrett Key Caddy

**▶ CARABINER HOOKS WITH KEY RINGS**

- Supplied in assorted anodized aluminum colours.
- 12 Carabiner hooks per card.
- Comes with 1" split ring.



ITEM NO.	DESCRIPTION
*CAR2-12	60mm. (2-3/8") (Medium) Overall Length
*CAR3-12	80mm. (3-1/8") (Large) Overall Length
<b>*TO BE DISCONTINUED</b>	

**▶ STRAP HINGES - ZINC PLATED**

- Screws not included.
- Sold in pairs.



ITEM NO.	SIZE	STD. BOX	MASTER PACK
*11204	8"	5	30
<b>*TO BE DISCONTINUED</b>			

**▶ KEY CAPS - NEON**

- Rubber-like vinyl.
- Assorted colours.



ITEM NO.	DESCRIPTION
*ID995-N	Jumbo Size 200 Per Box
<b>*TO BE DISCONTINUED</b>	

**► SPLIT KEY RINGS**

- Sizes are approximate inside dimensions.
- Nickel plated.

ITEM NO	DESCRIPTION	ACTUAL INSIDE DIMENSIONS	QUANTITY PER BAG
**SR-74734X	3/4" Round	3/4"	100
**SR-74778X	7/8" Round	13/16"	100
<b>*TO BE DISCONTINUED</b>			
<b>*FOB SURREY, BC ONLY</b>			


**► KEVRON KEY TAGS - MADE IN AUSTRALIA**


- 10 Loose tags, assorted colours in poly-pouch with hang-hole.
- Paper insert size: 37 x 21mm (1-7/16" x 13/16").
- Easy-opening keytags with paper insert.
- Tag size: 56 x 30mm (2-3/16" x 1-1/8").
- Ring size: 19mm (3/4").

ITEM NO.	DESCRIPTION
ID5-PP10	Key Tags On Card Of 10PCS


**► KEVRON KEY TAGS - MADE IN AUSTRALIA**


- Ideal for office, home, real-estate agents, car dealers & motels.
- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Supplied with stainless steel rings.
- Large 1-1/4" x 1" ID card size.
- Consistency in tag colours.

ITEM NO.	DESCRIPTION
ID5-AC100	100 Loose Tags. Assorted Colours in Countertop Display.
ID5-AC150	150 pce. Standard Click Tags. In Fish Bowl Container.
ID5-RED	50 Red Loose Tags In Poly Bag
ID5-BLU	50 Blue Loose Tags In Poly Bag
ID5-GRN	50 Green Loose Tags In Poly Bag
ID5-ORG	50 Orange Loose Tags In Poly Bag
ID5-YEL	50 Yellow Loose Tags In Poly Bag
ID5-NAT	50 Natural Loose Tags In Poly Bag


**NEW FLOURESCENT COLOURS: Loose Tags in Poly Bag**

- Tag size: 56 x 30mm (2-3/16" x 1-1/8").
- Paper insert size: 37 x 21mm (1-7/16" x 13/16").
- Ring size: 19mm (3/4").

- \*ID38-GRN 50 Fluorescent Green
- \*ID38-ORG 50 Fluorescent Orange
- \*ID38-PNK 50 Fluorescent Pink
- \*ID38-YEL 50 Fluorescent Yellow

**\*FOB SURREY, BC ONLY**

▶ **KEY TAGS RACKS - MADE IN AUSTRALIA**

- Ideal for office, home, real-estate agents, car dealers & motels.
- Paper insert size: 37 x 21mm (1-7/16 x 13/16").
- Tag size: 56 x 30mm (2-3/16 x 1-1/8").
- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Supplied with stainless steel rings.
- Consistency in tag colours.
- Ring size: 19mm (3/4").

**ITEM NO. DESCRIPTION**

ID9-RTL	4 Tag Key Rack With Adhesive Pads Carded For Easy Display
ID6-RTL	8 Tag Key Rack With Adhesive Pads Carded For Easy Display



▶ **LARGER 2" x 1 1/4" ID CARD**

- Ideal for office, home, real-estate agents, car dealers & motels.
- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Supplied with stainless steel rings
- Consistency in tag colours.

**ITEM NO. DESCRIPTION**

ID30-AC50	50 Loose Tags, Assorted Colours in Countertop Display
-----------	---



▶ **KEY CABINETS**

- Continuous number strip for fast & easy placement of numbers.
- Uses modified 1611 key blanks or our TS-BLANK.
- Beige colour enamel paint.
- Made from .8mm steel.
- Hook-style key holders.
- Key tags not included.
- Key locking.

ITEM NO.	KEY CAP	HEIGHT	WIDTH	DEPTH
TS0080	20	8"	6-1/2"	3-1/4"
TS0053	54	12"	9-1/2"	2-1/2"
TS0052	90	12"	9-1/2"	3-1/4"
TS0042	140	14-1/2"	11"	3-1/4"
TS0200	200	17-3/4"	13-3/4"	3-1/4"

Key Blanks for Key Cabinet  
TS-BLANK



**▶ KEY CABINETS - COMBINATION LOCK**

- Continuous number strip for fast & easy placement of numbers.
- Changeable combination lock.
- Beige colour enamel paint.
- Hook-style key holders.
- Made from .8mm steel.
- Key tags not included.

ITEM NO.	KEY CAP	HEIGHT	WIDTH	DEPTH
TS0087G	20	8"	6-1/2"	3 1/4"
TS0057G	36	12"	9-1/2"	3 1/4"


**▶ CASH BOXES - LOCKABLE**

- Compartments have beveled sides for easy coin and bill removal.
- All steel construction with plastic tray.
- Locked with a camlock with 2 keys.
- Supplied with fold-down handle.
- Lift-out tray.

ITEM NO.	NO. OF TRAY COMPARTMENTS	OUTSIDE DIMENSIONS
TS0020	3 (2 Coin, 1 Bill)	10" L x 7" W x 3-1/2" D
TS0010	5 (3 Coin, 2 Bill)	12" L x 9-1/2" W x 3-1/2" D



TS0010



TS0020

**▶ CASH BOXES - LOCKABLE WITH COMBINATION LOCK**

- Compartments have beveled sides for easy coin and bill removal.
- Locked with a camlock with changeable combination lock.
- All steel construction with plastic tray.
- Supplied with fold-down handle.
- Lift-out tray.

ITEM NO.	NO. OF TRAY COMPARTMENTS	OUTSIDE DIMENSIONS
TS0027G	3 (2 Coin, 1 Bill)	10" L x 7" W x 3-1/2" D
TS0017G	5 (3 Coin, 2 Bill)	12" L x 9-1/2" W x 3-1/2" D



## ▶ HYDRAULIC JACKS

- Cylinder, housing and base precision fitted for virtually leak-proof operation.
- Delivers full lifting power in upright position.
- Made of heavy-duty steel with cast iron base.
- Top of lifting cap grooved for load stability.
- Release valve allows controlled lowering.
- Working temperature -20° to 45° C.
- 2 pc. Interlocking pump handle.



ITEM NO.	TONS CAPACITY	MIN. HEIGHT	MAX. HEIGHT	MAX. LIFT
<i>Standard Jacks:</i>				
1002	2	7-1/8"	13-9/16"	6-5/16"
1004	4	7-5/8"	14-5/8"	4-5/8"
1006	6	8-1/2"	16-1/4"	5"
1008	8	9-1/16"	17-5/16"	5-3/4"
1012	12	9-1/16"	18-5/16"	6-1/8"
1020R	20	9-1/2"	17-7/8"	5-15/16"
<i>Low Profile Jacks:</i>				
1012-LP	12	7-1/2"	13-13/16"	6-5/16"
1020-LP	20	7-1/2"	13-1/4"	5-3/4"

## ▶ HYDRAULIC BOTTLE JACKS - INDUSTRIAL QUALITY - MADE IN SPAIN

- 3 piece rectangular handle prevents handle roll when not in valve socket.
- Swivel pump valve allows for better positioning.
- Comfortable plastic handles on some models.
- Can be repaired, repair parts available.
- Heavy machined jack base.
- Can be used horizontally.

ITEM NO.	REPLACES	CAP	MIN HEIGHT	PISTON TRAVEL	MAX THREADED LIFT	OVERAL HEIGHT	CARRY HANDLE	WEIGHT lbs/kg
*BR50	MG-50	50 MT	10.2" (260)	5.5" (140)	N/A	15.8" (400)	Y	59.4 (27)

**\*LIMITED SUPPLY**



**▶ SINGLE ACTING WITH SPRING RETURN SPECS**


NOM FORCE TONS	ITEM NO.	STR. INS	AREA IN <sup>2</sup>	INCHES														OIL CAP INS <sup>3</sup>	WT. LBS.	TILT SADDLE NO.
				B	BI	C	CI	D	E	F	J	K	L	M	N	R				
5	**CSRA-5D	6 7/8	1.09	10 3/4	11 5/16	17 5/8	18 1/4	19/16	13/16	11/32	2 3/4	25/32	1 1/2	19/64	5/8	15/64	7.7	5.6	BCSRA-5	
16	**CSRA-16B	2	3.68	5 7/8	6 5/8	7 7/8	8 5/8	2 3/4	2 11/64	1 13/16	2 3/4	25/32	2 3/4	1 3/16	11/16	25/64	7.3	9.15	BCSRA-11	
16	**CSRA-16C	3 15/16	3.68	7 7/8	8 11/16	11 13/16	12 5/8	2 3/4	2 11/64	1 13/16	2 3/4	25/32	2 3/4	1 3/16	11/16	25/64	14.65	12.2	BCSRA-11	
93	**CSRA-93B	2	20.57	7 1/2	8 11/16	9 7/16	10 11/16	6 7/8	5 1/8	4 9/64	2 3/4	1 27/32	5	1 31/32			40.5	71.2	BCSRA-93	
23	**CSR-23	1 5/8	5.14	3 7/8	4 11/16	5 1/2	6 5/16	3 11/16	2 11/64	2 1/8	2 3/4	15/16				6/64	6	11.2	LOW HEIGHT	

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**

**Note: Limited quantities, No backorders**



**▶ SINGLE ACTING HOLLOW PISTON CYLINDER WITH SPRING RETURN**


- Carrying handles or eyes on units 44 lbs. – 88 lbs.
- Threaded mounting holes for easy application.

NOM FORCE TONS	ITEM NO.	STROKE INS	FORCE TONS	AREA IN <sup>2</sup>	INCHES														OIL CAP INS <sup>3</sup>	WT. LBS.	TILT SADDLE NO.
					B	C	D	E	F	G	H	I	J	K	N	Q					
12	**CSH-12	1 5/8	12	2.8	5 11/16	7 5/16	2 3/4	2 11/64	1 23/64	1.5	2	5/16-18 UNC	2 3/4	25/32	25/32	49/64	4.5	8.3	BRC SH-12 BMC SH-12		
20	**CSH-20	1 7/8	20	4.5	6 3/4	8 11/16	3 3/4	2 3/4	2	1.5	3 1/4	3/8-16 UNC	2 3/4	25/32	25/32	1 3/64	8.5	17.6	BRC SH-20 BMC SH-20		

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**





**▶ DOUBLE ACTING HOLLOW PISTON CYLINDERS WITH HYDRAULIC RETURN**



NOM FORCE TONS	ITEM NO.	STROKE INS	MAX FORCE TONS	EFFECT AREA IN <sup>2</sup>	INCHES													OIL CAP INS <sup>3</sup>	WT. LBS.	TILT SADDLE NO.
					B	C	D	E	F	G	H	I	J	K	N	O	P			
30	**CDH-30	5 15/16	30	6.6	11-11/16	17-9/16	4-15/16	3-3/8	2-7/16	M46x1.5	3-5/8	3/8-16 UNC	2-3/4	25/32	7/8	1-27/32	4-7/16	39	42.2	BRCSH-30 BMCSH-30

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ HYDRAULIC CYLINDERS - MADE IN SPAIN**




- Fitted with high flow female quick coupler with dust cap.
- All cylinders have salt bath nitrating treatment.
- Working pressure 10,000 PSI.
- Fitted with removable saddle.

**LOW PROFILE SINGLE ACTING WITH SPRING RETURN**

- Mounting holes in base.

NOM FORCE TONS	ITEM NO.	STROKE INS	MAX FORCE TONS	EFFECT AREA IN <sup>2</sup>	INCHES													OIL CAP INS <sup>3</sup>	WT. LBS.
					B	C	D	E	F	H	I	J	K	R	S	T	U		
5	**CSE-5	1/4	5	1.09	1 3/8	1 19/32	2 11/30	1 13/16	1 1/32	1 3/32	7/32	2 11/32	1 1/16	3/64	1 5/8	1 3/16	7/8	.77	1.65

**\*TO BE DISCONTINUED**  
**\*FOB SURREY, BC ONLY**



**▶ FUNNELS - PLASTIC-MULTI-PURPOSE 2 IN 1**

- Flexible detachable spouts are being used as regular funnel.
- Convenient plastic handle to hold funnel securely.
- Can be used as a transmission funnel.
- Supplied with built-in 1" screen-filter.

ITEM NO.	CAP.	TOP DIA.	SPOUT DIA. O.D.	OVERALL LENGTH
TT1-238	900 ml	5 3/4"	1 1/16" Funnel Only, 1/2" Flex Spout.	7 1/2" Funnel Only, 15" W/Flex Spout



**▶ FUNNELS - PLASTIC 4 PIECE SET**

- 4 pc set consisting of: 2", 3", 4" and 4-1/2" dia. funnel.
- All funnels have convenient tabs for hanging.
- Can be used for Home, Auto or Business.
- Poly-bagged with header card.



ITEM NO.	CAP.	TOP DIA.	SPOUT DIA O.D.	OVERALL LENGTH
TT1-239	50 ml	2"	5/16"	3"
	100 ml	3"	3/8"	4-1/2"
	200 ml	4"	7/16"	5-1/2"
	250 ml	4-1/2"	9/16"	6"

**▶ FUNNELS - GALVANIZED STEEL - MADE IN USA**

- Supplied with 70 mesh brass strainer screen.
- Strong interlocked soldered seams.

ITEM NO.	DESCRIPTION	CAP.	SIZE	SPOUT TYPE	SPOUT DIA.
SK491	General Purpose.	1 Qt.	6"	Centre	5/8"
SK495	Transmission. 16" Flex Spout.	1 Qt.	6"	Centre	7/16"
SK590	Heavy Duty With Wired Top Extra Deep & Fluted. Bottom To Prevent Swirling.	8 Qt.	9"	Centre	1"
SK620	Heavy Duty With Wired Top	6 Qt.	10"	Side	1"
SK690	Heavy Duty With Wired Top Extra Deep & Fluted. Bottom To Prevent Swirling.	12 Qt.	11"	Centre	1"
SKSM	Small Screen				
SKLG	Large Screen				



SK491


 SK590  
SK690


SK620



SK495

**▶ FUNNELS, MEASURING CONTAINERS AND OILERS - MADE IN CANADA BY CLUTHE PRODUCTS**

- Funnels are made with built-in hang-up tab.
- Made of flexible, durable polyethylene.
- Ideal for oils, acids, adhesives, etc.
- All funnels are natural colour.
- Spark, dent, and rust proof.

ITEM NO.	DESCRIPTION	DIMENSIONS				
		A	B	C	D	E
<b>AUTOMOTIVE AND INDUSTRIAL FUNNELS WITH 100 MESH FILTER</b>						
C30080	Tapered Rim 120 oz	8"	10"	5-1/2"	7/8"	2-1/8"
C30090	Funnel 144 oz	9"	10-1/2"	2-1/4"	5/8"	2-1/8"
<b>FILTERS FOR FUNNELS - 100 MESH</b>						
C30000	100 Filters	Bulk	Gold Mesh			



C30080



C30090



C30000

## ▶ LIGHT DUTY CASTERS

- Single ball bearing raceway on swivel models.
- Solid rubber wheel.
- Plain bearing.

Wheel Dia	Tread Width	Axle Dia	Overall Height	Mounting Bolt Dia	Finish	Load Cap
1-1/2"	1-1/16"	3/16"	2-1/8"	3/16"	Black	60 lbs.
2"	1"	1/4"	2-5/8"	1/4"	Zinc	80 lbs.
2-1/2"	1-1/16"	5/16"	3-1/4"	1/4"	Zinc	100 lbs.

ITEM NO.	DESCRIPTION	MOUNTING PLATE
SYR-15068	1-1/2" Rigid	1-13/16" x 1-1/2"
SYS-15068	1-1/2" Swivel	1-13/16" x 1-1/2"
SYFR-20100	2" Rigid	2-11/16" x 1-9/16"
SYFS-20100	2" Swivel	2-5/8" x 1-7/8"
SYFR-25112	2-1/2" Rigid	4-7/16" x 2-5/16"
SYFS-25112	2-1/2" Swivel	3-7/8" x 2-3/4"



## ▶ GENERAL DUTY CASTERS

- Single ball bearing raceway on swivel models.
- Sintered iron bearing.
- Solid rubber wheel.

Wheel Dia	Tread Width	Axle Dia	Overall Height	Mounting Bolt Dia.	Finish	Load Cap
3"	1-1/4"	3/8"	3-13/16"	5/16"	Zinc	175 lbs.
4"	1-1/2"	3/8"	5"	3/8"	Zinc	220 lbs.

ITEM NO.	DESCRIPTION	MOUNTING PLATE
SYFR-30125	3" Rigid	4-15/16" x 2-1/2"
SYFS-30125	3" Swivel	4-1/8" x 3-1/8"
SYFB-30125	3" Swivel With Side Brake	4-1/8" x 3-1/8"
SYFR-40150	4" Rigid	6-1/4" x 3-1/4"
SYFS-40150	4" Swivel	5" x 4"
SYFB-40150	4" Swivel With Side Brake	5" x 4"



## ▶ MEDIUM HEAVY DUTY CASTERS

- Greaseable roller bearings and grease-able double raceway ball bearings.
- Heavy 3/16" steel mounting plate and legs.
- Hard rubber tire on cast iron wheel.

Wheel Dia	Tread Width	Axle Dia	Overall Height	Mounting Bolt Dia	Finish	Load Cap
5"	2"	1/2"	6-1/2"	3/8"	Zinc	450 lbs.
6"	2"	1/2"	7-5/8"	3/8"	Zinc	500 lbs.

ITEM NO.	DESCRIPTION	MOUNTING PLATE
SYMR-50200	5" Rigid	4-1/2" x 4"
SYMS-50200	5" Swivel	4-1/2" x 4"
SYMR-60200	6" Rigid	4-1/2" x 4"
SYMS-60200	6" Swivel	4-1/2" x 4"



**▶ CLUTHE MEASURING CONTAINERS**

ITEM NO.	DESCRIPTION	CAP	COLOUR
C34046	Measuring Container With Pouring Spout	155 oz.	Natural


**▶ GREASE GUNS - LEVEL & PISTOL GRIP TYPE**

- 11" body accepts 14 oz. cartridges or can be filled by hand.
- Supplied with 7" detachable metal spout.
- 3-way filling.

ITEM NO.	DESCRIPTION
G-4805	Lever-Type Grease Gun
A-480N	Pistol-Grip Type Grease Gun
A-401-12	12" Nylon Steel NPT Flex Hose
A-401-18	18" Nylon Steel NPT Flex Hose
G-4805CPL	1/8" NPT 3-Jaw Coupler. Blister Packed


**▶ PUMP OILERS - METAL (PERFETTA TYPE)**


- Supplied with rigid and PVC flexible detachable spouts.
- Supplied in cello bag with header card.
- Steel pump mechanism.

ITEM NO.	CAPACITY
R-101	10 oz. (300cc)
R-103	24 oz. (700cc)



## ▶ REINFORCED BRAIDED P.V.C. FLEXIBLE SPOUTS

ITEM NO.	DESCRIPTION
<b>Flexible Spout for All "R" Series Oilers:</b>	
R-103FLEX	6-1/2"
<b>Rigid Replacement Metal Spout for "R" Series Oilers:</b>	
R-101M	5-1/2"



## ▶ PUMP - SUBMERSIBLE WITH FLOAT SWITCH

- 1" water outlet with 3/4" hose adaptor.
- Max 1400 GPH Flow Rate 26.3 Head.
- Removable screw for cleaning.
- Thermoplastic construction.
- 10' grounded electrical cord.
- Thermoplastic construction.
- 1/6 HP Motor 115V/60Hz.
- Low 1/8" pickup.
- cETL Listed.

ITEM NO.	DESCRIPTION
Q1CP-400C	Submersible Pump w/Float Switch



## ▶ POLYPRO - HAND OPERATED ROTARY PUMP

- Suitable for most petroleum products **except gasoline**, water, water-based chemicals, alcohol and mild alkaline products.
- Supplied with 47" polypropylene suction tube and 2" NPT bung adapter.
- Glass-filled polypropylene construction.
- 46" polyethylene delivery hose included.
- Pumps 6 GPM @ 70 revolutions.
- 1" OD barbed spout end.
- Movable outlet spout.
- 360° rotation.

ITEM NO.	DESCRIPTION
RP-90P	Polypropylene Rotary Pump
RP-90P-16	Bung Adaptor with Thumbscrew
RP-90P-20	46" Replacement Hose For RP-90P Pump



### ▶ DIAMOND HAND-OPERATED ROTARY PUMP

- Steel vanes (note - not suitable for chemicals which are liable to corrode metals).
- Simple installation and operation, as well as durable.
- Complete with 8 ft. vinyl hose and steel pipe.
- Packed in display box.
- Parts available.

ITEM NO.	DESCRIPTION
KS-25A	Pumping Capacity: 18 Litres Per Minute
KS-25-21	8' Replacement Vinyl Hose For Above

\*\* ALL PARTS AVAILABLE \*\*



### ▶ LEVER BARREL PUMP

- Brass piston ring makes this pump suitable for use with lubricants, solvents, and other non-corrosive liquids.
- Spout is threaded for garden hose fittings.
- Suitable for 1-1/2" and 2" NPT bungs.
- Dispenses approx. 300 ml. per stroke.
- Suction tube extends 18" to 36".
- Zinc-plated for long life.
- PVC coated handle.

ITEM NO.	DESCRIPTION
A-490	Lever Barrel Pump, Boxed



### ▶ PLASTIC SYPHON PUMP

- Suitable for use on all sizes of drums with 2" bungs.
- Used to transfer liquids such as oil, kerosene, fuel.
- Lightweight and economical, corrosion resistant.
- Made of heavy polyethylene vinyl chloride.
- 33-1/2" suction pipe, 46" discharge hose.
- Dispenses 15 litres/min.

ITEM NO.	DESCRIPTION
CK-9	Plastic Syphon Pump



## ▶ LEVER PAIL PUMP - FOR OILS

- Includes pump, pail cover, and 4 ft. of clear vinyl hose with curved discharge nozzle.
- Fits full open head pails through 6-1/2 gal.
- Delivers approx. 1 gal./60 strokes.
- For motor oil, gear oil and ATF.

ITEM NO.	DESCRIPTION
----------	-------------

A-492	Hand Oil Pump
-------	---------------



## ▶ CHAIN BLOCKS

- Safe, reliable, with minimum maintenance.
- High efficiency and small hand pull.
- Triple-spur gears.
- Lightweight.

ITEM NO.	CAP	LIFT	CHAIN DIA.	HEAD ROOM REQUIRED
----------	-----	------	------------	--------------------

100	1 Ton	8 ft.	15/64"	11'
200	2 Ton	10 ft.	5/16"	14'



## ▶ LEVER CHAIN RATCHET PULLER - MINI

- Supplied with spring-loaded safety latches.
- Rubber handgrip for comfortable grip.
- Up, down and free lever functions.
- Lightweight for ease of carrying.
- Replacement parts available.
- Uses 4 mm load chain.
- Standard 1 metre lift.
- Steel housing.
- Friction brake.

ITEM NO	DESCRIPTION	WEIGHT
---------	-------------	--------

A619-025	1/4 Ton Capacity	1.8 kg
----------	------------------	--------



### ▶ LEVER CHAIN RATCHET PULLERS - HEAVY DUTY

- Excellent performance and minimum maintenance.
- Light hand pull and high efficiency.
- Safe, reliable and durable in use.
- Light weight and portable in size.
- Replacement parts available.
- Max. lift 1.5m (59").
- Uses Grade 8 chain.
- Cast safety latch.
- Steel housing.
- Friction brake.

ITEM NO	DESCRIPTION
A619-075	3/4 Ton Capacity
A619-150	1-1/2 Ton Capacity
A619-300	3 Ton Capacity



### ▶ ROPE HOIST

- Ideal for hunters, campers, boaters, etc.
- Max. pulling capacity, 1,000 lbs.
- Steel blocks with nylon rollers.
- Double grip safety hooks.
- 65 ft. nylon rope.
- 7 to 1 ratio.

ITEM NO	DESCRIPTION
PH-2C	1,000 lbs



### ▶ RATCHET CABLE PULLERS

- Ideal for camping, farming, boating, landscaping, fencing, etc.
- Economical reliable puller.

ITEM NO.	DESCRIPTION
PI-401	1 Ton Cap., 10 ft. Cable, 2 Hooks and Safety Latch Included. Single Gear.
PHP-30	2 Ton Cap., 10 ft. Cable, 3 Hooks and Safety Latch Included. Double Gear.
PHP-40	4 Ton Cap., 10 ft. Cable, 3 Hooks and Safety Latch Included. Double Gear.





**▶ RATCHET ROPE PULLER**

- Supplied with 6-metre polyester rope.
- Suitable for 10.5 mm (7/16") rope.
- Grips rope and pulls through.
- Comfort-grip handle.
- Double-gear design.
- 3 hook design.




ITEM NO.	DESCRIPTION
HPR-302-2	1 Ton Ratchet Rope Puller

**▶ WIRE ROPE - GALVANIZED AIRCRAFT CABLE**

- Manufactured to DIN Standards.
- Supplied on spools.
- Galvanized Steel.

ITEM NO.	CABLE DIA.	CNST.	BREAKING LOAD (LBS.)	BREAKING SPOOL LENGHT (FEET)	APPROX. GROSS WT./ROLL (IBS.)	BORE	SPOOL DIA. (INCH)	OVERALL WIDTH
AC-116	1/16"	7 x 7	480	500	4.4	1	6	4-3/4
AC-332	3/32"	7 x 7	920	500	8.8	1	6	5
AC-18	1/8"	7 x 7	1,700	500	13.6	1	7	5-3/4
AC-18-2	1/8"	7 x 19	2,000	250	13.1	1	7-1/4	5-3/4
AC-532	5/32"	7 x 19	2,800	250	12.1	1	6	7
AC-316	3/16"	7 x 19	4,200	250	16.5	1	7-3/4	5-3/4
AC-14	1/4"	7 x 19	7,000	250	27.7	1	8-3/4	6-1/4
AC-516	5/16"	7 x 19	9,800	250	43.4	2-1/4	10	10
AC-38	3/8"	7 x 19	14,400	250	61.6	2-1/4	12	8-3/4

**Note 1: Supplied in full spool length only!**  
**Note 2: Spool dimensions are approximate!**



**▶ WIRE ROPE CLIPS**

- Galvanized malleable iron.

ITEM NO.	SIZE
705-01	1/8"
705-02	3/16"
705-03	1/4"
705-04	5/16"
705-05	3/8"
705-06	1/2"
705-07	5/8"
705-08	3/4"
705-09	7/8"
705-10	1"


**▶ GALVANIZED WIRE ROPE THIMBLES**

- Electro-Galvanized.

ITEM NO.	SIZE
700-1-8	1/8"
700-3-16	3/16"
700-1-4	1/4"
700-5-16	5/16"
700-3-8	3/8"
*700-05	5/8"
*700-06	3/4"
*700-07	7/8"
*700-08	1"



**\*FOB DARTMOUTH, NS ONLY**

**▶ CABLE STOPS - ALUMINUM CONSTRUCTION**

- Packaged and sold 10/bag.

ITEM NO.	USE WITH CABLE DIA.
ACA-116	1/16"
ACA-332	3/32"
ACA-18	1/8"
ACA-532	5/32"
ACA-316	3/16"
ACA-14	1/4"
ACA-516	5/16"
ACA-38	3/8"



**▶ CABLE SLEEVES - OVAL ALUMINUM**

- Packaged and sold 10/bag.

**ITEM NO.    USE WITH CABLE DIA.**

ACB-116	1/16"
ACB-332	3/32"
ACB-18	1/8"
ACB-532	5/32"
ACB-316	3/16"
ACB-14	1/4"
ACB-516	5/16"
ACB-38	3/8"



**▶ PULLEY YOLK ASSEMBLY - FIXED EYE**

- Complete with safety latch hook.
- Plated finish.

**ITEM NO.    DESCRIPTION                    DIA.**

UP-2000	Pulley Yoke Assembly Non Swivel	2"
---------	---------------------------------	----



**▶ EYE SLIP HOOK**

**ITEM NO.    SIZE                    WEIGHT**

*3046	5/16" w/Safety Latch	1.0 lbs.
-------	----------------------	----------

**\*FOB DARTMOUTH, NS ONLY**



**▶ PULLEY SINGLE SHEAVES - SWIVEL EYE**

- Malleable iron body, cast iron sheaves.

**ITEM NO.    SHEAVE DIA.    MAX ROPE DIA.    EYE DIA.**

F173-075	3/4"	1/4"	5/16"
F173-125	1-1/4"	5/16"	9/16"
F173-200	2"	7/16"	5/8"



**▶ PULLEY SINGLE SHEAVES - FIXED EYE**

- Malleable iron body, cast iron sheaves.

ITEM NO.	SHEAVE DIA.	MAX ROPE DIA.	EYE DIA.
F174-075	3/4"	5/32"	3/16"
F174-125	1-1/4"	1/4"	3/8"
F174-200	2"	7/16"	7/16"


**▶ PULLEY SINGLE SHEAVES - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOM WORKING LOAD
S314-125	1-1/4"	3/8"	1,600 lbs
S314-200	2"	5/8"	3,500 lbs


**▶ PULLEY SINGLE SHEAVES WITH HANGER - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOMM. WORKING LOAD
S314A-125	1-1/4"	3/8"	1,600 lbs.
S314A-200	2"	5/8"	3,500 lbs.


**▶ PULLEY DOUBLE SHEAVES - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOMM WORKING LOAD
S315-125	1-1/4"	3/8"	1,600 lbs.
S315-200	2"	5/8"	3,500 lbs.



**▶ PULLEY DOUBLE SHEAVES WITH HANGER - SWIVEL EYE - STAINLESS STEEL**

ITEM NO.	SHEAVE DIA.	USEFUL GROOVE	RECOMM. WORKING LOAD
S315A-125	1-1/4"	3/8"	1,600 lbs.
S315A-200	2"	5/8"	3,500 lbs.



**▶ WOOD ROPE BLOCK - DOUBLE**

- Supplied with stainless safety latch on loose hook.
- Hook, sheave and straps, hot dipped galvanized.

ITEM NO.	DESCRIPTION	ROPE SIZE	SHELL LENGTH
*DWB-5	Double Sheave	5/8"	5"
*DWB-6	Double Sheave	3/4"	6"

**\*FOB DARTMOUTH, NS ONLY**



**▶ WOOD ROPE BLOCK - SINGLE**

- Supplied with stainless safety latch on loose hook.
- Hook, sheave and straps, hot dipped galvanized.

ITEM NO.	DESCRIPTION	ROPE SIZE	SHELL LENGTH
*SWB-3	Single Sheave	3/8"	3"
*SWB-4	Single Sheave	1/2"	4"
*SWB-6	Single Sheave	3/4"	6"

**\*FOB DARTMOUTH, NS ONLY**



**▶ SNATCH BLOCKS**


- Supplied with smooth long-lasting needle bearing sheave.
- Moveable side plate allows easy installation of wire rope.
- Spring-loaded safety latch on swivel hook.



ITEM NO.	SIZE	RECOMM. ROPE SIZE	FACTORY RECOMM.SWLL
130-3	3"	3/8"	0.5
130-4	4"	7/16"	1
130-5	5"	1/2"	1.5
130-6	6"	5/8"	2
130-8	8"	3/4"	4

**▶ YARDING BLOCKS**

- Open ball bearings with grease nipples.
- Swivel attachments available.
- Industrial quality.



ITEM NO.	SIZE	MAX. WIRE ROPE SIZE	FACTORY RECOMM. SWLL	BREAKING LOAD
135-3	3"	5/16"	1.5 Ton	6
135-4	4"	3/8"	3 Ton	12
135-5	5"	7/16"	4.5 Ton	18
135-6	6"	9/16"	6 Ton	24
135-8	8"	3/4"	8 Ton	32

**▶ SHEAVES - CAST IRON**

- Grease fitting equipped.
- Bronze sleeve bearing.

ITEM NO.	DIA.	BORE DIA.	APPROX. ROPE SIZE
CIS-03	3"	1/2"	5/16"
CIS-04	4"	5/8"	3/8"
CIS-05	5"	3/4"	1/2"
CIS-06	6"	1-1/8"	5/8"
CIS-08	8"	1-1/4"	7/8"



**PILLOW BLOCKS**



- Supplied with 1/8" NPT grease nipple.
- Self-aligning.
- Cast iron.

ITEM NO.	SHAFT DIAMETER
UCP201-08	1/2"
UCP202-10	5/8"
UCP204-12	3/4"
UCP205-14	7/8"
UCP205-16	1"
UCP206-18	1-1/8"
UCP206-19	1-3/16"
UCP206-20	1-1/4"
UCP207-20	1-1/4"
UCP207-21	1-5/16"
UCP207-22	1-3/8"
UCP207-23	1-7/16"
UCP208-24	1-1/2"
UCP209-26	1-5/8"
UCP209-28	1-3/4"
UCP210-31	1-15/16"
UCP211-32	2"



**BEARING UNITS**

- For pillow blocks, 4 bolt flange, 2 bolt oval flange.
- Cylindrical outside diameter.

*Setscrew Locking Type:*

ITEM NO.	SHAFT DIAMETER
UC204-12	3/4"
UC205-14	7/8"
UC205-16	1"
UC206-18	1-1/8"
UC206-19	1-3/16"
UC206-20	1-1/4"
UC207-20	1-1/4"
UC207-21	1-5/16"
UC207-22	1-3/8"
UC207-23	1-7/16"
UC208-24	1-1/2"
UC209-26	1-5/8"
UC209-28	1-3/4"
UC210-31	1-15/16"
UC211-32	2"

*Eccentric Collar Locking Type:*

ITEM NO.	SHAFT DIAMETER
*ELS204-12	3/4"
*ELS205-14	7/8"
*ELS205-16	1"
*ELS207-20	1-1/4"
<b>*TO BE DISCONTINUED</b>	



**▶ FLANGES - 2 BOLT OVAL HOUSING**

- Supplied with 1/8" NPT grease nipple.
- Cast iron housing.

ITEM NO.	SUITABLE FOR BEARING NUMBER
FL203	UC201, UC202
FL204	UC203, 203-11, 204, 204-12
FL205	UC205, 205-13, 205-14, 205-15, 205-16
FL206	UC206, 206-17, 206-18, 206-19
FL207	UC207, 207-20, 207-21, 207-22, 207-23
FL208	UC208, 208-24, 208-25
FL209	UC209, 209-26, 209-27, 209-28
FL210	UC210, 210-29, 210-30, 210-31, 210-32
FL211	UC211, 211-32, 211-33, 211-34, 211-35
FL212	UC212, 212-36, 212-38, 212-39


**▶ FLANGES - 4 BOLT SQUARE HOUSING**

- Supplied with 1/8" NPT grease nipple.
- Cast iron housing.

ITEM NO.	SUITABLE FOR BEARING NUMBER
F203	UC201, UC202.
F204	UC203, 203-11, 204, 204-12
F205	UC205, 205-13, 205-14, 205-15, 205-16
F206	UC206, 206-17, 206-18, 206-19
F207	UC207, 207-20, 207-21, 207-22, 207-33
F208	UC208, 208-24, 208-25
F209	UC209, 209-26, 209-27, 209-28
F210	UC210, 210-29, 210-30, 210-31, 210-32
F211	UC211, 211-32, 211-33, 211-34, 211-35
F212	UC212, 212-36, 212-38, 212-39


**▶ TAPERED BEARING SETS**

ITEM NO.	DESCRIPTION	SHAFT DIA. (mm)	OUTER DIA. (mm)
30203A	Metric	17	40





▶ **TAPERED BEARING SETS**

ITEM NO.	CONE/CUP
BEA-01	LM11749/LM11710
BEA-02	LM11949/LM11910
BEA-03	M12649/M12610
BEA-04	LM44649/LM44610
BEA-05	LM48548/LM48510
BEA-06	LM67048/LM67010
BEA-07	M201047-S/M201011 w/ring
BEA-08	L45449/L45410
BEA-09	BS226095 w/ring (RSN 1578V)
BEA-11	JL69349/JL69310
BEA-12	LM12749/LM12710
BEA-13	L68149/L68110
BEA-14	L44643/L44610
BEA-16	LM12749/LM12711
BEA-17	L68149/L68111
BEA-35A	LM501349/LM501310



▶ **DEEP GROOVE BALL BEARINGS**

- With double seals.

ITEM NO.	INNER DIA. mm	OUTER DIA. mm	WIDTH mm
6000-2RS	10	26	8
6001-2RS	12	28	8
6002-2RS	15	32	9
6003-2RS	17	35	10
6004-2RS	20	42	12
6005-2RS	25	47	12
6006-2RS	30	55	13
6007-2RS	35	62	14
6008-2RS	40	68	15
6009-2RS	45	75	16
6010-2RS	50	80	16
6200-2RS	10	30	9
6201-2RS	12	32	10
6202-2RS	15	35	11
6203-2RS	17	40	12
6204-2RS	20	47	14
6205-2RS	25	52	15
6206-2RS	30	62	16
6207-2RS	35	72	17
6301-2RS	12	37	12
6302-2RS	15	42	13
6303-2RS	17	47	14
6304-2RS	20	47	14
6305-2RS	25	62	17
6306-2RS	30	72	19
6310-2RS	50	110	27
6909-2RS	45	68	12
608-2RS	8	22	7
626-2RS	6	19	6
627-2RS	7	22	7
629-2RS	9	26	8
635-2RS	5	19	6



**▶ HITCH ACCESSORIES - HITCHPINS**

- Drop-forged and heat-treated SEA 1040/1045 steel pin and SEA 1010/1020 handle.
- Vinyl-dipped handle.
- Includes clip.

ITEM NO.	DIA.	USEABLE LENGTH	HAIR PIN NO.
5002-251	1/2"	3-5/8"	5704-307
5003-252	5/8"	4"	5706-305
5004-256	5/8"	5-1/2"	5706-305
5005-253	3/4"	4"	5706-305
5006-257	3/4"	6-1/2"	5706-305
5007-254	7/8"	4-1/2"	5706-305
5008-258	7/8"	6-1/2"	5706-305
5009-255	1"	4-1/2"	5706-305
5010-259	1"	7-1/2"	5706-305
5011-260	1-1/8"	8-1/2"	5706-305
5012-261	1-1/4"	8-1/2"	5708-304
5013-262	1-1/2"	8-1/2"	-----


**▶ HITCHPINS - FOLDING HANDLE**

- Supplied with chain fastened to linchpin (included).
- SEA 1040/1045 steel pin and SEA 1010/1020 handle.
- Zinc plated.

ITEM NO.	DIA.	USABLE LENGTH
5101-250	3/8"	3" (no chain with pin)
5102-280	1/2"	3-1/2" (with chain & pin)
5103-281	5/8"	4-1/4" (with chain & pin)
5104-282	5/8"	6-1/4" (with chain & pin)
5105-283	3/4"	4-1/4" (with chain & pin)
5106-284	3/4"	6-1/4" (with chain & pin)
5107-285	7/8"	6-1/4" (with chain & pin)
5108-286	1"	6-1/4" (with chain & pin)
5109-287	1-1/8"	6-1/4" (with chain & pin)



**▶ BENT HITCHPINS**

- Clip included.
- Carbon steel.
- Zinc-plated.

ITEM NO.	LIST DIA.	USEABLE LENGTH
5201-270	1/2"	3"
5202-271	5/8"	3"



**▶ QUICK PINS - CURVED SPRING TYPE**

- Zinc dichromate finish.

LIST ITEM NO.	DIA.	USEABLE LENGTH
5301-460	1/4"	1-5/8"
5302-461	1/4"	1-1/2"
5303-463	5/16"	1-3/8"
5304-464	5/16"	1-3/4"
5305-466	3/8"	1-3/4"



**Minimum Order: 5 Pieces**

**▶ QUICK PINS - SQUARE SPRING TYPE**

- Zinc dichromate finish.

ITEM NO.	DIA.	USEABLE LENGTH
5401-462	1/4"	2-1/4"
5402-465	5/16"	2-1/4"
5403-467	3/8"	2-1/4"
5404-468	3/8"	2-3/4"



**Minimum Order: 5 Pieces**

**▶ SAFETY PINS**

- Alternative to using hairpins.
- Zinc-plated.

ITEM NO.	DIA.	USEABLE LENGTH
5501-470	1/8"	1-3/4"
5502-472	3/16"	3-1/2"
5503-474	1/4"	5-1/4"



**▶ LINCHPINS**

- Zinc dichromate finish.

ITEM NO.	DIA.	USEABLE LENGTH
5601-450	3/16"	1-1/4"
5602-451	1/4"	1-1/2"
5603-452	5/16"	1-3/8"
5604-453	3/8"	1-3/8"
5605-454	7/16"	1-5/16"
5606-455	7/16"	1-1/2"

**Minimum Order for All Above Items: 10 Pieces**


**▶ HITCHPIN CLIPS**

- Zinc dichromate finish.
- Packed 25 pcs per bag.

ITEM NO.	DIA.	OVERALL LENGTH	ITEM NO.	DIA.	OVERALL LENGTH
5701-300	1/16"	1-3/8"	5707-302	3/16"	3-3/8"
5702-301	3/32"	1-5/8"	5708-304	3/16"	3-3/4"
5703-303	3/32"	2-1/4"	5709-308	1/4"	4-1/4"
5704-307	1/8"	1-7/8"			
5705-306	1/8"	2-1/2"			
5706-305	5/32"	3-1/8"			

**Minimum Order for All Above Items: 25 Pieces**


**▶ HAIRPINS**

- Zinc dichromate finish.
- Packed 25 pcs per bag.

ITEM NO.	DIA.	OVERALL LENGTH
*5710-311	1/8"	2-1/16"
*5711-312	3/16"	2-3/4"

**Minimum Order for All Above Items: 25 Pieces**


**▶ S HOOKS**

- Packed 10 pcs per bag.
- Packed 100 per bag.
- Grey zinc.

ITEM NO.	MATERIAL DIAMETER	OPENING SIZE	ITEM NO.	MATERIAL DIAMETER	OPENING SIZE
5801-230	0.093	3/32"	5806-238	0.250	1/4"
5802-232	0.105	7/64"	5807-239	0.188	3/16"
5803-234	0.120	1/8"			
5804-235	0.162	5/32"			
5805-236	0.148	9/64"			

**Minimum Order for All Above Items: 10 Pieces**



## ▶ WELDED STEEL RINGS

- 10 PCS per bag.
- Grey zinc.

ITEM NO.	MATERIAL DIAMETER	OUTSIDE DIAMETER	INSIDE DIA.
5901-410	3/16"	1"	5/8"
5902-411	1/4"	1-1/2"	1"
5903-412	5/16"	2"	1-3/8"

**Minimum Order for All Above Items: 10 Pieces**



## ▶ QUICK LINKS - PLATED STEEL

- Ideal for quick connection of chain, cable & wire rope.
- No tools required, can be tightened with fingers.
- Zinc-plated steel.

ITEM NO.	SIZE	SWL
601	3.5mm (1/8")	220 lbs.
602	5mm (3/16")	660 lbs.
603	6mm (1/4")	880 lbs.
604	8mm (5/16")	1760 lbs.
605	9mm (3/8")	2200 lbs.
606	10mm (7/16")	2700 lbs.
607	12mm (1/2")	3300 lbs.



## ▶ QUICK LINKS - STAINLESS STEEL

- Suitable in situations where moisture is a problem.
- Ideal for quick connection of chain and wire rope.
- Made from 316 stainless steel.

ITEM NO.	SIZE
602-SS	5mm (3/16")
603-SS	6mm (1/4")
604-SS	8mm (5/16")
605-SS	9mm (3/8")
607-SS	12mm (1/2")



## ▶ LAP LINKS

- Zinc-plated steel.

ITEM NO.	SIZE	INSIDE LENGTH
660-1	1/8"	3/4"
660-2	3/16"	1"
660-3	7/32"	1-1/4"
660-4	5/16"	1-1/2"
660-5	3/8"	2"
660-6	1/2"	2-1/2"



**▶ LINK LOCK - MADE IN SWEDEN**

- Ideal for tire chains, logging trucks.
- Heavy duty repair or joining link.
- Galvanized steel.

ITEM NO.	SIZE	BREAKING LOAD
*461-3	3/8"	12000 lbs.

**\*TO BE DISCONTINUED, AVAILABLE WHILE SUPPLY LASTS**


**▶ HAMMERLOCKS**

- Used for attaching chain to master links and eye-type hooks or for installing a new branch of body to old slings.
- Made from larger stock than the chain they are used with, they provide greater interlink wearing surface.
- Load pin and stud can be assembled quickly and easily with just a hammer.
- A-337 Grade 80 material.

ITEM NO.	CHAIN SIZE	WORKING LOAD LIMIT
25221	1/4"	3,500
25221A	5/16"	5,400
25222	3/8"	7,100
25223	1/2"	12,000
25224	5/8"	18,100
25225	3/4"	28,300
25226	7/8"	34,200


**▶ COLD SHUTS**

- Electro-galvanized.
- C1015 Steel.

ITEM NO.	SIZE	INSIDE WIDTH (CLOSED)	INSIDE LENGTH (CLOSED)
706-01	3/16"	11/32"	15/16"
706-03	5/16"	7/16"	1-3/8"
706-04	3/8"	5/8"	1-1/2"
706-05	7/16"	5/8"	1-5/8"
706-06	1/2"	3/4"	1-5/8"


**▶ ANCHOR SHACKLES**

- Zinc-plated steel.
- Screw collar pin.

ITEM NO.	CHAIN SIZE	PIN DIA.	BETWEEN EYES	INSIDE LENGTH
701-03Z	5/16"	3/8"	17/32"	1-3/16"
701-04Z	3/8"	7/16"	5/8"	1-7/16"
701-06Z	1/2"	5/8"	13/16"	1-7/8"
701-07Z	5/8"	3/4"	1-1/16"	2-3/8"



## ▶ ANCHOR SHACKLES

- Pin and body same size.
- Galvanized steel.
- Screw collar pin.

ITEM NO.	WLL	WIDTH CHAIN SIZE	PIN DIA.	WIDTH BETWEEN EYES	INSIDE LENGTH (CLOSED)
701-01	1/3 T	3/16"	1/4"	3/8"	5/16"
701-02	1/2 T	1/4"	5/16"	15/32"	1-1/8"
701-03	3/4 T	5/16"	3/8"	17/32"	1-1/4"
701-04	1 T	3/8"	7/16"	21/32"	1-7/16"
701-05	1 1/2 T	7/16"	1/2"	23/32"	1-11/16"
701-06	2 T	1/2"	5/8"	13/16"	1-15/16"
701-07	3 1/4 T	5/8"	3/4"	1-1/16"	2-1/2"
701-08	4 3/4 T	3/4"	7/8"	1-1/4"	2-7/8"
701-09	6 1/2 T	7/8"	1"	1-7/16"	3-1/4"
701-10	8 1/2 T	1"	1-1/8"	1-11/16"	3-1/4"



## ▶ ANCHOR SHACKLES - STAINLESS STEEL

- Made from 316 stainless steel.
- Screw collar pin.

ITEM NO.	CHAIN SIZE	PIN DIA.	BETWEEN EYES	INSIDE LENGTH
481-06	1/4"	1/4"	1/2"	1-1/16"
481-08	5/16"	5/16"	11/16"	1-7/16"
481-10	3/8"	3/8"	13/16"	1-3/4"
481-12	1/2"	1/2"	1"	2-3/32"
481-16	5/8"	5/8"	1-3/16"	2-7/8"
481-19	3/4"	3/4"	1-7/16"	3-5/16"



## ▶ D SHACKLES

- Zinc-plated steel.

ITEM NO.	SIZE
360-09	3/8"
360-12	1/2"



## ▶ TRAWLING SHACKLES

- Self-coloured (black).
- Threaded pin.
- Mild steel.

ITEM NO.	DESCRIPTION	SIZE
701TS-1	Trawling Shackles	10mm
701TS-2	Trawling Shackles	12mm



**▶ TURNBUCKLES - EYE & EYE**

- Galvanized forged steel.

ITEM NO.	SIZE		BODY LENGTH	EYE SIZE	EYE WALL THICKNESS
	MM	IN.			
*704-02EE	8 mm	(5/16")	4-3/4"	7/16"	1/4"
*704-03EE	10 mm	(3/8")	5-1/2"	5/8"	5/16"
*704-04EE	12 mm	(1/2")	7-1/2"	3/4"	3/8"
*704-05EE	16 mm	(5/8")	10"	7/8"	7/16"

\*FOB SURREY, BC ONLY


**▶ TURNBUCKLES - HOOK & EYE**

- Galvanized forged steel.

ITEM NO.	SIZE		SAFE WORKING LOAD (SWL)	BREAKING POINT
	MM	IN.		
704-01	6	(1/4")	220 lbs.	2xSWL
704-02	8	(5/16")	440 lbs.	2xSWL
704-03	10	(3/8")	660 lbs.	2xSWL
704-04	12	(1/2")	1100 lbs.	2xSWL
704-05	16	(5/8")	2200 lbs.	2xSWL
704-06	20	(3/4")	3300 lbs.	2xSWL
704-07	22	(7/8")	4840 lbs.	2xSWL
704-08	24	(1")	6600 lbs.	2xSWL


**▶ SPRING HOOKS - PLATED STEEL**

- Ideal for small boat, mooring, motor safety line, camping & golf course nets.
- Spring-loaded interlocking safety snaps.

ITEM NO.	SIZE	
	MM	IN.
2450-1	5mm	(3/16")
2450-2	6mm	(1/4")
2450-3	8mm	(5/16")
2450-4	10mm	(3/8")
2450-5	11mm	(7/16")
2450-6	12mm	(1/2")


**▶ SPRING HOOKS - STAINLESS STEEL**

- Suitable for marine applications.
- Made from 316 stainless steel.
- Stainless steel spring and pin.

ITEM NO.	SIZE		LENGTH
	MM	IN.	
2450-1SS	5mm	(3/16")	50mm (2")
2450-2SS	6mm	(1/4")	60mm (2-3/8")
2450-3SS	8mm	(5/16")	80mm (3-1/8")
2450-4SS	10mm	(3/8")	100mm (4")
2450-5SS	11mm	(7/16")	110mm (4-1/8")





## ▶ EYE BOLTS - WITH SHOULDER

- Supplied with zinc plated washer and nut.
- Welded ring through-eye.
- Hot-dipped galvanized.



ITEM NO.	DESCRIPTION	SHANK DIAMETER & LENGTH
*EB-06050	Eyebolt	1/4" x 2"
*EB-06100	Eyebolt	1/4" x 4"
*EB-08057	Eyebolt	5/16" x 2-1/4"
*EB-08108	Eyebolt	5/16" x 4-1/4"
*EB-10062	Eyebolt	3/8" x 2-1/2"
*EB-10112	Eyebolt	3/8" x 4-1/2"
*EB-10150	Eyebolt	3/8" x 6"
*EB-10200	Eyebolt	3/8" x 8"
*EB-12087	Eyebolt	1/2" x 3-1/2"
*EB-12150	Eyebolt	1/2" x 6"
*EB-12200	Eyebolt	1/2" x 8"

**\*FOB DARTMOUTH, NS ONLY**

## ▶ RINGBOLTS - WITH SHOULDER

- Supplied with zinc-plated washer and galvanized nut.
- Hot-dipped galvanized.



ITEM NO.	DESCRIPTION	SHANK DIAMETER & LENGTH
*RB-10112	Ringbolts	3/8" x 4-1/2"
*RB-10150	Ringbolts	3/8" x 6"
*RB-12150	Ringbolts	1/2" x 6"
*RB-12200	Ringbolts	1/2" x 8"

**\*FOB DARTMOUTH, NS ONLY**

## ▶ JAW END SWIVELS

- Ultimate load is 5 times working load limit.
- Forged, quenched and tempered.
- Hot-dipped galvanized finish.

ITEM NO.	LIST DESCRIPTION	SAFE WORKING LOAD LIMIT
**707-06J	3/4" (Material & Pin Size)	7200 lbs.
**707-07J	1" (Material & Pin Size)	12500 lbs.

**\*FOB DARTMOUTH, NS ONLY**

**\*TO BE DISCONTINUED**



**▶ SWIVELS - STAINLESS STEEL - EYE & EYE**

- 316 Stainless Steel.

ITEM NO.	DESCRIPTION
*1290-06	6mm (1/4")
*1290-08	8mm (5/16")
*1290-10	10mm (3/8")
*1290-12	12mm (1/2")
<b>*FOB DARTMOUTH, NS ONLY</b>	


**▶ SWIVELS - DOUBLE END**

- Hot-dip galvanized.

ITEM NO.	DESCRIPTION	MATERIAL SIZE
**707-02	Double end swivel	1/4"
**707-05	Double end swivel	5/8"
**707-06	Double end swivel	3/4"
**707-08	Double end swivel	1"
<b>*FOB DARTMOUTH, NS ONLY</b>		
<b>*TO BE DISCONTINUED</b>		


**▶ EYE GRAB HOOKS**

- Forged carbon steel.
- Electro-galvanized.
- Heat treated.
- High test.

ITEM NO.	SIZE	WORKING LOAD LIMIT	ULTIMATE LOAD
702E-01	1/4"	2,600 lbs.	4 x WLL
702E-02	5/16"	3,900 lbs.	4 x WLL
702E-03	3/8"	5,400 lbs.	4 x WLL
702E-04	1/2"	9,200 lbs.	4 x WLL


**▶ EYE SLIP HOOKS**

- Forged carbon steel.
- Electro-galvanized.
- Heat treated.
- High test.

ITEM NO.	SIZE	WORKING LOAD LIMIT	ULTIMATE LOAD LIMIT
703E-01	1/4"	2,600 lbs.	4 x WLL
703E-02	5/16"	3,900 lbs.	4 x WLL
703E-03	3/8"	5,400 lbs.	4 x WLL
703E-04	1/2"	9,200 lbs.	4 x WLL



▶ **CLEVIS GRAB HOOKS**

- Forged steel.
- Galvanized.
- High test.

ITEM NO.	SIZE	SAFE WORKING LOAD (SWL)	BREAKING POINT
702-01	1/4"	2,600 lbs.	4 x SWL
702-02	5/16"	3,900 lbs.	4 x SWL
702-03	3/8"	5,400 lbs.	4 x SWL
*702-04	1/2"	8,500 lbs.	4 x SWL

\*FOB DARTMOUTH, NS ONLY



▶ **CLEVIS SLIP HOOKS**

- Forged steel.
- High test.

ITEM NO.	SIZE	SAFE WORKING LOAD (SWL)	BREAKING POINT
703-01	1/4"	1,950 lbs.	4 x SWL
703-02	5/16"	2,875 lbs.	4 x SWL
703-03	3/8"	4,000 lbs.	4 x SWL
*703-04	1/2"	6,500 lbs.	4 x SWL

\*FOB DARTMOUTH, NS ONLY



▶ **MINI LOAD BINDER**

- Rack pattern.
- 3" Take-up.

ITEM NO.	CHAIN SIZE	WEIGHTCAPACITY
1-270	3/16" - 1/4"	250 lbs.



▶ **LOAD BINDER**

- Hook of carbon steel drop-forged.
- Handle of cast steel.
- Standard pattern.
- 2-3/4" Take-up.

ITEM NO.	CHAIN SIZE	WEIGHT CAPACITY
2-76	1/4"-5/16"	1250 lbs.



**▶ LOAD BINDER**

- Ball & socket swivel joints at hook assemblies permit a straight line pull.
- Extra solid construction at leverage point prevents spreading.
- Heat-treated drop-forged steel.
- Standard pattern.



ITEM NO.	CHAIN SIZE	WEIGHT CAPACITY
3-305	5/16" - 3/8"	5,400 lbs.

**▶ LOAD BINDERS - RATCHET TYPE**

- Orange painted.
- 4-1/2" Take-up.
- Forged Steel.



ITEM NO.	CHAIN SIZE	WLL	MBS	TAKE UP
3-305RAT	5/16"-3/8"	5,400 lbs	19,000 lbs.	8"

**▶ WINCH BAR - COMBINATION TYPE**

- Supplied with load binder socket end.
- 32" length overall.
- Chrome plated.
- Knurled handle.



ITEM NO.	DESCRIPTION
TW-BAR	Combination Winch Bar

**▶ SNAP-HOOKS**

- Size 1" hole x 5-3/8" overall length.
- Load rated to 5,000 lbs.
- Forged steel.

ITEM NO.	SIZE
3047	Zinc Plated
3047-G	Hot Dipped Galvanized with Stainless Steel Spring and Pin



3047



3047-G

**▶ SWIVEL-EYE LEASH SNAPS - SOLID BRASS**

ITEM NO.	EYESIZE	OVERALL LENGTH
----------	---------	----------------

\*B5025-38 3/8" 3"

\*B5025-50 1/2" 3"

\*TO BE DISCONTINUED



**▶ SWIVEL-EYE BOLT SNAPS - SOLID BRASS**

- Orange painted.
- 4-1/2" Take-up.

ITEM NO.	EYE SIZE	OVERALL LENGTH
----------	----------	----------------

B225-58 5/8" 3-1/8"

B225-75 3/4" 3-1/8"



**▶ SWIVEL-EYE BOLT SNAPS - DIE-CAST ZINC ALLOY**

- Nickel plated.

ITEM NO.	EYE SIZE	OVERALL LENGTH
----------	----------	----------------

201-075 3/4" 3-1/8"

201-100 1" 3-1/8"



**▶ SWIVEL SNAPS - STEEL**

- Nickel plated.

ITEM NO.	SNAP SIZE	OVERALL LENGTH
----------	-----------	----------------

\*734A-125 1-1/4" 2-1/4"

\*734A-162 1-5/8" 2-5/8"

\*734A-200 2" 3"

\*TO BE DISCONTINUED



**▶ FIXED EYE SNAPS - SOLID BRASS**

ITEM NO.	EYE NO.	EYE SIZE	OVERALL LENGTH
B249-037	0	3/8"	2"
B249-062	1	5/8"	2-7/8"
*B249-068	2	11/16"	3-1/4"
B249-075	3	3/4"	3-3/4"

\*TO BE DISCONTINUED


**▶ SWIVEL EYE SNAPS - SOLID BRASS**

ITEM NO.	EYE NO.	EYE SIZE	OVERALL LENGTH
B251-58	1	5/8"	3-1/8"
B251-75	2	3/4"	3-3/4"
B251-78	3	7/8"	4-5/8"


**▶ SWIVEL - BRASS**

- Zinc dichromate finish.

ITEM NO.	EYE SIZE
*B018-58	5/8"
*B018-100	1"

\*TO BE DISCONTINUED



► **SPRING, FASTENER AND GREASE NIPPLE ASSORTMENTS**

- Supplied in multiple compartment plastic box.

ITEM NO.	DESCRIPTION
KTSR-300	300 pc Snap Ring Assortment
KTHP-150	150 pc Hair Pin Assortment
KTRR-285	285 pc Retaining Ring Assortment
KTCPA-555	555 pc Cotter Pin Assortment
KTEC-300	300 pc E-Clip Assortment
KTRP-315	315 pc Split Pin Assortment
KTGN-110M	110 pc Grease Nipple Set Metric
KTGN-110	110 pc Grease Nipple Set SAE



KTSR-300



KTHP-150



KTRR-285



KTRP-315



KTGN-110M  
KTGN-110



KTCPA-555



KTEC-300

► **RUBBER O-RING KITS - IN PLASTIC BOX**


- Material Buna-N passed ASTM oil #1 & #3 laboratory test.
- Buna-N-BG 715 (Nitrile 70 Shore)- SAE J200.

ITEM NO.	DESCRIPTION
KT-D2000	407 Pcs, 1/8" - 2" Inside Diameter, 1/16" - 1/8" Section
KT-D2000M	419 Pcs, 3mm - 50mm Inside Diameter, 1.5mm - 3.5mm Section



**▶ CABLE TIES**

- Tensile strength meets or exceeds MIL-S 23190E Standard.
- Standard cable ties made from U.L. approved nylon 6/6.
- Normal service temperature range - 40° to 85°C.
- Made to comply with MIL-SPEC M 20693B.
- Cable ties are packed 100 per bag.
- Flammability rating UL 94V-2.



ITEM NO.	OVERALL LENGTH	WIDTH	BUNDLE DIA	TENSILE STRENGTH
----------	----------------	-------	------------	------------------

**White Nylon**

CV-120L	4.7" (120mm)	4.8mm	29mm	50 lbs. (22 kg)
CV-190	7.3" (186mm)	4.8mm	51mm	50 lbs. (22 kg)
CV-280	11.3" (286mm)	4.8mm	83mm	50 lbs. (22 kg)
CV-280L	11.5" (292mm)	7.6mm	82mm	120 lbs. (54 kg)
*CV-368	14-1/2" (365mm)	4.8mm	109mm	50 lbs. (22 kg)
*CV-380	14-1/2" (365mm)	7.6mm	108mm	120 lbs. (54 kg)
CV-450	17.7" (450mm)	7.6mm	133mm	120 lbs. (54 kg)
CV-540	21.3" (540mm)	7.6mm	162mm	120 lbs. (54 kg)
CV-762	30.3" (770mm)	8.80mm	233mm	175 lbs. (79 kg)

**Black Nylon**

CV-120LB	4.7" (120mm)	4.8mm	29mm	50 lbs. (22 kg)
CV-190B	7.3" (188mm)	4.8mm	51mm	50 lbs. (22 kg)
CV-280B	11.3" (286mm)	4.8mm	83mm	50 lbs. (22 kg)
CV-280LB	11.3" (292mm)	7.6mm	82mm	120 lbs. (54 kg)
*CV-368B	14-1/2" (368mm)	4.8mm	109mm	50 lbs.
*CV-380B	14-1/2" (368mm)	7.6mm	108mm	120 lbs.
CV-450B	17.7" (450mm)	7.6mm	133mm	120 lbs. (54 kg)
CV-540B	21.3" (540mm)	7.6mm	162mm	120 lbs. (54 kg)

**\*TO BE DISCONTINUED**


**▶ WHISK BROOM - SYNTHETIC BRISTLES**

- Handle has handy hole for hanging up.
- 8-1/2" overall length.
- 4" width.

ITEM NO.	DESCRIPTION
XP-4500R	Synthetic Whisk Broom


**▶ ANGLE BROOM**

- Metal handle has a hang-up cap.
- PVC bristles are washable.

ITEM NO.	DESCRIPTION
FR458	Angle Broom PVC Bristles W/48" Metal Handle






▶ **INDUSTRIAL DUTY CORN BROOM**

- Heavy corn exterior with Yucca fibre center.
- 2 Rows of stitching and 2 steel bands.
- Varnished 1-1/8" wood handle.

ITEM NO.	DESCRIPTION
FR108	Heavy Duty Corn Exterior W/Yucca Fibre Center, Replacement for #FR1034 and #FR1036



▶ **CORN BROOMS**

- Heavy duty handle 42" x 1-1/8".
- Molded steel band binding.
- 3 row stitching.

ITEM NO.	DESCRIPTION
*FR1034	Heavy Duty Corn Exterior W/Stiff Cane Center For Heavy Sweep Loads
*FR1036	Heavy Duty Corn Exterior W/Yucca Fibre Center For Long Wear
*AVAILABLE WHILE SUPPLIES LAST!	



▶ **CORN WHISK**

- Metal cap with hang ring.
- 12-1/2" Overall length.
- 3-Strand construction
- UPC coded.

ITEM NO.	DESCRIPTION
MB-0370 (Previously FR417)	Corn Whisk Broom



▶ **PUSH BROOMS - ALL PURPOSE**

- Synthetic PET fibre with flagged ends for better performance.
- 2 Threaded handle holes (see our selection of handles).
- Ideal for fine-medium dirt on smooth surfaces.
- Pre-drilled for brace.

ITEM NO.	DESCRIPTION
*MB-3518	18" Wood Block
*MB-3524	24" Wood Block
**MB-3530	30" Wood Block
*MB-3536	36" Wood Block



\* COLOUR MAY VARY!  
\*TO BE DISCONTINUED

**► PUSH BROOMS - ALL PURPOSE**

- 2 Threaded handle holes (see our selection of handles).
- For smooth surfaces.
- Pre-drilled for brace.
- Tampico fibreblend.


**ITEM NO. DESCRIPTION**

MB-2124	24" Wood Block
MB-2136	36" Wood Block

**► PUSH BROOMS - STIFF PALMYRA CENTRE**

- 2 Threaded Handle Holes (see our selection of handles).
- Medium/coarse sweeping.
- Pre-drilled for brace.
- Palmyra centre.
- Natural fibre.


**ITEM NO. DESCRIPTION**

FR6218	18" Wood Block
FR6224	24" Wood Block

**► STIFF SWEEP FLOOR BRUSHES**

- 2 Threaded handle holes (See our selection of handles).
- Ideal for snow, gravel, under all wet or dry conditions.
- Most popular heavy-duty maintenance broom.
- Stiff PET synthetic fibre of burgundy colour.


**ITEM NO. DESCRIPTION**

MB-3018	18" Wood Block
MB-3024	24" Wood Block
MB-3030	30" Wood Block
MB-3036	36" Wood Block

**► PUSH BROOM - COARSE STIFF**

- 24" Wood block with fluorescent orange polypropylene bristles.
- 2 Threaded handle holes (see our selection of handles).
- Pre-drilled for brace.


**ITEM NO. DESCRIPTION**

XP-628202	24" Wood Block
-----------	----------------

**▶ PUSH BROOM**

- Flagged polypropylene outer bristle with stiff inner bristle.
- 2 Threaded handle holes (see our selection of handles).
- Drilled for brace.
- Medium bristle.



ITEM NO.	DESCRIPTION
XP-628204	24" Wood Block

**▶ PUSH BROOM - MEDIUM TO HEAVY SWEEPING**

- 2 Threaded Handle Holes (See our selection of wood and metal handles.)

ITEM NO.	DESCRIPTION
MB-2838 (Previously MB-1918)	18" Wood Block
MB-2839 (Previously MB-1924)	24" Wood Block




**▶ UNIVERSAL BRACE FOR FLOOR BRUSHES**

- Recommended for 60" length handles, weighs 0.6 lb.
- Ensures maximum handle life.
- Rod style.

ITEM NO.	DESCRIPTION
*MB-0108	Broom handle brace

**\*FOB DARTMOTH, NS ONLY**



**▶ MEDIUM / FINE SWEEP FLOOR BRUSHES**

- 2 Threaded handle holes (See our selection of wood and metal handles.)
- Filled with algil centre for medium sized particles.
- Interior outer layer of synthetic PET fiber.



ITEM NO.	DESCRIPTION
*MB-2618GH	18" Wood Block
*MB-2624GH	24" Wood Block
*MB-2630GH	30" Wood Block

**\*FOB DARTMOTH, NS ONLY**

**▶ BRACE - HEAVY DUTY STEEL**

- Galvanized bolts & wing nuts used to fasten brace to handle.
- Recommended for use with brooms over 24”.

ITEM NO.	DESCRIPTION
MB-108F	Steel Broom Brace


**▶ STREET AND STABLE BROOM**

- For use in garages, streets, decks and driveways.
- Extra long polypropylene fibres.
- Requires tapered-end handle.
- Head only.

ITEM NO.	DESCRIPTION
*MB-5014 (Previously FB109S-14)	14”
<b>*FOB DARTMOTH, NS ONLY</b>	


**▶ STABLE BROOM**

- For use in garages, streets, decks and driveways.
- Extra long polypropylene fibres.
- Requires tapered-end handle.
- Head only.

ITEM NO.	DESCRIPTION
MB-5016 (Previously FR5716)	16” Wood Block Stable Broom, Drilled W/2 Tapered Holes



▶ **ROOF & TAR BRUSH - HANDLE INCLUDED**

- Ideal for application of all types of roof coatings.
- 3" trim, 5" x 2" wood block.

ITEM NO.	DESCRIPTION
MB-3604-9047	Roof & Tar Brush, Tampico Fibre With Handle



▶ **ROUND WINDOW/BOAT BRUSH**

- 4-1/2" poly-foam block round brush.
- Uses threaded handle.
- Flow-through design.

ITEM NO.	DESCRIPTION
FR653	Tampico Bristles



▶ **ROUND WINDOW/BOAT BRUSHES - HEAD ONLY**

- Top and side threaded handle receiver.

ITEM NO.	DESCRIPTION
XP-0601	Polypropylene (stiff) Bristle, 4-1/2" Round Brush, Flow-through



▶ **RECTANGULAR WASH BRUSH - HEAD ONLY**

- Has water flow-through feature.
- Requires tapered-end handle.
- Polystyrene bristle.
- Plastic block.

ITEM NO.	DESCRIPTION
FR670	Soft Rectangular Wash Brush 8"



**▶ RECTANGULAR WASH BRUSH - HEAD ONLY**

- Has water flow-through feature.
- Requires tapered-end handle.
- Flagged Tetalon bristle.
- Foam block.


**ITEM NO. DESCRIPTION**

XP-5608A Soft 10" Rectangular Wash Brush

**▶ DECK/POOL BRUSH - HEAD ONLY**

- Bi-level feature allows for better cleaning of corners & sides.
- Requires tapered-end handle.
- Flow-through head.
- Extra stiff.


**ITEM NO. DESCRIPTION**

FR5317 Deck/Pool Brush 10"

**▶ COUNTER BRUSH**

- Lacquered wooden handle with synthetic horse hair fibres.
- Handle has a hang-up hole.
- Heavy duty counter duster.


**ITEM NO. DESCRIPTION**

FR85 13" Counter Brush

**▶ UTILITY RIG BRUSH**

- 20" Handle.
- PVC Bristle.


**ITEM NO. DESCRIPTION**

\*FR838 Utility RIG Brush

**\*FOB SURREY, BC ONLY**

▶ **INDUSTRIAL YACHT MOP WITH HANDLE**

- Industrial 16 oz. yacht mop w/54" wood handle.
- Comes complete w/hang-up cap.
- Made from cotton yarn.
- For heavy-duty jobs.

ITEM NO.	DESCRIPTION
MB-7303	Industrial Yacht Mop



▶ **COTTON MOP REFILL - CONTRACTOR**

- Yarn is held securely w/1" mesh headband.
- Yarn is 4 ply for extra strength.
- Use with our # FR4754 handle.
- 24 oz. Cotton flat mop refill.
- Made from cotton yarn.

ITEM NO.	DESCRIPTION
FR1624	Cotton Mop Refill



▶ **POINTED WOOD SCRUB BRUSH**

- Strong chemicals do not affect the stiff tampico bristles.
- Pointed ends to fit into corners.
- 9-1/8" x 2-1/2" wood block.
- Stiff union fibre.

ITEM NO.	DESCRIPTION
MB-0077	Wood Scrub Brush



▶ **PLASTIC DUSTPAN**

- This premium heavy-duty polypropylene dustpan has a 6-1/2" deep pan w/beveled hold lip.
- The two resting feet on the underside holds the tray at the correct angle.

ITEM NO.	DESCRIPTION
FR4K	12" Heavy-duty Polypropylene Dustpan



**▶ DUSTPAN - METAL**

- Rolled steel handle has a convenient hang-up hole.
- Heavy-duty 12" metal dustpan.

ITEM NO.	DESCRIPTION
MB-0180	12" Metal Dustpan


**▶ DUSTPAN - METAL**

- Lies flat without holding for easy clean-up.
- 16" wide face and 9" handle.
- Heavy-duty metal dustpan.

ITEM NO.	DESCRIPTION
FR495	16" Metal Dustpan - Black


**▶ HANDLE - MOP**

- 54" x 15/16" epoxy-coated metal wet mop handle.
- For use with narrow-band mops (#FR1624).
- All-metal head with wingnut to tighten.

ITEM NO.	DESCRIPTION
FR4754	54" Mop Handle


**▶ HANDLE - BROOM & MOP - METAL**

- Handles have nylon ends and rubber handgrips.
- Heavy-duty hollow metal handles.
- 1" Diameter Metal Handles.

ITEM NO.	DESCRIPTION
*XP-3114	60" Metal Handle With Threaded Tip

**\*TO BE DISCONTINUED**





▶ **HANDLES - BROOM & MOP - WOOD**

- Made of “Bamwood” Bamboo with glued wood filler (XP-Series).
- Very strong and flexible.

ITEM NO.	DESCRIPTION
XP-1013 (FR52510)	60" X 15/16" Wood Broom Handle, Metal Thread End Type
FR52505	54" x 15/16" Wood Broom Handle, Metal Thread End Type
XP-1015	54" x 15/16" Wood Broom Handle, Wood Thread
XP-1009 (FR52506)	54" x 1-1/8" Wood Broom Handle, Tapered End



XP-1013  
FR52510  
FR52505


XP-1015

XP-1009  
FR52506

▶ **FLOOR SQUEEGEE - FOAM RUBBER (HEAD ONLY)**

- Best on smooth semi-smooth surfaces.
- Blade can be reversed for longer life.
- Cleans light to medium debris.
- Foam blade is quick-drying.

ITEM NO.	DESCRIPTION
FR25330	30" Foam Floor Squeegee



▶ **TROUBLE LIGHT**


- Reflective guard to provide greater light and safety.
- Suitable for up to 75 Watt bulb. cUL approved.
- CSA S1088 certified.
- 25' with 1 outlet.

ITEM NO.	DESCRIPTION	WIRE SIZE	WIRE TYPE
ECTL3075	25' Trouble Light	16/3	SJTW



**▶ STRING LIGHT SET - JOB SITE**

- End-to-end connectable (max 1500W total) with dust cover on end.
- Standard lamp sockets spaced 10' apart.
- Heavy-duty coated steel lamp cages.
- 12/3 SJTW cable.



ITEM NO.	DESCRIPTION
EC123300-06	50' Construction Light String
EC123300-11	100' Construction Light String

**▶ WORK LIGHT - 10,000 LUMEN LED**


- More resistant to shock, generates much less heat than comparable halogen lights.
- 100W LED assembly saves power, lasts over 30,000 hours.
- Bright 5000K daylight colour temperature.
- Replacement switch available.
- 176 individual SMD LEDs.

ITEM NO.	DESCRIPTION
LWLP10000	Floodlight LED 5000K, 100W/10K Lumens, 1.8 m Cord


**▶ TRIPOD WORK LIGHT - 2 x 10,000 LUMEN LED**


- More resistant to shock, generates much less heat than comparable halogen lights.
- Each light with its own switch and convenient tilt and swivel knobs.
- 2 X 100W LED assembly saves power, lasts over 30,000 hours.
- IP65 rated enclosure, suitable for outdoor use.
- Bright 5000K daylight colour temperature.
- Tripod height with lights over 6-1/2'(2 m).
- 176 individual SMD LEDs per head.
- Replacement switch available.
- 120V AC operation.
- Colour retail box.

ITEM NO.	DESCRIPTION
LWLT20000	Floodlight LED 5000K, 2 X 100W/10K Lumens, 3.6 m Cord



**ELECTRICAL EXTENSION CORDS**

- Sleeve-packed.
- cUL approved.

ITEM NO.	LENGTH	WIRE SIZE	WIRE TYPE	NO. OF OUTLETS	AMP RTG.	COLOUR	USE
EC163030	3 M 10'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163050	5 M 16'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163100	10 M 32'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163150	15 M 49'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC163300	30 M 98'	16/3	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
EC143100	10 M 32'	14/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC143150	15 M 49'	14/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC143300	30 M 98'	14/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC123150	15 M 49'	12/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
EC123300	30 M 98'	12/3	SJTW	1	13	YELLOW	INDOOR/ OUTDOOR
*EC162150	15 M 49'	16/2	SJTW	1	13	ORANGE	INDOOR/ OUTDOOR
*EC143100-3	10 M 32'	14/3	SJTW	3 (Fan)	13	YELLOW	INDOOR/ OUTDOOR
*EC123150-3	15 M 49'	12/3	SJTW	3 (Fan)	13	YELLOW	INDOOR/ OUTDOOR
*EC123300-3	30 M 98'	12/3	SJTW	3 (Fan)	13	YELLOW	INDOOR/ OUTDOOR

**\*ILLUMINATED TRI-SOCKET FANTAIL**


**\*TO BE DISCONTINUED**



**PLUGS AND CONNECTORS**

- Suitable for cord 6.35 mm - 16.64 mm DIA.
- Vinyl TP bodies.
- cUL listed

ITEM NO.	DESCRIPTION
EC4531	Male Plug 15A-125V
EC5631	Female Socket 15A-125V



EC4531 (Previously EC4508)      EC5631 (Previously EC5603)

**▶ ELECTRICAL EXTENSION CORD - BLOCK HEATER STYLE**

- Sleeve-packed. cUL approved.
- TPE jacket good to -45°.
- CSA S1088 certified.
- LED power indicator.
- Blue colour.

ITEM NO.	LENGTH	WIRE SIZE	WIRE TYPE	NO. OF OUTLETS	AMP RTG.	COLOUR	USE
EC163010-3	1m/3'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163020-3	2m/6'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163030-3	3m/10'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163050-3	5m/16'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163100-3	10m/32'	16/3	SJTW	3	13	BLUE	OUTDOOR
EC163150-3	15m/49'	16/3	SJTW	3	13	BLUE	OUTDOOR


**▶ BATTERY LED HEADLAMP**

- ABS/PS construction with adjustable elastic headband
- Uses 3xAAA batteries (not included)
- 3 Modes: high, low and off
- 120 Lumens brightness
- 3-6 Hour runtime
- Waterproof

ITEM NO.	DESCRIPTION
BMHD2201	AAA Battery LED Headlamp



► **RECHARGEABLE LED HEADLAMP**

- 7 Modes: high, low, strobe, bottom high, bottom low, bottom flash and off
- ABS/PC construction with adjustable elastic headband
- Charges from any USB-A port (cord included)
- 250 Lumens brightness
- Wave-sensing function
- Waterproof grade IP44
- 3.5-8 Hour runtime

ITEM NO.	DESCRIPTION
BMHD2204	Rechargeable LED Headlamp



► **RECHARGEABLE LED PENLIGHT**

- Charges from any USB-A port (cord included)
- 3 Modes: flashlight, side light and off
- With pocket clip and magnetic base
- Aluminum and ABS construction
- 300 Lumens brightness
- 2-Hour runtime

ITEM NO.	DESCRIPTION
BMFL2238	Rechargeable LED Penlight



► **RECHARGEABLE LED WORKLIGHT**

- Charging stand or light plug into any USB-A port (cord included)
- Hang-hook and magnets for convenience
- 4 Modes: high, low, flashlight and off
- Durable ABS construction
- 800 Lumens brightness
- 2-4 Hour runtime

ITEM NO.	DESCRIPTION
BMWL2258	Rechargeable LED Worklight



**▶ TIE WIRE**

- Ideal for equipment repair and to tie rebar.
- Soft black annealed tie wire.
- Master case 16 pcs
- Per pallet 768 pcs.



ITEM NO.	DESCRIPTION	WEIGHT PER COIL
TW-16	16 Gauge Black Tie Wire	3 lbs.
TW-18	18 Gauge Black Tie Wire	3 lbs.

**▶ DISPENSER - TIRE WIRE**

- Accomodates standard 3 lb rolls of 16 & 18 gauge tie wire.
- Free-wheeling spinner knob for easy wind up.
- Aluminum lightweight body.
- 2-1/4" belt loops.

ITEM NO.	DESCRIPTION
TWREEL-A	Tie Wire Reel


**▶ ELECTRICAL INSULATING TAPE**

- Dielectric breakdown at 9,000 volts.
- Temperature range 0°C to 60°C.
- CSA approved black PVC tape.
- 3/4" x 66', 7 mil thick.
- Master case 100 pcs.

ITEM NO.	DESCRIPTION
34740-66	0.25 lbs.



**▶ ELECTRICAL INSULATING PVC TAPE - EXTENDED TEMPERATURE RANGE**

- Temperature range: -18°C to 105°C.
- CSA approved black PVC tape.
- 3/4" x 66', 7 mil thick.
- Rated up to 600 volts.
- Master case: 200 PCS.

ITEM NO.	DESCRIPTION
SS3331	Extended Range Electrical Tape



**▶ HIGH VISIBILITY PET SOLAS TAPE**



- Conforms to MED A-1/1.30 retro-reflective materials specification.
- For application on floating objects.
- Master case: 10 PCS.

ITEM NO.	DESCRIPTION
ST-150	2" X 150' Roll (45.7 m x 50 mm)



**▶ REFLECTIVE TRAILER TAPE**

- 51 mm X 45.7 m (2" X 150') polycarbonate reflective tape.
- Exceeds DOT-C2 standards for reflectivity.
- Strong adhesive back.
- Red and silver colour.
- High-intensity grade.
- Master case: 10 PCS.
- Individually boxed.

ITEM NO.	DESCRIPTION
HRFT-150	Reflective Tape, 2" X 150'



**▶ TEFLON TAPE**

- Chemically inert, non-hardening, non-contaminating.
- Temperature range -450° F to 600° F (-268° C to 315° C).
- 1/2" x 40' x 3mil (12mm x 12m x 0.075mm).
- 100% TFE fluorocarbon.
- 1,200 rls. per carton.



ITEM NO.	DESCRIPTION
1102	Case of 1200

**▶ PACKING TAPE - HEAVY DUTY**

- Can be used for reinforcement of moving boxes.
- Ideal for shipping departments.
- Meets postal requirements.
- Packed 6 rolls per sleeve.
- Hot-melt adhesive.

*(Must be ordered in multiples of 6 rolls)*



ITEM NO.	COLOUR	WIDTH	LENGTH
PT-110	Clear	48mm/2"	100m/330'

**▶ BARRICADE TAPE**

- Used for crowd control and marking off restricted areas.
- 3" wide - 300' or 1,000' in length.
- Master case: 12 pcs. (1000').
- Master case: 16 pcs. (300').
- Durable polyethylene.
- 2 mil thickness.



ITEM NO.	SIZE	DESCRIPTION
BT300-CA (Prev. 17779-CA)	3" x 300'	Yellow/Black Print
BT1000-CB (Prev. 17779-CB)	3" x 1,000'	Yellow/Black Print
BT1000-DB (Prev. 17779-DB)	3" x 1,000'	Red/Black Print



► **FLAGGING TAPE FLUORESCENT COLOURS - REGULAR TEMPERATURE**

- Remains pliable in cold weather. Cold crack rated at -20°C.
- Durable, matte embossed PVC sheeting.
- Highly visible and colourfast.
- Individual rolls - UPC labeled.
- 10 per sleeve/120 per case.
- Will not chip, peel or crack.
- 4 mil thickness.
- 1" x 150' long.
- Non-toxic.



ITEM NO.	COLOURS
FT150-ORG (Prev. 16001)	Fluorescent Orange
FT150-PNK (Prev. 16002)	Fluorescent Pink
FT150-GRN (Prev. 16003)	Fluorescent Green
FT150-BLU (Prev. 16004)	Fluorescent Blue

► **FLAGGING TAPE - WINTER TEMPERATURE**

- Designed to withstand severe cold temperatures, rated to -43°C.
- Matte embossed for securing knots.
- UV Stabilized to prevent fading.
- 1" x 125' long/5.2 mil thick.
- 10 per sleeve/120 per case.



ITEM NO.	LENGTH
AFT125-ORG	Fluorescent Orange
AFT125-PNK	Fluorescent Pink

► **DISPOSABLE COVERALLS - POLYETHYLENE COATED**

- Comfortable with elastic arm and leg cuffs and attached hood.
- Ideal for protecting clothes from paint, dirt and grease.
- Tri-layer construction prevent bleed-through of liquids.
- White, SMS, 50 g/m<sup>2</sup>.
- Excellent for DIY.

Specifications	M	L	XL	XXL
Chest Size	48"	52"	56"	60"

ITEM NO.	DESCRIPTION
DC-M	Medium Disposable Coverall
DC-L	Large Disposable Coverall
DC-XL	Extra Large Disposable Coverall
DC-XXL	Extra-Extra Large Disposable Coverall



**▶ PAINT BRUSHES - POLYESTER BRISTLE**

- Durable plastic handles w/metal ferrule.
- Flagged synthetic bristle to retain paint.
- Plastic wrapper includes hanger.
- UPC coded.



ITEM NO.	WIDTH	HAIR LENGTH	PACKING PER CARTON
SA031-050	1/2"	2"	12
SA031-100	1"	2"	12
SA031-150	1-1/2"	2"	12
SA031-200	2"	2"	12
SA031-250	2-1/2"	2"	12
SA031-300	3"	2"	12
SA031-400	4"	2"	12

**▶ PAINT BRUSHES - PURE BRISTLE**

- Heavy duty 1/2" thick unpainted wooden handle.
- 100% Pure white natural bristle (flagged).



ITEM NO.	WIDTH	HAIR LENGTH	PACK	MASTER PACK
5051-050	1/2"	1-1/2"	36	432
5052-100	1"	1-1/2"	12	288
5053-150	1-1/2"	1-3/4"	12	288
5054-200	2"	1-3/4"	12	288
5056-300	3"	2-1/4"	12	144
5057-400	4"	2-1/4"	12	144

**▶ HAND WIPES (REPLACES 6285-06)**


- Used to quickly remove oils, grease, paints, inks, tar, dirt, sealants, adhesives, chaulks, polyurethane.
- Dual textured with scrubbing side and smooth side for quick dirt absorbtion.
- Wipes are pre-moistened with GOJO heavy duty cleaning solution.
- Extra large 10.5" X 12.25", for superior cleaning capacity.
- Contains skin conditioners to prevent dryness
- Use anywhere, no water needed.
- Master case: 6 cannisters.
- 72 wipes per cannister.

ITEM NO.	DESCRIPTION
GJ6396-06	72 GOJO Wipes



**▶ HAND CLEANER**



- For removal of industrial soils, medium dirt and grease.
- Contains baby oil and orange citrus scent.
- Master case: 4 PCS.

ITEM NO.	BOTTLE SIZE	DISPENSE METHOD	DESCRIPTION
GJ0958-04	1/2 gallon	Pump	GOJO Orange Lotion with Pumice



**▶ FILE CARD**

- For cleaning debris out of files.

ITEM NO.	DESCRIPTION
FCB-1	Wire Brush W/Polycast Handle, Steel Bristles



**▶ PARTS CLEANING BRUSHES**

- Polypropylene does not shrink or swell and resists most petroleum-based solvents.
- Packed 24 per carton.

ITEM NO.	DESCRIPTION
37P-BR	7" Wire Brush, 3 Rows Brass Bristle, Polypropylene Handle Resists Most, Petroleum Based Solvents
38P-SS	7" Wire Brush, 3 Rows Stainless Bristle, Polypropylene Handle Resists Most, Petroleum Based Solvents



**▶ PARTS CLEANING BRUSHES**

ITEM NO.	DESCRIPTION
236-00	11" Round Parts Brush With Wood Handle And Polyester Bristle.
237-BR	8" Wire Brush 3 Row Brass Bristle With Wood Handle.
238-SS	8" Wire Brush 3 Row Stainless Steel Bristle With Wood Handle.



**▶ WIRE BRUSHES - WOOD HANDLES**

- Four row steel wire bristle.
- Rectangular wood handle.


**ITEM NO. DESCRIPTION**

1419-SS	14" 4 X 19 Row Stainless Steel Wire Brush
XP-1419WS	14" 4 X 19 Row Wire Brush With Metal Scraper

**▶ WIRE BRUSH - POLYCAST HANDLE**

- Polycast construction for greater durability.
- Equipped with removable 2" plated scraper.
- 11" – 15 x 4 row heavy duty wire brush.
- Coated steel bristles.


**ITEM NO. DESCRIPTION**

233-4R	Wire Brush W/Polycast Handle, Steel Bristles
--------	--

**▶ SCRATCH BRUSHES - PLASTIC HANDLE WITH CRIMPED WIRE**

- Overall length 10", brush size 5-1/2" x 5/8", trim length 1".
- Curved brush to allow brushing in corners.
- Handle colour determines wire material.
- Packed in 20 pc display box.
- Sturdy metal frame.



ITEM NO.	WIRE TYPE	HANDLE COLOUR	BRUSH SIZE	WIRE SIZE
USB-STEEL	Steel	Red	5 1/2" x 5/8"	0.012
USB-BRASS	Brass Coated Steel	Yellow	5 1/2" x 5/8"	0.012
USB-SS	Stainless	Green	5 1/2" x 5/8"	0.012

## ▶ GLOVES

**ITEM NO. DESCRIPTION**

\*5800-P-HL Pig grain leather work glove.  
Rubberized safety cuff.  
Lined palm.  
Elastic back.

**\*LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS**



## ▶ GLOVES

**ITEM NO. DESCRIPTION**

4-S White double-knit with elasticized wrist band. 75% Polyester, 25% cotton. Small size.  
4-M As above medium size.  
4-L As above large size.  
4-XL As above extra large size.



**▶ GLOVES**

ITEM NO.	DESCRIPTION
6899-S	Cotton knit glove with blue latex palm, finger & finger ends. Elasticized wristband. Size small.
6899-M	As above - medium size
6899-L	As above - Large size
*8015FR	Fluorescent Orange PVC-Coated Gloves. Elasticized Wristband. Fully Lined.
*NITB-601	Blue Nitrile-Dipped Glove. Cotton Interlocked Base. Elasticized Wristband.
<b>*LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS</b>	



NITB-601



8015FR



6899 Series

**▶ GLOVES - LINED FOR COLDER TEMPERATURES**

ITEM NO.	DESCRIPTION	SIZE
WG68-M	Cotton knit glove with blue latex palm, finger & finger ends, elasticized wristband.	Medium
WG68-L	As above	Large
WG68-XL	As above	X-Large



### ▶ GLOVES - NITRILE DIPPED STICKY GLOVE

- Black nylon back with nitrile palm and fingers. Elasticized wrist band.
- Can be used in warehouses, construction or automotive.
- Very sensitive touch due to thin yet strong material.
- Sticky grip gives more positive holding ability.

ITEM NO.	SIZE
NN2-S	Small
NN2-M	Medium
NN2-L	Large
NN2-XL	X-Large



### ▶ MECHANIC'S GLOVE



- Strong synthetic palm and fingertips to resist tearing.
- Elasticized back to achieve secure fit.
- Hook "N" Loop wrist fastener.
- Available in Red or Black.

ITEM NO.	SIZE
GR-305M	Medium
GR-305L	Large
GR-305XL	Extra Large
GR-305M-R	Medium
GR-305L-R	Large
GR-305XL-R	Extra Large



### ▶ GENERAL PURPOSE GLOVES



- High dexterity, oil-resistant, polyurethane black palm and fingertips.
- Yellow spandex back with elasticized wristband.
- Foam-padded knuckles.
- Double thickness palm.

ITEM NO.	SIZE	DESCRIPTION
M177-M	Medium	General Purpose Glove
M177-L	Large	General Purpose Glove
M177-XL	X Large	General Purpose Glove



**▶ HEARING PROTECTOR - ADJUSTABLE HEADBAND TYPE**

- Tests in accordance with ANSI S3.19-1974.
- Padded ABS headband.
- Adjustable muff height.
- Headband force 3.0 lbs.
- WCB Class C.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
Mean Attenuation (dB)	8.9	13.7	20.7	26.1	33.2	33.0	34.5	31.3	34.5
Standard Deviation	2.4	2.1	2.0	1.9	2.1	1.7	2.2	2.0	3.4
SNR	23.6								


**ITEM NO. DESCRIPTION**

EP-106 Hearing Protector

**▶ SAFETY VESTS - 360° REFLECTIVE - 5 POINT TEAR-AWAY**

- 2" silver "3M" Scotchlite reflective strips on front and reflective "X" on back.
- Made of lightweight, soft, breathable lime green polyester material.
- Hook and loop fastening on shoulder, sides and front.
- Meets CSA Z96-15 Class 2, level 2 requirements.

**ITEM NO. DESCRIPTION**

RS-303-M Five-Point Tear-Away Vest  
 RS-303-L  
 RS-303-XL  
 RS-303-XXL


**▶ KNEE PADS**

**ITEM NO. DESCRIPTION**

\*PAD-2000 Hardshell Knee Pad With Hinged Hard cover , Built For Safety And Long Life, Withstands Cold Weather.

**\*TO BE DISCONTINUED**





**▶ SPORT & SAFETY GLASSES CONTINUED**

- Individually cello-bagged with peg holes.
- Break-resistant polycarbonate lens.
- Strong nylon frame and temples.
- Universal nose pads.
- UV400 rated lens.
- Fog resistant.



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-321C	Clear	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSIZ 87.1

ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-321S	Smoke	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-321Y	Yellow	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



**▶ SAFETY GOGGLES**

- CE EN166F Certified.
- Elastic headband.
- Soft PVC frame.

ITEM NO.	DISCRIPTION
SG-201	Direct Vented (Perforated Frame)
SG-204	Indirect Ventilation (Cap Vented)



SG-204



SG-201

**▶ SPORT & SAFETY GLASSES CONTINUED**

ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642C	Clear	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642I	Iridium	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642S	Smoke	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1642Y	Yellow	Black	Adjustable

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1753C	Clear	Black	Adjustable

Note: Sport/Safety Glasses meets ANSI Z87.1



ITEM NO.	LENS COLOUR	FRAME COLOUR	TEMPLE TYPE
CS-1753S	Smoke	Black	Universal

Note: Sport/Safety Glasses meets ANSI Z87.1



## ▶ RAINSUITS - 3 PC

- Strong, long-wearing, soft at low temperatures.
- Detachable hood with drawstring.
- Corduroy-lined collar on jacket.
- Ventilation holes on back.
- 75% PVC, 25% polyester.
- Bib-style pants.
- Welded seam.

ITEM NO.	SIZE	COLOUR
----------	------	--------

*RPY-570-XL	X-Large	Yellow
-------------	---------	--------

**\*TO BE DISCONTINUED**




## ▶ BARRICADE (SAFETY & SNOW) FENCING

- Used for outdoor sports, ski areas, farms and ranches, industrial and construction sites, demolition sites, landfills, roadwork and traffic control.
- 1-3/4" x 4" opening rectangular design.
- Strong HD polyethylene construction.
- 100% high density polyethylene.
- Bright orange colour.
- UV stabilized.
- 24 ml thick.

ITEM NO.	DESCRIPTION
----------	-------------

SF-320	Safety/Snow Fencing 4X50'
--------	---------------------------



## ▶ TRAFFIC WARNING TRIANGLES - FOLDING

- Packed 3 reflective triangles per handled plastic case.
- All 3 triangles fit plastic case.
- 17" sides for good visibility.
- Weighted base for stability.
- 4-3/8" H x 4" W x 17-1/2" L.
- Meets DOT approval.

ITEM NO.	SIZE
----------	------

YJ-8F	Folding Traffic Warning Triangles
-------	-----------------------------------



**▶ REFLECTIVE MARKER POLE - FIBREGLASS**

- Made of durable 5/16" Fibreglass to withstand weather and bending.
- Markers have pointed end and PVC-capped end for driving.
- Used to mark driveways and hazardous areas.
- Hi-Viz fluorescent orange.

ITEM NO.	DESCRIPTION
MP0872	72" Marker Pole W/ Reflective Tape


**▶ REFLECTIVE DISC MARKER POLE - FIBREGLASS**

- 5/16" (8 mm) diameter x 48" OAL orange fibreglass pole.
- Hole below reflector to help with insertion into ground.
- 3" (76 mm) reflector for long visibility.
- Reflectors on both sides.

ITEM NO.	DESCRIPTION
MPD848	48" Marker Pole W/ Reflector Disc



double-sided red reflector



▶ **TARPAULINS - BLUE**

- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- 10 x 10 weave.
- Polyethylene.
- Stitched hem.

ITEM NO.	SIZE IN FT.	WEIGHT
768	6 x 8	1.1 lbs.
7810	8 x 10	1.9 lbs.
71012	10 x 12	2.6 lbs.
71014	10 x 14	3.0 lbs.
71214	12 x 14	3.8 lbs.
71218	12 x 18	4.9 lbs.
71224	12 X 24	6.5 lbs.
71416	14 x 16	5.1 lbs.
71520	15 x 20	6.8 lbs.
71824	18 x 24	9.8 lbs.
72030	20 x 30	13.5 lbs.
72448	24 x 48	26.0 lbs.
73060	30 x 60	41.0 lbs.

▶ **TARPAULINS - NATURAL WHITE**

- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Stitched hem.
- Polyethylene.
- 8 x 7 weave.

ITEM NO.	SIZE IN FT.	WEIGHT
61520	15 X 20	4.9 lbs.
62030	20 x 30	9.8 lbs.

▶ **TARPAULINS - CAMOUFLAGE**

- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- 10 x 10 weave.
- Polyethylene.
- Stitched hem.

ITEM NO.	SIZE IN FT.	WEIGHT EACH
768-CF	6 x 8	1.1 lbs.
7810-CF	8 x 10	1.9 lbs.
71012-CF	10 x 12	2.6 lbs.
71214-CF	12 x 14	3.8 lbs.
71218-CF	12 x 18	4.9 lbs.
71520-CF	15 x 20	6.8 lbs.
72030-CF	20 x 30	13.5 lbs.





▶ **COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIL®

- Supplied with fluorescent plastic belt clip sheath.
- Rubber-coated handgrip on plastic handle.
- Distinctive fluorescent ends on handle.
- 15 Pc display master carton.
- Ideal for search and rescue.
- 4" stainless steel blade.



ITEM NO.	DESCRIPTION
11824-BK	Fluorescent Orange Handle Ends And Sheath

▶ **COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIL®

- Distinctive fluorescent coloured ends on black rubber-coated handle.
- 4" stainless steel blade with 2-1/4" serrated section.
- Supplied with orange plastic belt clip sheath.
- 15 Pc display master carton.
- Rubber-coated handgrip.



ITEM NO.	DESCRIPTION
11829-BK	Serrated Blade Knife, Fluorescent Orange Handle Ends & Sheath

▶ **COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN -**

MORAKNIL®

- Available in display, 5 pieces black, 5 pieces military green, 5 pieces desert.
- Colour co-ordinated sheath with clip-on fastener.
- High-friction rubber-gripped handle.
- Multi-colour handles and sheaths.
- 15 PC display master carton.
- 4" Stainless steel blade.

ITEM NO.	DESCRIPTION
14065-15D (Replaces #13089-15D)	Companion DIM Colour Mix with Stainless Steel Blade (15 PCS)



**▶ COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**


- Supplied with military green belt clip sheath.
- Rubber coated handgrip on plastic handle.
- Military green sheath and handle ends.
- 15 Pc display master carton.
- 4" Blade.

ITEM NO.	DESCRIPTION
11863-BK	4" Carbon Steel Blade With Military Green & Black Handle
11827-BK	4" Stainless Steel Blade With Military Green Handle Ends


**▶ COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN**


- Available in display, 3 each blue, green, black, dark pink & fluorescent orange.
- Colour co-ordinated sheath with clip-on fastener.
- High-friction rubber-gripped handle.
- Multi-colour handles and sheaths.
- 15 Pc display master carton.
- 4" Stainless steel blade.

ITEM NO.	DESCRIPTION
M-12141	4" SS Companion Knife - Black Handle


**▶ COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN**


- Available in display, 5 pieces dala red, 5 pieces olive green, 5 pieces burnt orange (15 Pc display master carton).
- Blade length (cm): 10.3, Handle length (cm): 12, Total length (cm): 21.8, Weight (gr): 116, Hardness: 57.
- TPE rubber handle and polypropylene plastic sheath.
- 12C27 Stainless steel & smooth blade.

ITEM NO.	DESCRIPTION
14069-15D (Replaces #12884-15D)	Companion Leaf Colour Mix Display (15 PCS)





▶ **COMPANION OUTDOOR & RESCUE KNIVES - MADE IN SWEDEN**

MORAKNIV®

- Serrated cutting edge for cutting rope, nylon or poly.
- Comfortable rubber grip and belt clip sheath.
- Red colour sheath and handle ends.
- 3.9" Stainless steel blade.
- Blunt end for safety.
- 15 pc display.

ITEM NO.	DESCRIPTION
11828-BK	Companion Rescue Knife with Stainless Steel Blade



▶ **COMPANION HEAVY DUTY OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIV®

- Matching colour clip-on sheath and handle ends.
- 27° Edge angle for sharpness retention.
- Heavy duty 3.2 mm thickness blade.
- Decorative display box.
- Master Carton: 5 Pieces.

ITEM NO.	DESCRIPTION
12494-BK	4.1" Carbon Steel Blade-Military Green
12495-BK	4.1" Carbon Steel Blade-Orange
M-12210	Carbon Steel Blade-Military Green, Blister Pack
M-12211	Carbon Steel Blade-Orange, Blister Pack



▶ **COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**

MORAKNIV®

- H.Q. Fire starter built into handle for use with blade spine.
- 2.5 mm thick cold-rolled stainless steel blade.
- Molded TPE handle with guard.
- Blade 4.1", total length 9.4".
- Hard plastic combo sheath.
- Carded.

ITEM NO.	DESCRIPTION
M-13571	Companion Spark Knife - Red
M-13567	Companion Spark Knife - Black



**▶ OUTDOOR/CAMPING/SURVIVAL KNIFE (BUSHCRAFT BLACK SERIES) - MADE IN SWEDEN MORAKNIV®**

- 4-1/8" Heavy-duty carbon steel blade is 3.2 mm thick.
- Blade is coated with black coating to resist corrosion.
- Multi-position plastic sheath w/belt clip & belt loop.
- Rubber-coated handle to provide positive grip.
- Blade tang extends 3/4 of the way into handle.
- Blade spine is shaped to use with fire starter.
- Clamshell packed for easy display.



ITEM NO.	DESCRIPTION
10791-SC	Bushcraft Black Knife w/ 4-1/8" Coated Carbon Blade

**▶ SPORT AND FISHING KNIVES - MADE IN SWEDEN MORAKNIV®**

- Molded polymer handle with guard.
- Molded hard plastic combo sheath.
- 15 pc display master carton.

ITEM NO.	DESCRIPTION
BASIC511-BK	3.6" Carbon Steel Blade, Red Handle
M-13246 (Replaces #BASIC546-BK)	2mm x 91mm (3.6") Stainless Steel Blade, Orange/Black Handle


**▶ CLASSIC KNIFE - MADE IN SWEDEN MORAKNIV®**

- Red-stained birchwood handle with finger guard.
- 4-1/8" Carbon steel blade (8-11" overall length).
- Black polymer sheath with leather belt strap.
- Packaged in peggable display box.
- 5 Per master carton.



ITEM NO.	DESCRIPTION
M-13606	Classic No.2 Knife with Finger Guard

▶ **KANSBOL OUTDOOR & CAMPING KNIFE - MADE IN SWEDEN**

**MORAKNIL**®

- Spine is ground so it can be used with fire starter.
- Made from recycled Swedish stainless steel.
- Secure grip handle for safety and comfort.
- Profile shaped blade for added precision.
- Supplied with belt loop plastic sheath.
- Blade length: 4.3" and is 0.1" thick.
- Dark green colour.
- Carded.



ITEM NO.	DESCRIPTION
12872-SC (Replacement for 12634-BK)	Heavy-Duty General Purpose Stainless Steel Knife

▶ **ELDRIS CAMPING KNIFE - MADE IN SWEDEN**

**MORAKNIL**®

- Can fit in a pocket or backpack, & comes with a symmetrical polymer sheath suitable for both right & left-handed users.
- Ergonomic barrel-shaped polymer handle provides a soft friction grip and a finger guard for safety.
- 2.0 mm thick blade is made of recycled Swedish stainless steel.
- Designed for outdoor use.
- Burnt Orange.
- Compact.

ITEM NO.	DESCRIPTION
13501-BK (Replacement for 12647-BK & 12648-BK)	2-1/8" Stainless Steel Blade Burnt Orange Handle
12647-BK	Knife Eldris Basic, Black, Boxed.
12648-BK	Knife Eldris Basic, Red, Boxed.



12647-BK



12648-BK



13501-BK



▶ **SKINNING KNIFE - MADE IN SWEDEN**

**MORAKNIL**®

- 5" slip-resistant polypropylene handle.
- 6" curved stainless steel blade.

ITEM NO.	DESCRIPTION
7146-5	Skinning Knife



**FILLET KNIFE (SPORT FISHING) - MADE IN SWEDEN**


- 6" Cold-rolled stainless steel blade with high-friction rubber grip.
- Easy clean vented plastic sheath.
- Master Carton: 10 Pieces.
- Medium flex blade.
- Blister pack.

ITEM NO.	DESCRIPTION
M-13869	6" Rubber-Gripped Fillet Knife, Blister Carded


**FILLET KNIVES - MADE IN SWEDEN**


- Plastic molded handles with rough surface.
- Blades are hardened to 57-58 HRC.
- Flexible stainless steel blades.
- Master carton 10 pcs.

ITEM NO.	DESCRIPTION
299P	4-1/2" Blade Fillet Knife (Semi-flexible) With Stainless Steel Spoon
9152P	6" Blade Fillet Knife (Stiff) With Stainless Steel Spoon
9197P	7-1/2" Narrow Style Fillet Knife (Flexible)
9160P	6-1/4" Flexible Blade Fillet Knife
9180P	7" Flexible Blade Fillet Knife



299P &amp; 9152P



9197P



9160P



9180P

**KITCHEN AND BUTCHER KNIVES - MADE IN SWEDEN**


- Stainless steel blades are hardened to 57 - 58 Rockwell C, which makes the blades very hard so as to maintain a sharp edge yet still remain flexible to avoid breakage.
- Stainless steel blades with comfortable sealed plastic handles that conform to Health - Safety Standards.
- Fully guaranteed against manufacturer's defects.
- Master Carton: 10 Pieces.

ITEM NO.	DESCRIPTION	BLADE LENGTH
*9210P	Meat Knife	8-3/4"

**\*FOB SURREY, BC ONLY**



► **KNIFE - SKINNING & BONING KNIVES (FILLET) - MADE IN BRAZIL**

**TRAMONTINA**

- Krupp 1.14110 or Sandvik (12C27) Stainless Steel Blades with 55HRC hardness.
- Textured polypropylene handles for comfort and safety.
- NSF® for health safety issues.
- 12 PCS per shelf pack.

ITEM NO.	DESCRIPTION
24606-056	6" Skinning Knife, Yellow Handle
24603-086	6" Boning Knife, White Handle
24605-087	7" Boning (Fillet) Knife, White Handle, Stiff Blade



24606-056



24603-086



24605-087

► **FILLET KNIFE - MADE IN BRAZIL**

**TRAMONTINA**

- Stain-free high carbon blade Krupp or Sandvik 12C27 SS.
- 12 PCS per shelf pack.
- NSF food safe handle.
- Semi-flexible blade.
- Blade is 8-1/2" long.

ITEM NO.	DESCRIPTION
24622-088	8-1/2" Filleting Knife



► **MACHETES - MADE IN BRAZIL**

**TRAMONTINA**

- Wood handles with nickel-plated rivets.
- Supplied with vinyl sheath.
- Hardness: 48 to 52 RC.
- Steel SAE 1070.

ITEM NO.	DESCRIPTION
2610-18	18" Blade With Vinyl Sheath
2610-22	22" Blade With Vinyl Sheath



**▶ GRANTON EDGE COOKING KNIFE**
**TRAMONTINA**

- Air pockets between meat & blade enhances cutting performance.
- Ergonomic polypropylene handle with anti-microbial properties.
- Hardened DIN 1.4110 stainless steel blade.

ITEM NO.	DESCRIPTION
24646-087	7" Cook's Knife

**▶ 10" COOK'S KNIFE**
**TRAMONTINA**

- Ergonomic polypropylene handle with anti-microbial properties.
- Hardened DIN 1.4110 stainless steel blade.

ITEM NO.	DESCRIPTION
24609-080	10" Meat Knife


**▶ GRANTON EDGE SALMON FILET KNIFE**
**TRAMONTINA**

- Ergonomic polypropylene handle with anti-microbial properties.
- Hardened DIN 1.4110 stainless steel blade.
- 1" Wide blade for smooth cutting.
- No stick, tear or shred.

ITEM NO.	DESCRIPTION
24654-082	12" Salmon Filet Knife

**▶ CAMPING MACHETE**
**TRAMONTINA**

- Black textured polypropylene handle with lanyard hole.
- Stainless steel blade.
- Comes in hang pack.
- Saw-tooth back.

ITEM NO.	DESCRIPTION
26619-122	12" Camping Machete without Sheath



▶ **10" BUSH KNIFE**

**TRAMONTINA**

- Hardened carbon steel blade.
- Wood handle.



**ITEM NO. DESCRIPTION**

26620-010 10" Knife without Sheath

▶ **SWEET SPOT CHOPPER**

**TRAMONTINA**

- Hardened carbon steel blade.
- Wood handle.



**ITEM NO. DESCRIPTION**

26652-014 14" Machete without Sheath, Hook Blade

▶ **STANDARD HUNTING KNIFE WITH SHEATH**

**TRAMONTINA**

- Ergonomic polypropylene handle.
- Hardened stainless steel blade.
- Waterproof nylon sheath.



**ITEM NO. DESCRIPTION**

26003-106 6" Hunting Knife with Sheath

▶ **PARING KNIVES**

**CH UNEX**

- Individually poly-bagged.
- Nylon or plastic handles.
- Carbon steel blades.

**ITEM NO. DESCRIPTION**

TOP-002 Paring (Net) Knife With 3-1/2", Serrated Blade, Nylon Handle

TOP-003 Paring Knife With 3-1/2", Smooth Blade, Plastic Handle



**▶ POCKET KNIFE**
**TRAMONTINA**

- High quality wooden handle.
- Stainless steel blade.

ITEM NO.	DESCRIPTION
----------	-------------

26325-103	3" Pocket Knife
-----------	-----------------


**▶ BOLO MACHETE KNIFE**
**TRAMONTINA**

- Hardened carbon steel blade.
- Wooden handle.

ITEM NO.	DESCRIPTION
----------	-------------

26624-014	14" Bolo Machete Knife
-----------	------------------------


**▶ FOLDING POCKET KNIFE - LOCK BACK**
**GH UNEX**

- Supplied with nylon web sheath with belt loop.
- End bolster drilled for lanyard.
- Stainless steel bolsters.
- Stainless steel blades.
- Pakka wood handle.
- Brass rivets.
- Boxed.

ITEM NO.	DESCRIPTION
----------	-------------

SC22222	5" Lock Back Knife
---------	--------------------






▶ **SHARPENING STEELS**



- Plastic handles with handle hang-up ring.
- Individually poly-bagged.
- Molded finger guard.



ITEM NO.	DESCRIPTION
TOP-003ST-12	12" Oval, Diamond Steel
TOP-004ST-12	12" Round Medium Grit Magnetized Steel

▶ **SHARPENER - FOR KNIVES & SCISSORS**



- Two sharpening profiles: one for knives, one for scissors.
- Sharpens straight and serrated blades.
- Long-lasting carbide cutting block.
- Protective handgrip.
- Blister carded.




ITEM NO.	DESCRIPTION
DS01005	Knife & Scissor Sharpener

▶ **COMBINATION SHARPENING STONE**



- For sharpening high quality steel tools.
- 8" long aluminum oxide.
- Fine and coarse sides.



ITEM NO.	DESCRIPTION
812-2011	2-1/2" W x 8" L, 1-1/4" Thickness

▶ **FIRE STARTER**



- Used with some dry tinder, fires can be started very easily.
- Supplied with wrist lanyard and striking steel.
- Ideal for camping or survival kits.
- Generates extremely hot sparks.
- 3" Blade, 4-1/4" overall.
- Works wet or dry.
- Carded.



ITEM NO.	DESCRIPTION
BG010662	Fire Starter

**▶ BINOCULARS**


- All binoculars supplied with nylon carrying bag, neck lanyard, and lens cleaning cloth.
- Fully adjustable interpupillary distance (distance between eyes.)
- Adjustable diopter setting and central focussing.
- Roll-down eyecups for use with glasses.
- Attractively boxed.

ITEM NO.	DESCRIPTION
----------	-------------

BN-0821	8 x 21 Magnification
BN-1050	10 x 50 Magnification


**▶ RIFLE SCOPE WITH MOUNTING RINGS**


- See-through amber-shaded lens protector provides, not only protection but also reduced glare.
- Elevation and windage adjustments have very smooth, and positive click positions.
- Fast-acting octagonal notched magnification ring.
- Supplied with mounting rings.
- Large notched focus ring.
- Boxed.

ITEM NO.	MAGNIFICATION
----------	---------------

RS-3940	3 X 9 X 40
---------	------------


**▶ GUN TRIGGER LOCKS**


- Packing carton (12 pieces) converts to display box.
- Mark-proof rubber cushions prevent scratching.
- Available keyed-different and keyed-alike.
- Fast ratchet-action to lock onto weapon.
- Heavy alloy construction.
- Versatile to fit most guns.
- Master carton: 72 Pieces.
- Supplied with 2 keys.
- Carded.

ITEM NO.	DESCRIPTION	STD. PACK
----------	-------------	-----------

*UTL-KD	Gun Lock – Keyed Different	12
*UTL-KA1	Gun Lock – Keyed Alike Group 1	12
*UTL-KB	Keyblank for Unex Trigger Lock.	
*UTL-KB1	Precut Key for UTL-KA1	
*UTL-KB2	Precut Key for UTL-KA2	

**\*TO BE DISCONTINUED**


**▶ GUN TRIGGER LOCK - COMBINATION TYPE**


- Mark-proof rubber cushions prevent scratching.
- Combination can be easily changed at any time.
- Ratchet action to fasten on trigger.
- Heavy alloy construction.
- Master carton: 72 Pieces.
- Carded and UPC coded.
- Fits most guns.


ITEM NO.	DESCRIPTION
----------	-------------

M-802C	Combination Type Gun Trigger Lock
--------	-----------------------------------



▶ **CROWN CABLE GUN LOCK**

- Used as a gun lock, cable can be inserted through loading port to the ejection port then locked.
- PVC-coated aircraft cable and lock body to protect against scratching.
- Packed in poly-bag with header.
- Master carton: 72 Pieces.



ITEM NO.	DESCRIPTION	STD. PACK
CBL-007	Cable Gun Lock And Bicycle Lock (Keyed Different)	12
CBL-007-KA3	Cable Gun Lock And Bicycle Lock (Keyed Alike)	12

▶ **UNEX CABLE GUN LOCK - COMBINATION TYPE**

- Cable can be inserted through loading port to the ejection port then locked.
- PVC-coated aircraft cable to protect against scratching.
- 100 per master carton, 10 per shelf pack.
- Packed in clamshell hang-pack.
- Resettable combination.
- 15" cable.



ITEM NO.	DESCRIPTION
3S2-24	Cable Trigger Gun Lock

▶ **HIP WADERS - OLIVE GREEN**

- Molded PVC-treaded boot with 4mm neoprene lining and removable taxon insoles.
- Double-stitched and heat tape seams.
- 420 Denier nylon with PVC backing.
- Adjustable elastic belt loops.
- Sizes marked on boot.
- Reinforced knees.



ITEM NO.	US SIZE
*NHW008-08	8
*NHW008-10	10
*NHW008-11	11
*NHW008-13	13
<b>*TO BE DISCONTINUED</b>	

▶ **WIRE - SNARE**



- Ideal for snaring rabbits and general fastening.
- Can also be used as a tie-down device.
- Each roll header-carded.
- Available in 25' coils.

ITEM NO	LENGTH	WIRE TYPE	AWG GAUGE	SIZE	DESCRIPTION
SWBR-25	25'	Brass	22	.025"	Brass Snare Wire
SWSS-25	25'	Stainless Steel	22	.025"	Stainless Steel Snare Wire



**A Abrasives**

– Cup brushes.....	77
– Cut off wheels.....	79
– Grinding wheels.....	76-78
– Wire wheels.....	76-78
Adhesives.....	29-35
Adjustable Wrenches.....	57
Adze.....	97
Anchor Shackles.....	158,159
Aquaseal.....	36
Auto Bulbs.....	1,2
Axe Mate Protectors & Sheaths.....	100

**Axes**

– Agdor.....	94,95
– Beaver brand.....	97
– Carpenters.....	93
– Competition.....	94,96
– Double bit.....	94,96
– Fire axes, spike.....	99
– Hand forged.....	93,94
– Hatchets.....	93, 97, 98
– Hultafors.....	93,94
– Mauls.....	94,96,100
– Miners.....	98
– Oxhead Iltis.....	95,96
– Pulaski.....	99
– Racing, competition.....	94,96
– Unex brand.....	98,99,100

**B Ball Mount.....21****Barricade**

– Fence.....	197
– Tape.....	184

**Bars**

– Crowbar.....	113
– Prybar.....	112
– Stripping.....	113
– Tove.....	112
– Winch.....	164
– Wrecking.....	111

**Battery**

– Booster cables & clamps.....	12,13
– Charger.....	8,9
– Maintainers.....	8
– Testers.....	8
– Terminals & adapters.....	12
– Terminal brush.....	12

Bearings.....	151-154
---------------	---------

Belt Punch Pliers.....	57
------------------------	----

**Benders**

– Rebar.....	44
--------------	----

Binoculars.....	212
-----------------	-----

**Blades**

– Band saw.....	87
– Bow saw.....	80
– Circular saw.....	76
– Hacksaw.....	86
– Holesaw.....	84
– Jig saw.....	86
– Meat saw.....	83
– Reciprocating.....	87
– Utility knife.....	66,67

**Blocks**

– Cable.....	150
– Chain.....	143
– Pillow blocks.....	151
– Rope.....	149
– Snatch, yarding.....	150

Boat Winches & Cable Strap.....	21
---------------------------------	----

Bolt Cutters & Parts, MCC.....	42-46
--------------------------------	-------

Booster Cables & Clamps.....	12,13
------------------------------	-------

Bow Saws & Blades.....	79,80
------------------------	-------

Brass & Stainless Snare Wire.....	214
-----------------------------------	-----

Brass Hammer.....	103
-------------------	-----

Brooms.....	170-176
-------------	---------

Brush Hooks.....	96
------------------	----

**Brushes and Brooms**

– Angle.....	170
– Battery terminal.....	12
– Boat.....	175,176
– Braces.....	173,174
– Car.....	15
– Corn.....	171
– Counter.....	176
– Cup brushes.....	77
– Deck.....	176
– Broom & mop handles.....	178,179
– Paint.....	186
– Parts cleaning.....	187
– Rig.....	176
– Roof & tar.....	175
– Scratch.....	187,188
– Scub.....	177
– Wash.....	175,176
– Whisk.....	170,171
– Wire brushes.....	76,77,78
– Stable.....	174

**Bulbs**

– Auto, motorcycle, snowmobile.....	1-2
-------------------------------------	-----

Bungee Cords.....	26,27
-------------------	-------

Bush Knife.....	209
-----------------	-----

**C Cable**

– Clamp Kit.....	14
------------------	----



- Accessories.....146,147
- Aircraft.....145
- Clips.....14,146
- Cutters.....43,44
- Locks.....213
- Pullers.....144
- Sheaves.....147,148,149
- Sleeves.....147
- Stops.....146
- Thimbles.....146
- Ties (white & black nylon).....170
- Calipers
  - Digital, vernier.....88,89
- Cargo Lashes**
  - Cargo lash ratchets.....28
  - Net.....28
- Cash Boxes.....132
- Casters.....24,139
- Caulking Guns.....63,64
- Chain Blocks.....143
- Chain Accessories**
  - Cold shuts.....158
  - Hooks.....147,162,163
  - Lap links.....157
  - Link locks.....158
  - Quick links.....157
  - “S” hooks.....156
- Chain Saw Files**.....75
  - Handles.....72,73
- Chain Vises.....50
- Chain Wrenches.....49
- Chalk Refills.....87
- Channellock Pliers.....55,56
- Chemicals.....29-38
- Chisel & Punch Sets.....61
- Circular Saw Blades.....76
- Clamps**
  - Battery booster cable.....13
  - Spring clamps.....12
  - Clamps booster.....12
  - C-clamps.....41,42
  - Hose.....18,19
- Cleaners
  - Hand.....186,187
- Clearance & Marker Lights.....4,5,6
- Cluthe**
  - Funnels.....138
  - Measuring containers.....140
- Cold Shuts.....158
- Combination Wrench – Sets.....58,59,60,61
- Concrete Wire Nippers.....43,48,55
- Cotter Pin Assortment.....169

- Coveralls – Disposable.....185
- Crow Bars – Chisel & wedge point.....113
- Cup Brushes.....77
- Cut-Off Wheels.....79
- Cutters**
  - Bolt & replacement jaws....42,43,45,46
  - Hydraulic hose.....44
  - Pipe, PVC.....45,50
  - Rebar, bender.....44
  - Steel strap.....44
  - Threaded rod cutters.....45
  - Tubing.....50
  - Wire cutters.....43
  - Wire rope.....43,46
- Cylinder guards.....126,127
- Cylinders**
  - Dummy.....124
  - Guard rings.....125
  - Hydraulic.....136,137
  - Space rings.....125
  - Thumb turns.....124
  - Guards.....126,127

- D** Dead Blow & Hammers.....104
- Dead Bolts & Latches.....122,123
- Deburring Set.....53
- Dial Gauge.....89
- Disposable**
  - Coveralls.....185
  - Door cylinder guards.....126,127
- Draw**
  - Bar.....22
  - Knife.....97
  - Pilot.....84
- Drill Bits**
  - Jobbers.....71
  - Prentice.....72
  - Sets.....71
  - Stub.....72
- Drill Press Vises.....41
- Drywall Screw Bit.....62
- Dust Pans.....177,178

- E** Extension Poles.....82
- E-Clip Assortment.....169
- Electrical Connectors & Adapters (Auto).9,10,11
- Electrical Tape**
  - Standard cord.....183
- Electricians Knife.....65,210
- Emergency Lights.....7,8
- Electrical Extension Cords.....181,182
- Electrical Plugs & Connectors.....181

Extractors – Screw.....71  
Eye Bolts.....161

## F Fastener Assortments.....169

### Fence

– Pliers.....56  
– Safety.....197

FiberFix.....35,36

File Card.....187

**Files** – Axe.....74  
– Chain saw.....75  
– File card.....187  
– Handles.....72,73  
– Machinist.....73,74  
– Mower.....74  
– Rasps.....75

Fire Axes, Pulaski, Spike.....99

Fire Starter.....211

Flagging Tape.....185

Flanges.....152

### Flashlights

– LED aluminum, LED penlight, LED  
headlamps, LED worklight.....3, 182, 183  
– Lantern, camping,.....3

Flush Bolts.....124

Forks.....108

Funnels.....137,138

Fuses – Auto.....13

## G Gasket Making Silicones.....33

### Gauges

– Dial.....89

Glasses.....195,196

### Gloves

– Cotton.....192  
– Goggles.....195  
– General purpose.....193  
– Mechanics.....193  
– Nitrile.....192-193  
– PVC.....192  
– Work.....191-193

Glue.....38

Gojo – Hand cleaner wipes.....186,187

Goop.....37

Grease Guns & Accessories.....140,169

Grease Nipples.....169

Gun Locks.....212,213

## H Hacksaws & Blades.....79,82,83,86

Hair Pins.....156,169

Hammer Locks.....158

## Hammers

– Blacksmith.....102  
– Brass, non-sparking.....103  
– Carpenters claw.....104  
– Club.....102  
– Deadblow.....104  
– Machinist (ball pein).....103  
– Rubber.....104  
– Sledge.....101

Hand Cleaner, Gojo.....187

### Handles

– Broom.....178,179  
– Lever door.....121,122  
– Push paddle door.....123

### Handles, Striking Tool

– Adze.....106  
– Axe.....105-107  
– File.....72,73  
– Hammer.....106  
– Hatchet.....105  
– Hookaroon.....105  
– Hultafors.....93,94  
– Maul.....107  
– Pick.....107  
– Post maul.....107  
– Pulaski.....105,106  
– Scraper.....101  
– Shovel.....107  
– Sledge.....105,106

Hatchets.....93,97,98

Hearing Protectors.....194

Heat Shrink.....14

Hi Lift Jacks.....19,20

### Hinges

– Strap.....129

Hitch Pins & Clips.....154,155,156

### Hoists

– Cable.....144  
– Chain, lever blocks.....143  
– Rope.....144,145

Holesaws.....84,85

Hookaroons.....99

### Hooks

– Clevis & eye.....147,162  
– Carabiner.....129  
– Grab.....162,163  
– “S” hooks.....156  
– Slip.....147,163  
– Snap.....164-166  
– Spring zinc/stainless.....160

### Hose

– Clamps.....18,19

- Cutters.....44
- Hydraulic Cylinders.....136
- Hydraulic Hose Cutters.....44
- Hydraulic Jacks.....135

**I**

- Ice Scrapers & Snow Brushes.....16
- Implement Light.....2,3,4
- Inspection Mirror.....67
- Inter-Lock Plates.....128

**J**

- J-B Weld.....29-36
- Jacks**
  - Hi-Lift jack & accessories.....19,20
  - Hydraulic bottle.....135
  - Hydraulic cylinders.....136
  - Trailer & accessories.....4,5,6
- Jig Saw Blades.....86

**K**

- Kevron Key Tags.....130,131
- Key Blanks.....115,117,120
- Key Cabinets.....131,132
- Key Caddy Starrett.....87,129
- Key Tags & Key Accessories.....129-131
- Knee Pads.....194

**Knives**

- Boning.....207
- Bush.....209
- Bolo.....210
- Cook’s.....207-208
- Draw.....97
- Electrician’s.....210
- Fillet, fishing.....207-208
- Folding pocket.....210
- Hunting.....209
- Kitchen, commercial.....208
- Machete.....207-210
- Paring.....209
- Skinning.....207
- Utility.....65,66

**MORA Knives**

- Bushcraft.....204
- Classic.....204
- Camping, companion.....201-203
- Companion H.D.....203
- Cook’s.....206
- Eldris.....205
- Electrician’s.....65
- Fillet, fishing.....206
- Hunting.....204,205
- Kansbol.....205
- Kitchen.....206
- Basic.....204

- Rescue.....203
- Skinning.....205
- Spark.....203
- Knob Protectors.....125,126

**L**

- Lap Links.....157
- Latch Paddles.....123
- Latch Protector.....128
- LED Clearance & Marker Lights.....4,5,6
- Letter & Number Stamps.....62
- Lever Guards.....125,126
- Lever Handles.....121,122

**Lights**

- Adaptors.....6
- Clearance & marker.....4,5,6
- Emergency.....7
- Flashlights.....3
- Off-road.....2
- Safety, flashing.....7,8
- String.....180
- Towing.....6
- Tractor LED, halogen.....2,3,4
- Trailer lights.....6,7
- Trouble.....179
- Turn, stop, tail, marker, clearance...4-6
- Work LED.....2,180

- Linch Pins.....156
- Link Locks.....158
- Load Binders.....163,164

**Locks**

- Deadbolts.....122
- Entry, passage, privacy.....121
- Gun locks.....212,213
- Padlocks.....115-120
- Trailer.....24,25

**M**

- Machete.....207-209
- Magnetic Base.....89
- Magnetic Pick-Up Tool.....67

**Magnetic**

- Mallet
  - Rubber.....104
- Marker Pole.....198

**Mauls**

- Splitting.....94,96,100,102

- Measuring Containers .....140
- Measuring Tools.....88,89
- Meat Saw & Blades.....83
- Mechanics Creeper Stool.....17,18
- Mechanics Glove.....193
- Mechanics Vise.....41



Micrometer	
– Outside.....	89
Mirror	
– Telescopic.....	67
Mops Yacht & Handle.....	177,178
Mortise – Cylinders, thumb turns, dummy cylinders.....	124

<b>N</b> Net – Cargo net.....	28
Number & Letter Stamps.....	62

<b>O</b> “O” Ring Kits – Rubber.....	169
Oilers & Accessories.....	140,141

<b>P</b> Paddles – Push-pull.....	123
-----------------------------------	-----

### **Padlocks and Key Blanks**

– Brass.....	115-120
– Disc style.....	121
– Keyed alike.....	116-119
– Keyed different.....	115,118,119,120
– Laminated.....	115-116
– Semi-assembled.....	119
– Re-key alike.....	120

### Paint

– Brushes.....	186
----------------	-----

### **Picks and Mattocks**

– Handles.....	107
– Heads only.....	111

Pick-Up Tool.....	67
-------------------	----

### Pillow Blocks

– Bearings.....	151
-----------------	-----

### **Pipe**

– Cutters, MCC, SuperEgo.....	45,50
– Threaders.....	51
– Vises.....	50
– Wrenches, SuperEgo.....	47,48

### Pipe Tool

– Parts.....	52,53
--------------	-------

### **Pliers**

– Box joint.....	49
– Concrete wire nippers.....	48
– End nippers.....	43,48,55
– Fence.....	56
– Nut buster.....	55
– Parallel action cutting.....	57
– Rescue.....	56
– Revolving punch plier.....	57
– Snap ring.....	56
– Tongue and groove.....	55

### **Protectors**

– Cylinders.....	127
------------------	-----

– Deadbolt.....	126
– Knob.....	125,126
– Latch.....	128
– Lever.....	125

Prentice Drills.....	72
----------------------	----

Pruning Saws.....	79-82
-------------------	-------

Pry Bars.....	112
---------------	-----

Pulaski Fire Axes.....	99
------------------------	----

### **Pullers**

– Cable.....	144
– Lever chain.....	143,144
– Ratchet.....	143,144
– Rope.....	144,145

Pulley Yoke.....	147
------------------	-----

### **Pulleys**

– Malleable iron.....	147,148
– Stainless.....	148,149

Pump Oilers.....	140
------------------	-----

### **Pumps**

– Lever pail.....	143
– Lever, rotary, syphon.....	141,142
– Lever barrel.....	142
– Air, hand.....	141,142
– Submersible.....	141
– Syphon.....	142

Punch & Chisel Sets.....	61
--------------------------	----

### **Punch**

– Revolving belt.....	57
– Wad punch.....	61

PVC Pipe Cutter, MCC.....	45
---------------------------	----

### **Q** Quick Links

– Plated steel & stainless steel.....	157
---------------------------------------	-----

Quick Pins.....	155
-----------------	-----

### **R** Rain Suits.....

197
-----

### **Rakes**

– Bow.....	108
------------	-----

Ratchet Cable Puller.....	144
---------------------------	-----

### Rebar Cutter

– Bender.....	44
---------------	----

Rebar Wire.....	182
-----------------	-----

Rescue Tools, Channel Locks.....	56
----------------------------------	----

Retainer Ring Assortment.....	169
-------------------------------	-----

Rifle Scopes.....	212
-------------------	-----

Ring Bolts.....	161
-----------------	-----

Rings Welded.....	157
-------------------	-----

Rope Hoists.....	144
------------------	-----

Ratchet Chain Pullers.....	143,144
----------------------------	---------

Rivets.....	90
-------------	----

Rivet Guns.....	91
-----------------	----

Rope Ratchet Puller.....	145
--------------------------	-----

Rubber Tie-Downs.....25,26

**S** "S" Hooks.....156

**Safety**

- Fence.....197
- Flashing emergency lights.....7
- Glasses & goggles.....195,196
- Pins.....155
- Vests.....194

**Saws**

- Bandsaw blades.....87
- Bow saws & blades.....79,80
- Circular saw blades.....76
- Hacksaws & blades.....79,82,83
- Handsaws.....83
- Holesaws & arbors.....84,85,86
- Jigsaw blades.....86
- Meat saws & blades.....83
- Pruning saw.....79,80,81,82
- Reciprocating blades.....87
- Pull saw.....80
- Pruning saw.....82
- Extension pole.....82

Scopes

- Rifle.....212

**Scrapers**

- Heavy duty cast.....101
- Auto, ice.....15

Scratch Brushes.....187,188

**Screwdrivers**

- Drywall screwdriver bit.....62
- Open stock.....62

Screw Extractors

- Spiral & square.....71

Seal-All.....36

**Shackles**

- Anchor.....158,159
- D.....159
- Trawling.....159

**Sharpening**

- Steels.....211
- Stone.....211
- Wet stone.....94

Sheaths Axe.....100

Sheaves

- Stainless.....148,149
- Cast Iron.....147,148,150

Shock Cords.....26,27

Shovels.....109-111

Silicone Gasket Makers & Adhesives.....33

Sledge Hammers & Hammers.....101-104

Shoe Goo.....38

**Snaps**

- Bolt.....165
- Hooks.....164
- Leash.....165
- Swivel.....165,166
- Trigger.....165

Snatch Blocks.....150

Snap Ring Assortment.....169

Snow Brush & Ice Scraper.....15

Snow Fence.....197

Snow Shovels.....110

Sockets Sets - 3/4" drive.....60

Spacer Rings.....125

Splitting Mauls.....94,96,100,102

Split Pin Assortment.....169

Split Rings.....130

Spring Hooks

- Plated steel & stainless steel.....160

Squeegees.....16, 179

Stamps

- Number & Letter.....62

Starrett.....84-87

Splice Kit

- Quick.....14

Steels

- Sharpening.....211

Stop, Turn & Tail Light.....6

Strap Cutter.....44

Strap Wrench.....48

Stripping Bar.....113

Stub Drills.....72

Submersible Pumps.....141

SuperEgo.....47-55

Swagger Tool.....46

Swivels.....161,162,165,166

**T** Tap & Die Sets.....68,69,70

**Tape**

- Barricade.....184
- Flagging.....185
- Packing.....184
- PVC electrical.....183
- FiberFix.....34,35,36
- Reflective, trailer.....183
- Reflective, pet solas.....183
- FiberFix.....35,36
- Teflon.....184

Tapes

- Measuring.....88

Tarps, Blue, Camo, White.....199

Teflon Tape.....184

Test Equipment - Battery.....8,9

- Threaded Rod Cutter.....45  
 Threader Kits & Parts, SuperEgo.....51
- Tie Downs**
- Cargo lashes.....28
  - Shock cord fabric covered.....26,27
  - Ratchet.....28
  - Rubber, Snappi-Hooker.....25,26
  - Sport quick release.....27
- Tie Wire & Dispenser.....182  
 Tire Valve Stems.....17  
 Tove Bar.....112  
 Tow Straps
- Nylon.....27
- Towing Lights.....6  
 Tractor Lights.....2,3,4
- Trailer**
- Balls, couplers & bushings.....21,22
  - Bearing kits.....154
  - Couplers.....24
  - Draw bars.....22
  - Jacks & accessories.....23
  - Ball moont triple.....21
  - Light adaptors.....9
  - Lighting kit.....6,7
  - Locks.....24,25
  - Tape, reflective.....183
- Tramontina Knives.....207-210  
 Traffic Warning Triangles.....197  
 Trigger Locks.....212  
 Trouble Lights.....7  
 Tube Cutters.....50  
 Turn, Stop, Tail Light.....6  
 Turnbuckles.....160  
 Twist Drills & Kits.....71
- U** Utility Chain Wrench.....49  
 Utility Knives - Blades.....65-67
- V** Valve Stems.....17  
 Vests - Traffic.....194
- Vises**
- Bench.....41
  - Chain.....50
  - Drill-press.....41
  - Multi-purpose.....41
  - Pipe.....50
- W** Wad Punch Kits.....61  
 Waders Chest & Hip.....213
- Wedges**
- Plastic.....100
  - Splitting.....100
  - Wood & metal for axe handling.....108
- Welded Steel Rings.....157  
 Welding Compound.....29-35  
 Wheel Lug Nuts.....16  
 Winch Bar.....164
- Winches**
- Boat.....21
  - Electric 12V.....20
- Wire**
- Black annealed tie wire.....182
  - Brass snare wire.....214
  - Dispenser.....182
- Wire Nippers.....43,48  
**Wire Rope**.....145
- Accessories.....146,147
  - Cutters.....43,44
- Wire Wheel Brushes
- Steel.....76
- Wiring Accessories.....9,10,11  
 Work Lights.....2,3,4
- Wrecking Bars**
- Goose neck.....111
  - Tove, svedbro smide.....112
- Wrenches**
- Adjustable.....57
  - Chain & strap.....48,49
  - Combination.....58,59,60,61
  - Pipe.....47,48
  - Strap.....48
  - Tongue chain.....49
  - 4 way wheel.....17
  - Ratcheting.....61
- Y** Yarding Blocks.....150



## **Acknowledgment**

- Cover pages were inspired by an art piece designed by new7ducks/Freepik

# G. HJUKSTROM LTD.

WHOLESALE AUTOMOTIVE, INDUSTRIAL,  
HARDWARE, SAFETY, SECURITY &  
SPORTING PRODUCTS



## 2025 CATALOGUE

### Head Office:



19114, 95A Avenue, Surrey, BC, Canada

V4N 4P2

### Winnipeg Warehouse:



1510 Wall Street, Winnipeg, MB, Canada

R3E 2S4

### Division Office:



2, 71 Ilsley Avenue, Dartmouth, NS, Canada

B3B 1L5